


# **RS Carpet Kit**

**with**


**Rear Seat Delete**



**Final Layout**

- **The follow slides will show how I customized and installed a rear seat delete carpet kit.**
- **The thin red lines indicate a carpet piece edge or a fold/contour in the carpet.**
- **The darker/wider red lines indicate a finish seam sewn into the carpet piece.**
- **The darker yellow bands are where two layers of carpet are overlapping for a clean installation.**
- **The carpet pieces are numbered in the order they get installed.**


**Carpet Piece - Layout**



**Layout - (Rear Seat Delete Kit)**

## Carpet Piece #1 - Rear Seat Back

Slide 4




### Piece #1 - (Rear Seat Delete Kit)

- 1-piece seat back, no finish seams required
- Extend carpet over rear deck 4-6"

## Carpet Piece #2 - Underlay at center tunnel

Slide 5




### Piece #2 - (Rear Seat Delete Kit)

- 1-piece, underlay at center tunnel.
- No finish seams required.


## Carpet Piece #3a & 3b - Front Face of Rear Seat Bottom

Slide 6



### Piece #3a & 3b - (Standard 944 Kit)

- 2-pieces, front face of rear seat bottom.
- Provide a 3" leather flab that will tuck underneath the rear seats (if keeping rear seat) or be covered by pieces #4a & 4b included with the rear seat delete kit.




**Piece #4a & 4b - (Rear Seat Delete Kit)**

- **2-pieces, one each to cover the rear seat bottom.**
- **Provide a finish seam at the back edge to lay over piece #1.**
- **Provide a finish seam at the front edge to lay over the leather folds of pieces #3a & 3b.**
- **Extend width on the inside edge to extend up the center tunnel about 2” so that piece #5 overlaps.**
- **Extend width on the outside edge to extend up the wheel wells about 2” so that pieces #7 and #11 overlaps.**

## Carpet Piece #5 - Center Tunnel


Slide 8



### Piece #5 - (Rear Seat Delete Kit)

- 1-piece, cover at center tunnel.
- Provide finish seams at all edges.






**Piece #6 - (Standard 944 Kit)**

- **1-piece, to fit over the fuel fill cowl.**
- **Provide enough material at the front edge to extend about 2” underneath piece #7.**
- **Provide enough material at the rear edge to extend about 2” underneath piece #8.**
- **Provide enough material at the bottom edge to extend about 2” underneath piece #12.**
- **Provide enough material at the top edge to extend about 2” underneath the plastic molding.**


## Carpet Piece #7 - Passenger Side Rear Panel

Slide 10




### Piece #7 - (Standard 944 Kit)

- 1-piece, passenger side rear panel.
- Provide a finish seam leading from the front lower seat half continuous up and around to the plastic molding at the top of the fuel fill cowl.
- Provide enough material at the top edge to extend about 2” underneath the plastic molding and piece #13a.




**Piece #8 - (Standard 944 Kit)**

- **1-piece, passenger side panel at rear hatch.**
- **Provide a finish seam that begins at the lower back edge that extents forward continuously along the top of the panel and down along the fuel fill cowl.**
- **Provide enough material at the lower edge to extend about 2” underneath piece #12.**
- **Use mechanical fasteners to secure piece along top edge similar to OEM carpet pieces.**




**Piece #9 - (Standard 944 Kit)**

- **1-piece, drivers side rear hatch panel.**
- **Provide a finish seam that begins at the lower back edge that extents forward continuously along the top of the panel.**
- **Provide enough material at the lower edge to extend about 2” underneath piece #12.**
- **Provide enough material at the front edge to extend about 2” underneath piece #11.**
- **Use mechanical fasteners to secure piece along top edge similar to OEM carpet pieces.**



**Piece #10 - (Standard 944 Kit)**

- **1-piece, back panel at rear hatch.**
- **Provide a continuous finish seam along the top front edge extending down at both the passenger and drivers side.**
- **Provide enough material at the bottom edge to extend an additional 2” underneath piece #12.**
- **Use mechanical fasteners to secure piece along top edge similar to pieces #8 & 9.**




**Piece #11 - (Standard 944 Kit)**

- **1-piece, drivers side rear panel.**
- **Provide a finish seam leading from the front lower seat half continuous up and around to the plastic molding at the rear quarter window.**
- **Provide enough material at the top edge to extend about 2” underneath the plastic molding and piece #13b.**


## Carpet Piece #12 - Rear Hatch Mat

Slide 15



### Piece #12 - (Standard 944 Kit)

- 1-piece, rear hatch mat.
- Provide a continuous finish seam along all edges.




**Piece #13a & 13b - (Standard 944 Kit)**

- **2-pieces, rear half of floor boards.**
- **Provide a continuous finish seam that begins at the rear inside edge, adjacent to the tunnel and extends towards the side terminating at the plastic molding at the door sills.**
- **Extend width of piece an additional 2" at the inside edge to tuck underneath piece #14.**
- **Extend width of piece an additional 2" at the outside edge to tuck underneath plastic door sill molding.**



## Carpet Piece #14 - Center Tunnel

Slide 17



### Piece #14 - (Standard 944 Kit)

- 1-piece, center tunnel piece.
- Provide a continuous finish seam at all edges.
















































# **RS Carpet Kit**

**with Rear Seat Delete**

**by**

**mj951**