

Throttle %	Engine rpm	Before IC psi	Manifold psi	Pressure Drop	Before IC Temp C	After IC Temp C	Temp Drop
100	3619	19.2	17.8	1.4	94.6	33.7	60.9
100	3645	18.8	17.8	1	94.4	33.7	60.7
100	3679	19.3	17.5	1.8	94.8	33.7	61.1
100	3687	19.6	17.6	2	94.7	33.7	61
100	3709	18.4	18.3	0.1	94.3	33.7	60.6
100	4519	20.6	19.3	1.3	90.4	34.7	55.7
100	4526	20.6	19.3	1.3	90.5	34.7	55.8
100	4548	20.8	19.3	1.5	87.6	32.3	55.3
100	4549	21.1	19.2	1.9	90.7	34.8	55.9
100	4615	21.3	19.6	1.7	87.8	32.4	55.4
100	4638	21.2	20	1.2	88.1	32.4	55.7
100	4667	20.8	19.7	1.1	88.3	32.5	55.8
100	4694	21.5	19.3	2.2	88.6	32.5	56.1
100	4726	21.6	19.6	2	88.8	32.6	56.2
100	4770	21.8	20.1	1.7	89.1	32.6	56.5
100	4789	21.9	20.3	1.6	89.3	32.7	56.6
100	4820	21.9	20.4	1.5	89.6	32.7	56.9
100	4843	22.1	20.5	1.6	89.8	32.8	57
100	4885	22	19.8	2.2	90.1	32.9	57.2
100	4907	22	19.8	2.2	90.3	32.9	57.4
100	4927	21.9	20	1.9	90.5	33	57.5
100	4966	21.6	20.6	1	90.8	33	57.8
100	5009	22.6	20.9	1.7	91	33.1	57.9
100	5122	22.7	20.6	2.1	99.7	33.6	66.1
100	5134	23	20.9	2.1	99.9	33.6	66.3
100	5190	22.2	21.1	1.1	100.1	33.7	66.4
100	5198	23	20.5	2.5	100.3	33.7	66.6
100	5240	22.9	21.5	1.4	100.5	33.8	66.7
100	5888	24.8	22.9	1.9	115.2	35.4	79.8
100	5890	24.2	22.9	1.3	114.9	35.3	79.6
100	5945	25	22.2	2.8	115.5	35.4	80.1
100	5975	25.3	22	3.3	115.7	35.5	80.2
100	6031	25	21.9	3.1	116	35.6	80.4
100	6043	25.7	22.1	3.6	116.4	35.7	80.7
100	6078	25.3	22.7	2.6	116.9	35.9	81
100	6084	25.1	23.4	1.7	117.3	36.1	81.2
100	6114	25	23.4	1.6	117.8	36.2	81.6
100	6172	25.8	22.9	2.9	118.2	36.4	81.8
100	6198	25.5	23.5	2	119.1	36.6	82.5
100	6210	26.1	22.2	3.9	118.6	36.5	82.1
100	6244	26.1	23	3.1	119.5	36.8	82.7
100	6295	26	22.6	3.4	120	37	83
100	6310	25.6	23.3	2.3	120.4	37.1	83.3
100	6328	26.2	22.9	3.3	120.8	37.2	83.6
100	6384	26.2	23	3.2	121.3	37.4	83.9
100	6410	26.4	22.7	3.7	122.2	37.7	84.5
100	6441	25.8	24	1.8	121.7	37.6	84.1
100	6454	26.4	22.8	3.6	122.6	37.9	84.7
100	6493	25.5	23.7	1.8	123	38	85

100	6512	25.9	24.1	1.8	123.5	38.1	85.4
100	6546	26.4	23.6	2.8	123.9	38.3	85.6
100	6558	26.4	23.2	3.2	124.4	38.5	85.9
100	6607	26.5	22.9	3.6	124.8	38.6	86.2
100	6622	26.5	23.1	3.4	125.1	38.8	86.3
100	6666	26.2	23.6	2.6	125.3	38.9	86.4
100	6666	25.9	23.9	2	125.6	39.1	86.5
100	6713	25.3	23.8	1.5	125.9	39.3	86.6
100	6749	26.2	22.1	4.1	126.4	39.6	86.8
100	6764	25.7	23	2.7	126.1	39.5	86.6
100	6770	25.9	23	2.9	126.7	39.8	86.9
100	6809	26.1	22	4.1	127.2	40.2	87
100	6821	25.5	23.3	2.2	126.9	40	86.9
100	6862	25.4	23.1	2.3	127.5	40.4	87.1
100	6878	25.5	22.4	3.1	127.7	40.5	87.2
100	6896	25.4	22.6	2.8	128	40.7	87.3
100	6923	25.4	22.3	3.1	128.2	40.9	87.3
99.9	6978	25.5	21.7	3.8	128.8	41.2	87.6
100	6985	25.2	23	2.2	128.5	41.1	87.4
100	7027	25.7	21.7	4	129.6	41.8	87.8
99.8	7030	24.6	22.8	1.8	129	41.4	87.6
99.9	7041	25.2	22.5	2.7	129.3	41.6	87.7
100	7049	25.1	22.2	2.9	129.8	41.9	87.9
100	7106	24.8	23	1.8	130.1	42.1	88
99.8	7142	25.1	22.9	2.2	130.1	42.2	87.9
99.5	7157	25.5	22.3	3.2	130.1	42.3	87.8