



Lamborghini Huracán – Option price list MY16 *Update: October 2015*

Lamborghini Huracán - Standard Contents



	D Coupè) Spyder	Huracan 2WD Coupè		D Coupè	Huracan 4WD Spyder	éano) ame acacan
	4WD (4WD	2WI		4WD	4W[N.C
	Huracan	Huracan	acar		Huracan	acan	1
	Hur	Hurs	Ή		Tu-	Hurs	5
ITERIOR TRIM & SEATS				BODY			
erior standard unicolor: upholstery mainly in unicolor high quality smooth leather including:	•		•	2-seater coupé	•	•	
ering wheel cover, dashboard, center parts of the seats and door panels	•	•	•	Lightweight chassis hybrid construction concept in aluminium and carbon fiber	•	•	•
cantara® multilayer on upper dasboard and upper central door panel	•	•	•	Lightweight body in aluminium	•	•	•
oflining and sun visors in technical fabric	•	•	•	Complete underbody panelling with integrated NACA air intakes for cooling	•	•	•
gh quality noise insulating carpeting ne-on-tone stitching throughout the cockpit	•			Badge recalling the denomination of the car (LP 610-4) on rear fender Lamborghini logo chromed in the rear	:	•	١.,
erior closed glove compartments in the dashboard and rear center panel				Flush-mounted exterior door handles			
or storage compartments	•	•	•	Aerodynamic design integrated in body shape	•	•	
lditional storage compartment under front center console (dimension fitting most mobile phones)	•	•	•	Dark tinted glass in windows and windscreen	•	•	
nity mirrors in sun visors	•	•	•				
or mats with nubuk edge	•	•	•	CHASSIS & BRAKING			
FOTPONINGS				8.5 J x 20" Giano rims with tires 245/30 on front axle		•	
.ECTR(ON)ICS II-LED lighting concept including: double Y-shape DRL, headlamps, tail lights, side lights, licence plate lights,				11 J x 20" Giano rims with tires 305/30 on rear axle	•	•	
erior lights.	•	•	•	Wheel hub with coloured Lamborghini crest	•	•	
ctric windows lift with one-touch operation	•	•	•	Tire sealing compuond with electric air compressor	•	•	
dscreen washer system with 2 wiper speeds and adjustable intermittent wiper	•	•	•	Electric Power-assisted Steering (EPS) with variable steering ratio	•	•	
ctrically adjustable, heating and folding side mirrors with door panel single-arm attachment	•	•	•	Double wishbone independent suspension with anti-roll bars on front and rear axles	•	•	
ort seats with electrically adjustable backrest and height and length manual adjustments	•	•	•	Electronic Stability Control (ESC) with Lamborghini setup and featuring ABS, ASR, EBD	•	•	
ly integrated steering wheel control concept, with all main controls including side lights, windscreen wiper, rn and driving dynamics mode selector	•	•	•	Carbo-ceramic brake discs, internally ventilated and cross-drilled	•	•	
tomatic dual-zone air conditioning system with integrated active carbon filter	•	•	•	Silver painted brake calipers	•	•	
mote central locking (incl. luggage compartment)	•	•		Anti-Blocking System (ABS) integrated in the ESC	•	•	'
odular wiring harness concept tally integrated electronic control units (ECUs) concept				ENGINE			
tany integrated electronic control units (2003) concept	_			V10 aspirated engine 90°	•	•	
FOTAINMENT				FSI (Fuel Stratified Injection) technologie	•	•	
mborghini Infotainment System II (LIS II) featuring the following functions:	•	•	•	MPI (Multi-Point Injection) technologie	•	•	(
nstrument cluster integrated 12,3" TFT color display	•	•	•	Light alloy construction	•	•	
adio with RDS double tuner	•	•	•	Start & Stop function	•	•	
D/DVD drive including reproduction of MP3 and audio/video files ima TFT color display panel with infotainment information	•		•	4 valves per cylinder Emission standard EU6			
board trip computer		:		Drive-by-wire concept			
peakers (2 woofers + 2 tweeters)	•	•	•	Bosch MED 17 engine management system	•	•	
Iti-media interfaces, including USB and iPod®/iPhone® connections	•	•	•				
I 12.3" TFT color display instrument cluster with adaptive visualization	•	•	•	TRANSMISSION			
or TFT clima display showing main information about climatization and virtual gauges	•	•	•	Lamborghini Doppia Frizione (LDF) 7-speeds dual clutch gearbox	•	•	
FETY				4 wheel drive system, with electronically controlled wet multi-disc clutch	•	•	
FETY size dual-stage driver and passenger airbags	•			PERFORMANCE			
e head and thorax airbags	•		•	Driving dynamics mode selector on the steering wheel (STRADA-SPORT-CORSA) which effects:	•	•	
e impact bars in the door structure	•	•	•	• Engine	•	•	
oints seat belts with pre-tensioner, force limiters and height adjustment	•	•	•	• Sound	•	•	
lapsible steering column	•	•	•	Lamborghini Doppia Frizione (LDF) The state of the	•	•	
nobilizer	•	:	•	Electronically controlled 4WD system Electronic Stability Control (ESC) and traction control (TCS)	:	:	
itolock formation zones at front and rear with integral aluminium alloy bumpers		[Electronic Stability Control (ESC) and traction control (TCS) Launch control function (thrust mode in CORSA and race start in SPORT)	[



				TYPE	FAMILY CODE	PR CODES DESCRIPTION	RESTRICTIONS:	RETAIL W/	O TAXES
Option available Option already included in the market base configuration Option not available Optional free of charge Optional included in a package, not available as single option	LP 610-4	LP 610-4 Spyder	LP 580-2				Mandatory <i>Not available</i>		
EXTERIOR COLORS									
Nero Noctis (black) - Solid color	F	F	F	F	14	A2A2		free of cha	rge
Bianco Monocerus (white) - Solid color	F	F	F	F	14	Т9Т9		free of cha	rge
Nero Helène (black) - Metallic color	F	F	0	F	14	OEOE		USD	2.500
Blu Achelous (blue) - Metallic color	F	F	0	F	14	W1W1		USD	2.500
Grigio Nimbus (light grey) - Metallic color	F	F	0	F	14	L5L5		USD	2.500
Grigio Lynx (dark grey) - Metallic color	F	F	0	F	14	6Y6Y		USD	2.500
Bianco Icarus (white) - Metallic color	F	F	0	F	14	2Y2Y		USD	2.500
Rosso Mars (red) - Metallic color	F	F	0	F	14	N9N9		USD	2.500
Giallo Midas (yellow) - pearl effect color	0	0	0	F	14	B8B8		USD	4.500
Verde Mantis (green) - 4-layer color	0	0	0	F	14	A3A3		USD	4.500
Arancio Borealis (orange) - 4-layer color	0	0	0	F	14	C5C5		USD	4.500
Nero Nemesis (black) - Matt color	0	0	0	F	14	Q0B9		USD	14.000
Bianco Canopus (white) - Matt color	0	0	0	F	14	Q0C1		USD	14.000
Marrone Apus (dark brown) - Matt color	0	0	0	F	14	Q0C2		USD	14.000
Grigio Titans (dark grey) - Matt color	0	0	0	F	14	Q0D4		USD	14.000
Giallo Horus (yellow) - Matt color	0	0	0	F	14	Q0C3		USD	14.000
Marrone Alcestis (brown) - Ad Personam metallic color	0	0	0	F	14	OYOY BO PERSONEM		USD	9.900
Grigio Admetus (light grey) - Ad Personam metallic color	0	0	0	F	14	ODOD BIC PERSONAM		USD	9.900
Blu Caelum (light blue) - Ad Personam metallic color	0	0	0	F	14	E9E9 RD PERSONAM		USD	9.900
EXTERIOR DESIGN									
Transparent Engine Bonnet with carbon forged engine bay	0	-	0	G	PD1	PD1		USD	7.000
LED engine compartment lighting	0	-	o	М	MRB	9L1	PD1	USD	500



Capitar available Capitar Capi						TYPE	FAMILY CODE	PR CODE	S DESCRIPTION	RESTRICTIONS:	RETAIL W/0 PRICE	O TAXES
Style package No 0 0 0 0 0 0 0 M ABO 6HZ instability signest back. Incremised mixing registred in high gloss back. Incremised in high gloss back. MRPPI MRPPI PRIOR price package and care lower gilless back. Incremised in high gloss black. MRPPI PRIOR price package and care lower gilless back. MRPPI PRIOR price package and care lower gilless back. MRPPI MRPPI PRIOR price package and care lower gilless and accordingly to the drived mode seated-includes matt sliver interproves the engine sound accordingly to the drived mode seated-includes matt sliver interproves the engine sound accordingly to the drived mode seated-includes matt sliver interproves the engine sound accordingly to the drived mode seated-includes matt sliver interproves the engine sound accordingly to the drived mode seated-includes matt sliver interproves the engine sound accordingly to the drived mode seated-includes matt sliver interproves the engine sound accordingly to the drived mode seated-includes matt sliver interproves the engine sound accordingly to the drived accordingly to the drived mode seated-includes matt sliver interproves the engine sound accordingly to the drived accordingly to the drived mode seated-includes matt sliver interproves the engine sound accordingly to the drived accordingly to the drived according to the drived mode seated-includes matt sliver interproves the engine sound accordingly to the drived according to the drived according to the drived according to the drived accordingly to the drived according to t	Option already included in the market base configuration Option not available Optional free of charge	• - F	LP 610-4	610-4	LP 580-2					•		
Sport exhaust system Policy Open Sport exhaust system PhO Windows PhO	Style package		o	o	o	М	ABO	6H2	grilles,tailpipes and rear lower grilles are painted in high gloss black. In combination with PD1 also the engine bonnet lateral fins are painted in high		USD	1.800
Phase Pha	Sport exhaust system		o	0	0	G	PHO	PH0	Improves the engine sound accordingly to the driving mode selected.Includes matt silver tailpipes. Improves the engine sound accordingly to the	6H2-PH2	USD	2.800
Soft top in black fabric C	Sport exhaust system with style package		o	o	o	G	PH2	PH2	grilles, side grilles,tailpipes and rear lower grilles are painted in high gloss black. In combination with PD1 also the engine bonnet lateral fins are	6H2-PH0	USD	4.200
Soft top in brown fabric	Windscreen frame in high gloss black		-	0	-	М	ВВО	6FQ		0E0E-A2A2	USD	420
Fire	Soft top in black fabric		-	•	-	М	DAA	2\$3			standard	
Rims Kari 19" silver -	Soft top in brown fabric		-	F	-	М	DAA	2\$5			free of chai	rge
Rims Karl 19" silver	Soft top in red fabric		-	F	-	М	DAA	256			free of chai	rge
Rims Giano 20" silver	TIRES, RIMS AND CALIPERS											
Rims Mimas forged 20" silver	Rims Kari 19" silver		-	-	•						standard	
Parish Giano 20" in high gloss black	Rims Giano 20" silver		•	•	0	М	RAD	C2U		C3E-40A-40B-40C	USD	4.900
Rims Giano 20" in high gloss black 0 0 - M RAD 40A C2U-C3E-40B-40C USD 1.400 Rims Mimas forged 20" in high gloss black 0 0 M RAD 40A C2U-C3E-40B-40C USD 6.300 Rims Giano 20" in titanium 0 0 - M RAD 40B C2U-C3E-40A-40C USD 11.900 Rims Giano 20" in titanium 0 0 - M RAD 40C C2U-C3E-40A-40B USD 1.400 Rims Mimas forged 20" in titanium 0 0 - M RAD 40C C2U-C3E-40A-40B USD 6.300	Rims Mimas forged 20" silver		0	0	-	М	RAD	C3E	Lightweight forged alloy rims	C2U-40A-40B-40C	USD	5.600
California Cal			-	-	0	М	RAD	C3E			USD	10.500
Rims Mimas forged 20" in high gloss black O O - M RAD 40B C2U-C3E-40A-40C USD 7.000 Rims Giano 20" in titanium O O - M RAD 40B C2U-C3E-40A-40C USD 11.900 Rims Mimas forged 20" in titanium O O I M RAD 40C C2U-C3E-40A-40B USD 6.300 Rims Mimas forged 20" in titanium O O I M RAD 40D I	Rims Giano 20" in high gloss black		o	0	-	М	RAD	40A		C2U-C3E-40B-40C	USD	1.400
Calcal Control Contr			-	-	0	М	RAD	40A			USD	6.300
Rims Giano 20" in titanium o o - M RAD 40C C2U-C3E-40A-40B USD 1.400 C - - o M RAD 40C USD 6.300 Rims Mimas forged 20" in titanium o o - M RAD 40D USD 7.000	Rims Mimas forged 20" in high gloss black		0	0	-	М	RAD	40B		C2U-C3E-40A-40C	USD	7.000
- - 0 M RAD 40C USD 6.300 Rims Mimas forged 20" in titanium 0 0 - M RAD 40D USD 7.000			-	-	0	М	RAD	40B			USD	11.900
Rims Mimas forged 20" in titanium 0 0 - M RAD 40D USD 7.000	Rims Giano 20" in titanium		0	0	-	М	RAD	40C		C2U-C3E-40A-40B	USD	1.400
Rims Mimas forged 20" in titanium 0 0 - M RAD 40D USD 7.000			-	-	0	М	RAD	40C			USD	6.300
	Rims Mimas forged 20" in titanium		0	0	-							
			_	-	n							



				TYPE	FAMILY CODE	PR CODE	S DESCRIPTION	RESTRICTIONS:	RETAIL W/C	TAXES
Option available Option already included in the market base configuration Option not available Optional free of charge Optional included in a package, not available as single option	10-4	LP 610-4 Spyder	LP 580-2					Mandatory <i>Not available</i>	· MOZ	
Rims Giano 20" polished black matt	0	0	-	М	RAD	44P			USD	1.400
	-	-	0	М	RAD	44P			USD	6.300
CCB with Silver painted brake calipers	•	•	-	М	-	•		L5L5-ODOD	standard	
CCB with Silver painted brake calipers	-	-	0	G	PF5	PF5			USD	15.300
STEEL BRAKE with Silver painted brake calipers	-	-	•	М	-	-			standard	
CCB with Black painted brake calipers	0	0	-	G	PC1	PC1		W1W1-E9E9	USD	1.300
CCB with Black painted brake calipers	-	-	0	G	PC1	PC1			USD	15.300
STEEL BRAKE with Black painted brake calipers	-	-	0	G	PF3	PF3			USD	1.300
CCB with Yellow painted brake calipers	0	0	-	G	PC2	PC2		N9N9-B8B8-A3A3-C5C5-0Y0Y-Q0(USD	1.300
CCB with Yellow painted brake calipers	-	-	0	G	PC2	PC2			USD	15.300
STEEL BRAKE with Yellow painted brake calipers	-	-	0	G	PF4	PF4			USD	1.300
CCB with Orange painted brake calipers	0	0	-	G	PC3	PC3		N9N9-B8B8-A3A3-C5C5-Q0C3	USD	1.300
CCB with Orange painted brake calipers	-	-	0	G	PC3	PC3			USD	15.300
STEEL BRAKE with Orange painted brake calipers	-	-	0	G	PF1	PF1			USD	1.300
CCB with Red painted brake calipers	0	0	-	G	PC4	PC4		B8B8-A3A3-C5C5-0Y0Y-Q0C3	USD	1.300
CCB with Red painted brake calipers	-	-	0	G	PC4	PC4			USD	15.300
STEEL BRAKE with Red painted brake calipers	-	-	0	G	PF2	PF2			USD	1.300
CCB with Green painted brake calipers	0	0	-	G	PF6	PF6		N9N9;Q0C3;B8B8;C5C5	USD	1.300
CCB with Green painted brake calipers	-	-	0	G	PF6	PF6			USD	15.300
STEEL BRAKE with Green painted brake calipers	-	-	0	G	PF7	PF7			USD	1.300
CCB with Silver painted brake calipers	0	0	-	G	PC0	PC0	AD PERSONAM		USD	1.500
CCB with Silver painted brake calipers	-	-	0	G	PC0	PC0	AD PERSONAM		USD	15.500
STEEL BRAKE with Silver painted brake calipers	-	-	0	G	PG0	PG0	AD PERSONAM		USD	1.500
CCB with Green painted brake calipers	0	0	-	G	PF8	PF8	AD PERSONAM		USD	1.500



				TYPE	FAMILY CODE	PR COD	ES DESCRIPTION	RESTRICTIONS:	RETAIL W, PRICE	O TAXES
Option already included in the market base configuration Option not available Optional free of charge	0	LP 610-4 Spyder	580-					Mandatory Not available		
CCB with Green painted brake calipers		- -	0	G	PF8	PF8	AD PERSONAM		USD	15.500
STEEL BRAKE with Green painted brake calipers		- -	o	G	PG7	PG7	AD PERSONAM		USD	1.500
CCB with Black painted brake calipers	(0	-	G	PC6	PC6	AD PERSONAM		USD	1.500
CCB with Black painted brake calipers		- -	0	G	PC6	PC6	AD PERSONAM		USD	15.500
STEEL BRAKE with Black painted brake calipers		- -	0	G	PF9	PF9	AD PERSONAM		USD	1.500
CCB with Yellow painted brake calipers	(0	-	G	PC7	PC7	AD PERSONAM		USD	1.500
CCB with Yellow painted brake calipers		- -	0	G	PC7	PC7	AD PERSONAM		USD	15.500
STEEL BRAKE with Yellow painted brake calipers		- -	0	G	PG4	PG4	AD PERSONAM		USD	1.500
CCB with Orange painted brake calipers	(0	-	G	PC8	PC8	AD PERSONAM		USD	1.500
CCB with Orange painted brake calipers		- -	o	G	PC8	PC8	AD PERSONAM		USD	15.500
STEEL BRAKE with Orange painted brake calipers		- -	0	G	PG1	PG1	AD PERSONAM		USD	1.500
CCB with Red painted brake calipers	•	0	-	G	PC9	PC9	AD PERSONAM		USD	1.500
CCB with Red painted brake calipers		. -	o	G	PC9	PC9	AD PERSONAM		USD	15.500
STEEL BRAKE with Red painted brake calipers		- -	o	G	PG2	PG2	AD PERSONAM		USD	1.500
SUSPENSION AND CHASSIS										
Lifting system		0	o	G	PZ1	PZ1	Raises the front axle of the car of 30 mm. It can be activated through a switch in the front center console and lowers automatically at 70 km/h Adapts the suspension damping to the changing		USD	3.500
Magneto-rheological suspension		0	o	G	PZ4	PZ4	driving situation continuously. It varies automatically and in just a few fractions of a second by means of an electronically controlled magnetic field. This results in impressive handling dynamics. The response of the suspension is changing according to the driving dynamic mode selected (Strada-Sport-Corsa)		USD	3.400
Lifting system and magneto-rheological suspension		0	0	G	PZ3	PZ3			USD	6.900



				TYPE	FAMILY CODE	PR CODE	S DESCRIPTION	RESTRICTIONS:	RETAIL W/C PRICE	TAXES
Option available Option already included in the market base configuration Option not available Optional free of charge Optional included in a package, not available as single option	LP 610-4	LP 610-4 Spyder	LP 580-2					Mandatory <i>Not available</i>		
Lamborghini Dynamic Steering (LDS)	o	0	0	М	LEN	1N8	Improves comfort and handling by dynamically regulating steering ratio according to the driving situation. It can change the steering behavior depending on the speed and the setting of the dynamic mode selector. The system adapts to the car's dynamics continuously. At low speed or in a racing mode it supports the driver with a very direct steering, while at high speed the steering becomes more indirect in order to ensure a perfect stability constantly.		USD	2.400
INFOTAINMENT AND ELECTRICS										
Bluetooth® preparation (hands free profile) Satellite tuner (SDARS)	•	•	0	M G	VTV PR1	9ZX QV8	Provides hands-free connection via Bluetooth		USD standard	1.000
Cruise control system	0	o	o	М	GRA	8T2	Hard disk navigation with topographical map displays places of interest and town models in 3D, it is completely integrated in the 12.3" TFT color display instrument cluster. The system offers 3 alternative routes, with the ability to scroll along	;	USD	1.000
Navigation system	0	0	o	G	PA1	PA1	the selected route and to manoeuvre within the map. It uses 7-digit postcode recognition and includes split-screen mode for route information, dynamic route guidance (TMC), intersection zoom function, motorway exits and lane recommendations in Driver's Information System (DIS). Includes adjustment for height, forwards and		USD	3.200
Full electric adjustable and heated seats	0	-	0	G	WVO	wvo	backwards position, backrest angle and seat heating	Q1J	USD	2.800
	-	•	-	G	WV1	WV1			standard	
Front and rear parking sensors	0	0	0	М	EPH	7X2	Acoustic and visual park assist system for the front and rear area of the car Acoustic and visual park assist system for the front and rear area of the car. It shows camera		USD	2.100
Front and rear parking sensors and rear view camera	0	0	0	G	PLO	PL0	image of area behind the vehicle shown on the 12.3" TFT color instrument cluster, with parking line. The rear-view camera is integrated discreetly in the rear bumper	у	USD	3.900
Anti-theft alarm	•	•	0	М	EDW	7AL	Anti-theft alarm featuring volumetric interior surveillance. Independent from the battery		USD	800



				TYPE	FAMILY CODE	PR CODE	S DESCRIPTION	RESTRICTIONS:	RETAIL W/O PRICE	TAXES
Option available Option already included in the market base configuration Option not available Optional free of charge Optional included in a package, not available as single option	LP 610-4	LP 610-4 Spyder	LP 580-2					Mandatory Not available		
Tire Pressure Monitoring System (TPMS)	•	•	•	М	RDK	7K3	Provides early warning of any drop in pressure vi- the on-board computer display. In addition, the driver can quickly and easily check the individual pressure in all four wheels via the multi-purpose display in the instrument cluster. Wireless control system with 3 configurable	à	standard	
Garage door opener	•	•	0	М	GRT	VC2	buttons smartly integrated in the light panel, which can be used e. g. to operate garage door and front gate, and to turn home's security system, outdoor lighting, interior appliances and electronics on and off.		USD	400
INTERIOR COLOR AND TRIM										
Travel and smoker package	0	0	0	Р	PH3	РН3			USD	600
Interior "Unicolor" in leather	•	•	•	М	BFA	OUA			standard	
Interior "Sportivo" unicolor with Alcantara®	0	0	0	М	BFA	OUJ			USD	2.100
Interior "Sportivo" bicolor with Alcantara®	0	0	0	М	BFA	OUK			USD	3.500
Interior "Sportivo" bicolor with smooth leather	0	0	0	М	BFA	OUF			USD	3.500
Interior "Elegante" bicolor	0	0	0	М	BFA	OUB			USD	1.400
Tone on tone stitching	•	•	•	G	Y01	Y01			standard	
Coloured stitching for unicolor interiors	0	0	0	G	YCS	YCS			USD	700
Inverted stitching for "Sportivo" bicolor interiors	o	0	0	G	YCS	YCS			USD	700
Stitching in contrast color for "Elegante" bicolor interiors	o	0	0	G	YCB	YCB			USD	280
Multifunction steering wheel in smooth leather	•	•	•	М	LRA	2PF			standard	
Multifunction steering wheel in suede leather	0	0	0	М	LRA	1XW			USD	700
Branding package	0	0	o	М	EMI	NR1	With the Sport bucket seats, the Lamborghini logo on the headrest is embossed in the colour of the stitching)	USD	1.000
Rooflining and A-pillars in smooth leather	o	0	0	М	HIM	6NP			USD	1.400
Rooflining and A-pillars in Alcantara®	o	0	0	G	YAO	YAO			USD	1.400
Floor mats with leather piping and double stitching	o	0	o	М	ZFM	OTN			USD	700
WARRANTY EXTENSIONS Lamborghini warranty 4th Year Lamborghini warranty 5th Year	0	0	0	M M	ASG ASG	EBO EB1			USD USD	4.800 9.200

Lamborghini Huracán - Technical specifications



	Huracan LP 610-4 Coupè	Huracan LP 610-4 Spyder	Huracan LP 580-2 Coupè
CHASSIS AND BODY			
Frame	Hybrid Chassis concept in aluminum & carbon fiber & aluminum frames	Hybrid Chassis concept in aluminum & carbon fiber & aluminum frames	Hybrid Chassis concept in aluminum & carbon fiber & aluminum frames
Body	Aluminium with thermoplastic "hang-on" parts	Aluminium with thermoplastic "hang-on" parts	Aluminium with thermoplastic "hang-on" parts
Suspension	Aluminium double-wishbone front and rear suspension system, anti-roll bar, anti-dive and anti-squat	Aluminium double-wishbone front and rear suspension system, anti-roll bar, anti-dive and anti-squat	Aluminium double-wishbone front and rear suspension system, anti-roll bar, anti-dive and anti-squat $$
ESC	ESC 8.0 (SW 9.0)ABS with different ESC charecteristics managed by drive select mode	ESC 8.0 (SW 9.0)ABS with different ESC charecteristics managed by drive select mode	ESC 8.0 (SW 9.0)ABS with different ESC charecteristics managed by drive select mode
Brakes	Front and rear CCB, (6-cylinder brake calipers, 4-cylinder brake calipers)	Front and rear CCB, (6-cylinder brake calipers, 4-cylinder brake calipers)	Front and rear fixed calipers monoblock in aluminum (8-piston brake callipers and 4-piston brake callipers)
Ventilated discs (front - rear)	Carbo-ceramic discs ventilated and perforated Ø 380X38 mm (14,96X1,49 in.) - Ø 356X32 mm (14,01X1,25 in.)	Carbo-ceramic discs ventilated and perforated Ø 380X38 mm (14,96X1,49 in.) - Ø 356X32 mm (14,01X1,25 in.)	Steel discs ventilated and cross-drilled Ø 365X34 mm - Ø 356X32 mm
Steering	Steering Gear with 3 different servortonic charcteristics managed by drive select mode	Steering Gear with 3 different servortonic charcteristics managed by drive select mode $$	Steering Gear with 3 different servortonic charcteristics managed by drive select mode $$
Tires (front - rear)	Pirelli 245/30 R20 - 305/30 R20	Pirelli 245/30 R20 - 305/30 R20	Pirelli 245/35 R19 - 305/35 R19
Wheels (front - rear)	20"X 8.5J - 20"X 11J	20"X 8.5J - 20"X 11J	19" X 8.5J - 19" X 11J
Mirrors	External mirrors heated, electrically adjustable and foldable	External mirrors heated, electrically adjustable and foldable	External mirrors heated, electrically adjustable and foldable
Airbags	Front dual stage driver airbag and front adaptive passenger airbag; seats with side "head-thorax" airbags	Front dual stage driver airbag and front adaptive passenger airbag; seats with side "head-thorax" airbags	Front dual stage driver airbag and front adaptive passenger airbag; seats with side "head-thorax" airbags
ENGINE			
Туре	V10 90° IDS	V10 90° IDS	V10 90° IDS
Displacement	5,204 (317.57 cu. ln)	5,204 (317.57 cu. ln)	5,204 (317.57 cu. ln)
Bore and stroke	Ø 84,5 mm x 92,8 mm (3,32 in. X 3,65 in.)	Ø 84,5 mm x 92,8 mm (3,32 in. X 3,65 in.)	Ø 84,5 mm x 92,8 mm (3,32 in. X 3,65 in.)
Valve gear	Variable valve timing electronically controlled	Variable valve timing electronically controlled	Variable valve timing electronically controlled
Compression ratio	12.7:1	12.7:1	12.7:1
Maximum power	449 KW* (610 CV) at 8.250 rpm	449 KW* (610 CV) at 8.250 rpm	426 KW* (580 CV) at 8.000 rpm
Maximum torque	560 Nm at 6.500 rpm	560 Nm at 6.500 rpm	540 Nm at 6.500 rpm
Weight to power ratio	2.33 kg/CV	2.52 kg/PS	2,39 Kg/PS
Emission class	EURO 6 - LEV 2	EURO 6 - LEV 2	EURO 6 - LEV 2
Emission control system	Catalytic converters with lambda sensors	Catalytic converters with lambda sensors	Catalytic converters with lambda sensors
Cooling system	Water and oil cooling system in the rear with variable air inlets	Water and oil cooling system in the rear with variable air inlets	Water and oil cooling system in the rear with variable air inlets
Engine management system	Bosch MED 17	Bosch MED 17	Bosch MED 17
Lubrication system	Dry sump	Dry sump	Dry sump

Lamborghini Huracán - Technical specifications



	Huracan LP 610-4 Coupè	Huracan LP 610-4 Spyder	Huracan LP 580-2 Coupè
DRIVETRAIN			
Type of transmission	Electronically controlled all wheel drive	Electronically controlled all wheel drive	Electronically controlled all wheel drive
Gearbox	Lamborghini Doppia Frizione (LDF) 7-speeds dual clutch gearbox with actuation by paddles on the steering column	Lamborghini Doppia Frizione (LDF) 7-speeds dual clutch gearbox with actuation by paddles on the steering column	Lamborghini Doppia Frizione (LDF) 7-speeds dual clutch gearbox with actuation by paddles on the steering column
Clutch	double plate clutch Ø 187 mm (7,36 in.)	double plate clutch Ø 187 mm (7,36 in.)	double plate clutch Ø 187 mm (7,36 in.)
PERFORMANCE			
Top speed	>325 km/h (>202 mph)	324 km/h (201 mph)	320 km/h (199 mph)
Acceleration (0-100 km/h [0-62 mph]) 3.2 sec.	3.4 sec.	3.4 sec.
Acceleration (0-200 km/h [0-124 mp	h 9.9 sec.	10.2 sec.	10.1 sec.
DIMENSIONS			
Wheelbase	2620 mm (103.1")	2620 mm (103.1")	2620 mm (103.1")
Overall length	4459 mm (175.6")	4459 mm (175.6")	4459 mm (175.6")
Overall width (including mirrors)	2236 mm (88.0")	2236 mm (88.0")	2236 mm (88.0")
Overall width (excluding mirrors)	1924 mm (75.7")	1924 mm (75.7")	1924 mm (75.7")
Overall height	1165 mm (45.9")	1180 mm (46.5")	1165 mm (45.9")
Track (front - rear)	1668 mm - 1.620 mm (65.7" - 63.8")	1668 mm - 1.620 mm (65.7" - 63.8")	1668 mm - 1.620 mm (65.7" - 63.8")
Dry weight	1422 kg (lb 3135)	1542 kg (lb 3399)	1389 kg
Weight distribution (front - rear)	42% - 58%	43% - 57%	40% - 60%
TANK CAPACITIES			
Fuel tank	80 litres (21.1 US gal)	83 litres (21.1 US gal)	83 litres (21.1 US gal)
CONSUMPTION**			
Urban cycle	17,8 I/100 km	17,5 I/100 km	17,2 I/100 km
Extra urban cycle	9,4 I/100 km	9,2 I/100 km	8,9 I/100 km
Combined	12,5 I/100 km	12,3 I/100 km	11,9 I/100 km
CO2 emissions	290 g/km	285 g/km	278 g/km

^{* 1} kW = 1.34 bhp ** In accordance with Dir. EC/1999/100

Lamborghini Huracán - For your notes



Individual equipment	



Lamborghini