### APPROVED

## CENTIFIED FIRE DWNED

|        | 648 B       |             |       |
|--------|-------------|-------------|-------|
| E. N   | was and     |             | 120   |
| ERWS L | 2.33 (2.54) | <b>2011</b> | 1,224 |

Quast Ufail Tread depth (min. 4 mm)

Upass Utall Tire size:
Upass Utall Tire pressures
Upass Ofail Tire pressure monitor

NOTE: for purposes of eligibility, measure the trend depth from the bettem of the trend op ecross all the trends on the tire. Trend depth measurements of Union or greater or tires with more than 50% of the original trend remaining, the tires pass the inspection standard.

€arj)ass

Ofail Brake pad wear (if less than 50% remains, replace pads)

approximate % of pad remaining

| Measure poole (6: nei)  | 新城市                         | Cortor                          | Objects |
|---|-----------------------------|---------------------------------|---------|
| renovembra verske konstanja svenska konstante<br>Erikor (1889 | en emission programme<br>Es | 6                               |         |
| ltear kelt  | 6                           |                                 | 6       |
| Rear Halvi  | 6                           | 6                               | (       |
| fices inglé   |                             | 6                               | 6       |
| Spara wrood   | and a comment               | The second second second second |         |

|   |                         | 420% 1/180% 1/180% 1/1 80%  |  |
|---|-------------------------|---|--|
| F Foot  | io Camus                | rtment ~ Pass or Fail (Check one)   |  |
| Orpass  |                         | 1000 A |  |
| Carpass<br>Carpass  | C) (ail<br>C) (ail      | • .   | Opass Ofall Belts (alternator/air-conditioning/fan/power steering)   |
| Orpass  | ⊖iail<br>⊝iail          |   | ගතුනs O fail Engine (no visible defects, fluid loss, leaks)<br>ජාතුනs O fail Electrical connections and fuses  |
| ta pass   | Clail                   |   | 可pass Ofail Electrical connections and fuses<br>可pass Ofail Battery: <u>メビオーバインです。</u>   |
| @ pass  | Clail                   | •   | 1 page 12 fail Additional Datlery:   |
| ·   |                         | ,   | <u> </u>   |
|   |                         |   | Cl-pass —— Glaff — fylybrid Battery (Copperly in %)  |
| G, Fluid  | l <b>a</b>              |   |  |
| O pass  | □ faif                  | Engine oil  | ☐ parss ☐ fail Power steering hydraulic oil  |
| Of pass   | Ca fail                 | Front/rear axle differential oil  | Apass A fail Brake fluid/clutch fluid  |
| ယ် pass   | <b>□</b> fail           | **************************************  | ☐pass ☐fail Windscreen/headlight washer fluid  |
| Carpass   | 🗀 lail                  | Coolant (antifreeze protection down to:C)   |  |
| H, leter  | lor (functi             | on and condition)   |  |
| Q.pass  | (⊒ fail                 | Door tocking system (child-proof locks)   | Qpăss ⊖ fail Cupholders  |
| 11 pass   | 🔾 fail                  | Remote control  | Grpass G fail Ashtrays   |
| a pass  | 🗀 faif                  | Alarm system and immobiliser  | Opass Otal Cigarette lighter/sockets (12V)   |
| a pass  | 🗀 fail                  | Ignition/Ignition lock  | O'pass O fail Instrument panel (check white stationary)  |
| □pass   | 🗀 lail                  | Steering wheel lock   | ☐ pass ☐ fail On-board clock   |
| රැ pass   | 🗀 fail                  | Horn  | ຝັກຂຣs ⊔ fail On-board computer  |
| ⊄pass   | ☐ fail                  | Airbag system (child seat deactivation)   | ☐ pass ☐ fail PCM (radio, telephone, CD, DVD, navigation system)   |
| Upass   | 🔾 fail                  | Wipers front/rear   | ☐ pass ☐ fail CD changer   |
| 2 pass  | ☐ fail                  | Headlight and windscreen washer system  | ☐ pass ☐ fail Interior lighting  |
| ☐ pass  | ☐ fail                  | Steering column adjustment  | 2 pass 2 fail Heating/ventilation/air-conditioning/climate control   |
| a pass  | □ fail                  | Seat belts and seat belt height adjustment  | Opass Ofail Exterior mirror/rear-view mirror adjustment  |
| © pass<br>□ pass  | □ fail<br>□ fail        | Seat adjustment/position memory/heating   | Trans Table Power windows (anti-pinch protection)  |
| CI pass   | 🔾 fail                  | Seat and head restraint upholstery Sun visors   | Cipass Cifail Bonnet/tailgate release  |
| Ur pass   | Ca fail                 | Roof lining   | © pass □ fail Roof (Cabriolet, Targa, sliding sunroof)   |
| a pass  | C) fail                 | Floor mats and carpet   | 1 Dass 1 Tequipment Exclusive equipment:   |
| a pass  | Cu fail                 | Interior trim and luggage compartment   | The process of the pr |
| a pass  | 🔾 fail                  | Glove box   |  |
| i. Test Dr  | ive                     |   |  |
| O pass  | 🔾 fail                  | (Cold-)start/idling characteristics   | ပျစ်ass O fail Gear change   |
| pass  | C fail                  | Braking effect (service brake and handbrake)  | Quass Calail Auxiliary heating   |
| of pass   | 🔾 tail                  | ABS   | Cross Crail Heating/ventilation system, air-conditioning system  |
| ② pass<br>□ pass  | 🔾 fail                  | Suspension system   | ☐ pass ☐ fail Rear window and mirror heating   |
| ☐ pass  | 🔾 fail                  | PASM/air suspension   | ☐páss ☐ fail ParkAssist/reversing camera   |
| a pass  | 😃 fail                  | Electronic Stability System (PSM, etc.)   | 🖵 pass 💢 fail PCM (radio, telephone, CD, DVD, navigation system)   |
| ₫ pass  | ) fail                  | Power steering/Servotronic  | □ pass □ fail Cruise control (all functions)   |
| Thass   | 🔾 fail                  | Steering wheel centered   | ☐ pass ☐ fail Differential locks, all-wheel drive  |
| La pass   | LI fail                 | Straight-ahead travel   | ☐ pass ☐ fail Instrument panel (while vehicle in motion)   |
| pass  | ☐ fail                  | Road behavior/handling  | pass Offail No unusual noises/vibrations   |
| ☐ pass<br>☑ pass  | □ fail<br>□ fail        | Vehicle performance<br>Clutch play  | ②rpass ☐ fail Warm-start/idling characteristics  |
| Certificat  | one and a state to each | onton proj  |  |
|   |                         |   | +  |
| The signatures of the mechanic, service manager and pre-owned manager are confirmation that this Porsche has been meticulously inspected and that detected defects have been rectified in |                         |   |  |
| accorda   | inco with t             | he Porsche Approved Gertified Pre-owned Program.  | nis inspection is invalid without all required signatures.   |
| 1   | Part                    |   |  |

Pre-ovined Manage

112

Date:


Date:


-Technician

Service Manager

# APPROVED CERTIFIED PRODUCED VEHICLES

| <b>A. Vol</b> i<br>Dealer   | ole den  | Name Prince of Beachward  |  |  |  |
|-----------------------------|--|---|--|--|--|
| ANJV?                       | 10   | 16249165117228  | In-Service Date: (required) Trans #: 2095079   |  |  |
| Mileage                     | ):;  | 1551  | was was trans to Language Control of the Control of |  |  |
|                             | Source .   | Vehicle History Report'   |  |  |  |
| M frade                     | ΩÂu  | ction O Lease Réturn 💢 yes date run 🛫   | burrorrunnurrunnannunnunnunnun   |  |  |
| Does thi                    | s vehice   | have any aftermarket accessories installed? † 🚨 yes 🛮 🔎 no                          |  |  |  |
| B. Vehi                     | ile dotu   | mentation - Pass or Fall (Check one)  |  |  |  |
|                             |  | nty History For:  | Qyfass U fall Air Bag System Maintenance: □CD-changer-code-(caud_bymber:   |  |  |
| u pass                      | 🔾 fail   | mileage discrepancies   | (per Parsche recommended maintenance)  |  |  |
| @ pass                      | Ca fail  | open recall campaigns/service actions completed                                     | Transport of tail All emission control systems must be functional. UNavigation-GD/OVD; version:  |  |  |
| u pass                      | ☐ fal  | Odometer: check for tampering   | Any item that has been tampered with must be   |  |  |
| 12 0000                     | □ fal  | Glove Box Portfolio, Include;<br>Owner's Manual                                     | brought into compliance,  A Nimber of keys   |  |  |
| Cirpass<br>Cirpass          | □ fal  | Warranty Booklet  | □ yes □ no Retrieve and address any faults codes? □ Yes □ no Retrieve and address any faults codes? □ Yes □ no Retrieve and address any faults codes? □ Yes □ no Retrieve and address any faults codes? □ Yes □ no Retrieve and address any faults codes?  |  |  |
| a pass                      | ☐ fall   | Maintenance Booklet   | yes and accress any radius codes:  1 2 3 4 first aid lat, wheel anti-theft protection, spare whe   |  |  |
|                             | 🗀 fal  | All servicing documented by Porsche dealers   | ☐ Warning triangle warning triangle  |  |  |
| Orpass<br>Orpass            | () fai   | Perform Scheduled Maintenance   | Androcode (card number:  |  |  |
|                             |  | Indicate  |  |  |  |
|                             | ü  | If within 2,500 miles, or   |  |  |  |
|                             |  | If last recorded service was > 10 months ago  |  |  |  |
| C thin                      | Cartela  | & Accessories = Pass by Fall (Check one)  |  |  |  |
|                             |  |   |  |  |  |
| Orbass<br>Orbass            | □ fail   | Ignition/Starter switch   | arpass a fail Cigarette lighter  |  |  |
| Of pass                     | □ fai<br>□ fai   | Headlights - low beams/high beams<br>Emergency (lasher switch                       | ©rpass □ fail Clock (set to correct time)  Gross □ fail Windshield and rear window wipers (replace all wiper inserts)  |  |  |
| ⊕ pass                      |  | Fog/driving lights  | pass U fail Windshield and rear window washer system   |  |  |
| or pass                     | 🗀 fail   | Stop lights   | Opass Offail Headlight washers   |  |  |
| ⊔ pass                      | 🗀 fail   | Key light (install new battery)   | ယက်ခွန်န သ (all Hom(s)   |  |  |
| Opass                       | 🗀 fail   | Orive block system remote transmitter   | ☐ pass ☐ fail Warning display lights   |  |  |
|                             | f - 2  | (install new battery for the transmitter)   | ☐ pass ☐ fail Instrument panel dimming   |  |  |
| Ci pass                     |  | All exterior lights checked for operation All interior lights checked for operation | Olfgas Olfail Power window switches  Word pass Olfail Park Assistant   |  |  |
| m bass                      | Care FOR   | An attention agains encoured to operation   | arr pass □ fail Park Assistant   |  |  |
| D. Exterio                  | D. Exterior: Underbody, Body, Doors, Lids & Top Pass or Fall (Check one) |   |  |  |  |
|                             |  | ence of existing damage to the vehicle?   Yes  No 4                                 | ©pass □ fail Underbody inspection for damage/corrosion:  |  |  |
| _                           |  |   | ঞ্জিয়ত এ fail Underbody inspection for damage/corrosion:<br>আৰ্মুন্তত্ত এ fail exhaust system   |  |  |
| (a pass                     |  | Axle joints   | Upass Q fail brake lines/hoses   |  |  |
| Orpass<br>Orpass            |  | Leaks: engine, transmission, differential, transfer case<br>Gas cap                 | ⊈pass □ fail fuel lines/hoses  |  |  |
| a pass                      |  | Wheel locks   | Spass U fail Glass - chips or cracks   |  |  |
| ia pass                     |  | Front/rear lid release actuation  | ☑ pass □ fail Brake calipers/cylinders, air ducts, cover plates  |  |  |
|                             |  | Door;   |  |  |  |
| பிழுக்க                     | 🔾 fail   | hinges  |  |  |  |
| Ca pass                     | 👊 fail   | door closing  | Does this vehicle have signs of previous collision damage/repairs (vehicle is  |  |  |
| 🗹 gass                      | ☐ fail   | door locks  | not eligible if more than 2 body panels painted or signs of frame damage)?   |  |  |
| (1 pass                     | ⊖ fail   | check straps  | If yes, this vehicle may not be eligible for certification. Consult the Porsche  |  |  |
| □ pass´<br>□ gass           | ☐ fail<br>☐ fail   | window lifter mechanisms Seat adjusters   | Approved Policy & Procedure Manual for clarification.  Note: Paint touch-ups for rock chips and parking lot dings are not considered colli-  |  |  |
| 21 pass                     | Ca fail  | Surroof/sliding roof mechanism and locks  | sion damage.   |  |  |
| Cl-pass-                    |  | Gebriolet-top-operation   | hamman and a state of the state |  |  |
| □ Tail Targa top operation- |  |   |  |  |  |
|                             |  |   |  |  |  |





 $<sup>^1</sup>$  Any aftermarket or non-Porsche accessories, disqualifies this vehicle for eligibility to the Porsche Approved CPO Program.  $^2$  A Vehicle History Report is required as a part of this inspection.

<sup>3</sup> Pass = Component or system meets Porsche guidelines and standards.
Fall = Does not meet Porsche guidelines and standards. Repair or replacement of component or system is required.
4 Acquiring a various particle of the policies of the po



## **Statement of Certification**

More than 70 % of all Porsches ever built are still on the road today. This record value speaks for itself. That is why **Porsche Approved** is the grade given to pre-owned Porsche vehicles which meet the high quality standards of the Porsche brand. It is the only way to acquire a pre-owned Porsche. The purpose of this document is to confirm that the selling Porsche Dealership has reviewed with you the key points of the **Porsche Approved. Certified Pre-owned Program** 

|                | - Approved Coranea Fre-owned Fregue  |
|----------------|--|
| QUALITY        |  |
| P Y            | our Porsche Approved Certified Pre-owned vehicle has a clean vehicle history report<br>our Porsche Approved Certified Pre-owned Vehicle has been inspected by factory trained technicians<br>tho conducted a 111+ point mechanical and cosmetic inspection   |
|                | our Porsche Approved Certified Pre-owned Vehicle has had all repairs and reconditioning carried out<br>i line with the strict quality inspection standards   |
| WARRANTA       | e-   |
|                | our Porsche Approved Certified Pre-owned vehicle is covered by one of the following <b>limited</b> arrapty coverages:  |
| CC             | Coverage is up to 6 years or a cumulative 100,000 miles/ 160,000 kilometers, whichever omes first from the original in-service date  O Warranty end date:  |
| fro            | For vehicles no longer under the new vehicle limited warranty coverage at the time of used retail delivery overage extends until the earlier of: 2 years from the date of used retail delivery OR up to 50,000 miles om mileage at used retail delivery, but not to exceed a cumulative 100,000 total miles on the vehicle of warranty end date: |
| P <sub>0</sub> | rsche Cars N.A. will repair or replace with a new or remanufactured part any factory-installed part at is faulty in material workmanship under normal use  |
| ☐ Yo<br>Œa     | ur Porsche Approved Certified Pre-owned Limited Warranty is honored in the continental United States and nada  |
|                | ur Porsche Approved Certified Pre-owned vehicle also comes with Porsche Assistance, exclusive adside assistance, for the duration of the warranty coverage   |
| ☑ The          | e limited warranty does not cover:   |
| ✓              | Wear and tear items  |
| ✓              | Emission Control Systems and Corrosion   |
| <i>\</i>       | Abuse, accident, acts of nature, problems caused by competitive racing or track use Scheduled maintenance  |
| SATISFAQTIC    |  |
| r/             | elean car ready for delivery   |
|                | ull tank of gas  |
| /              | <del>"</del>   |
| <b>_</b> 31a   | tement of Certification Sticker placed in driver side door jam   |
| Custome        | er Signature Porsche Sales Professional Signature  |
|                |  |
|                | r  |

12/6/14

Date

