
PORSCHE

APPROVED

CERTIFIED PRE-OWNED



| 🗖 pass 🗖 fail | Hinges | pass | 🗖 fail | Door closing |
|---------------|--------------------------|------|--------|---|
| 🗖 pass 🗖 fail | Door locks | pass | 🗖 fail | Check straps |
| 🗖 pass 🗖 fail | Window lifter mechanisms | | | |
| Other / Misc: | | | | |
| 🗖 pass 🗖 fail | Seat adjusters | pass | 🗖 fail | Sunroof/sliding roof mechanisms and locks |
| 🗖 pass 🗖 fail | Cabriolet top operation | pass | 🗖 fail | Targa top operation |
| 🗖 pass 🗖 fail | Glass chips or cracks | pass | 🗖 fail | Trailer Hitch |

Tires / Brakes

ALL four tires must be of the same brand, model, speed rating, and specification code. If tread depth is less than four (4mm) on any tires, or 50% tread on high performance tires (911 Turbo, GT2, GT2 RS, GT3), the tire(s) must be replaced with the specified N-Rated tires.

All tires must comply with the recommended speed and load index and specifications. All tires six (6) years old must be replaced regardless of condition.

Aftermarket tires do not disqualify a unit from the CPO program but an addendum must be presented to the owner stating they are not covered under the respective Tire Manufacturers Warrant

Tread Depth Measurements (minimum of 4mm or 50%)

| Measuring points (mn | | All fo | us tison must be of the s | mo brand modal | speed rating, and specification code. If the measurement on any OEM |
|---|---|--|---|--|--|
| | n) Inside C | enter Outside approv | ed or N-Spec tire is less | than 4/32 (4mm) |) or the tread depth measures less than 50% from tread depth when the most recent N Spec tire available at the time of this inspection. |
| Front left | | | s six (6) years old must l | | |
| Rear left | | | | | e CPO program but an addendum must be presented to the owner stating |
| | | they ar | re not covered under the | respective Tire M | anufacturers Warranty. |
| Rear right | | | | | |
| Front right | | | | | |
| Spare wheel | | | | | |
| | | | | | |
| 🗖 pass 🗖 fai | Tire size | | | | |
| 🗖 pass 🗖 fai | Tire pressures | | | | |
| 🗖 pass 🗖 fai | I Tire pressure mon | itor | 🗖 pass | 🗖 fail | Brake calipers/cylinders, air ducts, cover plates |
| | | | | | |
| ake Pad Wear (Approxima | | | | | |
| less than 50% of the break | pad remains the pads must be | e replaced. | | | |
| Left Front | Right Front | Left Rear | Right Rear | | |
| | | | | | |
| | | | | | |
| | | | | | |
| ngine Compartment | | | | | |
| 🗖 pass 🗖 fai | | | pass | 🗖 fail | Alternator function |
| 🗖 pass 🗖 fai | | ird voltage | pass | 🗖 fail | Ignition system |
| 🗖 pass 🗖 fai | A/C compressor | | pass | 🗖 fail | Belts |
| | | | | | |
| 🗖 pass 🗖 fai | | | pass | 🗖 fail | Electrical connections and fuses |
| attery type: | | | pass | 🗖 fail | Electrical connections and fuses |
| attery type: OEM 🔲 Aftermarket | Engine | | pass | 🗖 fail | Electrical connections and fuses |
| attery type: | Engine | | pass | ☐ fail | Electrical connections and fuses |
| attery type: OEM 🔲 Aftermarket | Engine Battery % State of Health | | pass | ☐ fail | Electrical connections and fuses Front/real axle differential oil |
| attery type: OEM Aftermarket | Battery % State of Health | | | | |
| attery type: OEM Aftermarket uids paes fai | Engine Battery % State of Health Engine oil Transmission oil | | D pass | ☐ fail | Front/real axle differential oil |
| attery type: OEM Aftermarket uids pass fai pass fai | Battery % State of Health Battery % State of Health Engine oil Transmission oil | | D pass | ☐ fail | Front/real axle differential oil |
| attery type: OEM Aftermarket uids press fai pass fai ntifreeze protection temp (| Battery % State of Health Battery % State of Health Engine oil Transmission oil C(): Powersteering hy | | pass pass | ☐ fail ☐ fail | Front/real axle differential oil Coolant |
| attery type: OEM Aftermarket uids pass fai ntifreeze protection temp (pass fai | Battery % State of Health Battery % State of Health Engine oil Transmission oil C(): Powersteering hy | | pass pass pass pass | a fail fail fail | Front/real axle differential oil Coolant Brake fluid |
| attery type: OEM Aftermarket uids pass fai pass fai tifreeze protection temp (pass fai pass fai pass fai terior | Battery % State of Health Battery % State of Health Engine oil Transmission oil "C) : Power steering hy Clutch fluid | draulic oil | pass pass pass pass | ☐ fail ☐ fail ☐ fail ☐ fail | Front/real axle differential oil Coolant Brake fluid |
| attery type: OEM Aftermarket uids pass fai pass fai pass fai pass fai pass fai pass fai pass fai pass fai pass fai pass fai | Engine Battery % State of Health Engine oil CO : Power steering hy Clutch fluid Door locking syste | draulic oil | pass pass pass pass pass pass pass | ☐ fail ☐ fail ☐ fail ☐ fail ☐ fail | Front/real axle differential oil Coolant Brake fluid Windscreen/headlight washer fluid Remote control |
| attery type: OEM Aftermarket uids pass fai pass fai pass fai pass fai pass fai terior pass fai terior | Battery % State of Health Battery % State of Health Engine oil Transmission oil "C) : Power steering hy Clutch fluid Door locking syste Alarm system and | draulic oil em (child-proof locks) immobiliser | pass | ☐ fail ☐ fail ☐ fail ☐ fail ☐ fail ☐ fail | Front/real axle differential oil Coolant Brake fluid Windscreen/headlight washer fluid Remote control Ignition and ignition lock |
| attery type: OEM Aftermarket uids pass fai pass fai ttifreeze protection temp (pass fai pass fai terior pass fai terior pass fai terior pass fai fai | Engine Battery % State of Health Battery % State of Health Engine oil Transmission oil C) : Power greering hy Clutch fluid Door locking syste Alarm system and Steering wheel loo | draulic oil m (child-proof locks) immobiliser ck | pass | ☐ fail ☐ fail ☐ fail ☐ fail ☐ fail ☐ fail ☐ fail | Front/real axle differential oil Coolant Brake fluid Windscreen/headlight washer fluid Remote control Ignition and ignition lock Horn |
| attery type: OEM Aftermarket uids pass fai pass fai pass fai pass fai pass fai pass fai pass fai pass fai pass fai pass fai | Engine Battery % State of Health Engine oil Transmission oil C) : Power steering hy Clutch fluid Door locking syste Alarm system and Steering wheel loo Airbag system (ch | draulic oil em (child-proof locks) immobiliser ek ild seat detection) | pass pas pa pa | fail fail fail fail fail fail fail fail | Front/real axle differential oil Coolant Brake fluid Windscreen/headlight washer fluid Remote control Ignition and ignition lock Horn Wipers front and rear |
| attery type: OEM Aftermarket uids pass fai pass fai pass fai pass fai pass fai pass fai pass fai pass fai pass fai pass fai | Engine Battery % State of Health Engine oil Transmission oil "C) : Power steering hy Clutch fluid Door locking syste Alarm system and Steering wheel loo Airbag system (ch Steering column a | draulic oil em (child-proof locks) immobiliser sk ild seat detection) djustment | pass pas pas | fail fail fail fail fail fail fail fail fail fail | Front/real axle differential oil Coolant Brake fluid Windscreen/headlight washer fluid Remote control Ignition and ignition lock Horn Wipers front and rear Seat belts and seat belt height adjustment |
| attery type: OEM Aftermarket uids pass fai pass fai pass fai pass fai pass fai pass fai pass fai pass fai pass fai pass fai | Engine Battery % State of Health Battery % State of Health Engine oil Transmission oil "C) : Power steering hy Clutch fluid Door locking syste Alarm system and Steering wheel loo Airbag system (ch Steering column a Steat adjustment, f | draulic oil em (child-proof locks) immobiliser ek ild seat detection) | pass pas pa pa | fail fail fail fail fail fail fail fail | Front/real axle differential oil Coolant Brake fluid Windscreen/headlight washer fluid Remote control Ignition and ignition lock Horn Wipers front and rear |
| attery type: OEM Aftermarket uids pass fai pass fai tifreeze protection temp (pass fai pass fai pass fai terior | Battery % State of Health Battery % State of Health Engine oil Transmission oil "C) : Power steering hy Clutch fluid | draulic oil | pass pass pass pass | ☐ fail ☐ fail ☐ fail ☐ fail | Front/real axle differential oil Coolant Brake fluid Windscreen/headlight washer fluid |

| 🗖 pass | 🗖 fail | Glove box | pass | 🗖 fail | Cupholders |
|-----------------|--------|--|--------|--------|--|
| pass | 🗖 fail | Ashtrays | pass | 🗖 fail | Cigarette lighter/sockets (12v) |
| pass | 🗖 fail | Instrument panel (check while stationary) | pass | 🗖 fail | On-board clock |
| pass | 🗖 fail | PCM (radio, telephone, CD, DVD, navigation system, Porsche Connect) | pass | 🗖 fail | CD changer |
| pass | 🗖 fail | Interior lighting | pass | 🗖 fail | Heating/ventilation/air conditioning/climate control |
| pass | 🗖 fail | Exterior mirror/rear-view mirror adjustment | 🗖 pass | 🗖 fail | Power windows (anti-pinch protection) |
| pass | 🗖 fail | Bonnet/tailgate release | pass | 🗖 fail | Roof (Cabriolet, Targa, sliding sunroof) |
| pass | 🗖 fail | Cabriolet wind deflector | pass | 🗖 fail | Tequipment/Exclusive equipment |
| Equipment notes | | | | | |
| Test Drive | | | | | |

| Test Drive | | | | | |
|------------|--------|-------------------------------------|--------|--------|--|
| pass | 🗖 fail | (Cold-)start/idling characteristics | pass | 🗖 fail | Braking effect (service brake and handbrake) |
| pass | 🗖 fail | ABS | pass | 🗖 fail | Suspension system |
| 🗖 pass | 🗖 fail | PASM/air suspension | pass | 🗖 fail | Electronic Stability System (PSM, etc.) |
| 🗖 pass | 🗖 fail | Power steering/Servotronic | pass | 🗖 fail | Steering wheel centered |
| 🗖 pass | 🗖 fail | Straight-ahead travel | pass | 🗖 fail | Road behavior/handling |
| 🗖 pass | 🗖 fail | Vehicle performance | pass | 🗖 fail | Clutch play |
| 🗖 pass | 🗖 fail | Gear change | 🗖 pass | 🗖 fail | Rear window and mirror heating |
| pass | 🗖 fail | ParkAssist/reversing camera | 🗖 pass | 🗖 fail | PCM (vadio, telephone, CD, DVD, navigation system, Porsche Connect) |
| pass | 🗖 fail | Cruise control (all functions) | D pass | 🗖 fail | Differential locks, all-wheel drive |
| pass | 🗖 fail | Instrument panel | 🗖 pass | 🗖 fail | Hill Hold Control |
| pass | 🗖 fail | Lane Departure Warning (LDW) | 🗖 pass | 🗖 fail | Lane Change Assist (LCA) |
| pass | 🗖 fail | Distance Control System | 🗖 pass | 🗖 fail | No unusual noises/vibrations |
| pass | 🗖 fail | Warm-start/idling characteristics | | | |

Photos

_

* Photos are attached on a separate page.

| | the mechanic, service manager and pre-owned mana d Certified Pre-Owned Program. This inspection is in | | nspected and that detected defects have been rectified in accordance wit | h the |
|------|--|------|--|-------|
| Date | Technician | Date | Pre-Owned Manager | |
| Date | Service Manager | Date | Purchasing Customer | |

* Any errors that may arise at a later date that compromise the integrity of the vehicle may be covered by buy back protection offered by the vehicle history company. Consult Experian Autocheck or CARFAX for details. This checklist was started on _______ and was completed on ______ (by _______)

For vehicle eligibility, aftermarket components are limited to; Exhausts, Exhausts, Systems (excluding any emission components, e.g. 02 Sensor, Catalytic Converter), Tirres, Wheels, Rims, Batteries and Trailer Hitches for Cayenne and Macan only. Aftermarket items must be presented by an addendum sticker. These components and any consequential damage caused by their installation are not covered under the Porsche Approved Pre-Owned Limited Warranty.

2. Pass = Component or system meets Porsche guidelines and standards. Fail = Does not meet Porsche guidelines and standards. Repair or replacement of component or system is required.


3. Any dings or scratches on the vehicle should be denoted in the technician(s) notes.

PORSCHE

APPROVED CERTIFIED PRE-OWNED

Statement of Certification

We're proud of our technicians, and no one knows a Porsche better than them. Rigorous mechanical and cosmetic standards must be met by every Porsche Approved Certified Pre-Owned Vehicle. This is part of the meticulous preparation process undertaken prior to sale. You can be assured that your new Porsche Approved Certified Pre-Owned Vehicle has undergone service and preparation worthy of the Porsche name and meets the standards you would expect of us



* Any errors that may arise at a later date that con

This checklist was start

tate that compromise the integrity of the vehicle may be covered by buy back protection offered by the vehicle history company. Consult Experian Autocheck or CARFAX for details.

was completed on _____ by _____ (#_____)

CERTIFIED PRE-OWNED

Statement of Certification - Warranty Conditions

Warranty Coverage

Porsche Cars North America, Inc. will repair or replace with a new or remanufactured part distributed by PCNA, at its sole option, any factory-installed part that is faulty in material or workmanship under normal use. (Normal vehicle use is described in this Booklet.) Warranty repairs will be made free of charge for parts and labor at an authorized Porsche dealer. These express warranties are provided by PCNA, and are in lieu of all other express warranties of PCNA, the manufacturer, and selling dealer.

This Warranty covers all parts of the following components:

- Engine
- Fuel system/cooling system
- Drive/transmission
- Suspension/steering
- Brake system
- Heating/air conditioning
- Electrics
- Body

Warranty Exclusions

Specifically excluded from this coverage are:

- Vehicle abuse, vandalism, accidents, acts of God, competition racing or track use, or other events beyond control of PCNA
- Fines, taxes or impound fees caused by a violation of local or state law

no th

pleted o

and was d

by

- Expenses related to hazardous weather conditions (removal from snow, ice, etc.)
- If your Porsche has aftermarket tires and/or wheels installed or has had the suspension modified, Porsche Roadside Assistance will assist in setting up transport of your vehicle, but this expense will not be covered under the Porsche Roadside Assistance program.
- Wear and tear items defined by PCNA
- Scheduled maintenance

Warranty outside the U.S.

may arise at a later date that co

If your car is taken to an authorized Porsche dealer outside the U.S. or Canada, the Porsche Approved Certified Pre-Owned Limited Warranty is redeemable at Porsche dealerships worldwide. This warranty coverage applies to vehicles sold on on after 12/01/2017, however excludes Roadside Assistance. A vehicle which is imported by an individual into Canada must comply with all Canadian governmental requirements.

Warranty Transfer

This checklist was started o

The balance of this Porsche Approved Certified Pre-Owned Limited Warranty may be transferred to another private owner through retail transaction. Porsche Cars North America, Inc. does not charge a fee for this transfer, but requires that a Change of Address Card found at the back of this book be mailed to PCNA to update our records.

integrity of the vehicle may be covered by buy back protection offered by the vehicle history company. Consult Experian Autocheck or CARFAX for details.

Page 5 of 5