

Executive Order: A-019-0271-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 1 of 4

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-19-095;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

				TEST GR	OUP IN	FORM	MATION	-				
MODE		EST GROUP	P VEHICLE CLASS(ES)				FUEL CATEGORY			FUEL TYPE		
2020	LP	RXV03.0C92		PC DEDICATED SINGLE FUEL VEHICLE					GASOLINE			
	USEFUL	LIFE (miles)	VE	VEHICLE EMISSION CATEGORY INTERIM / INTE				TE	RMEDIATE IN-USE STD			
EXH	I/ORVR	EVAP		FTP	U -	SFI	Р	FTP		SFTP		
15	0000	150000	LEV	3 ULEV70	LEV	3 CO	MPOSITE	PM		PM		
SPE	CIAL FE	ATURES & EXI	HAUST EMISS TEMS	ION CONTRO	OL		OBD S	TATUS		ENGINE DISPLACEMENT (L)		
1	2 <b>TW</b> (	C, 2WR-HO2S,	2HO2S, DFI	, 2TC, CAC			FULL	*				
*		**************************************	*		PARTIAL ALL MODELS 3.					3.0		
*			*			101 2 000 COCK 1535	TIAL WITH FINES	*				
		EV	APORATIVE 8	REFUELIN	G (EVA	P/OR	VR) FAMILY	INFORMATION	V			
EVA	P / ORV	R FAMILY	EVAPORATIVE STD CATEGOR					SSION STD E CLASS		SPECIAL FEATURES		
3	LPRXR01	30R92	LEV 3 OPT	LEV 3 OPTION2 WITH FEL			P	PC		* '		
				EMISSION (	CREDIT	INFO	RMATION					
	EDIT FO	X FLEET AVE. OR EXTENDED RRANTY	NMOG C	NMOG CREDIT FOR NON-P			NMOG C	REDIT FOR DO	R	OPTIONAL EXH. STD FOR WORK TRUCKS		
		N		N				N		N		
			NMO	G AND FLEE	ET AVE	RAGE	INFORMA	TION				
NMOG RAF	CH4 RAF	FTP NMOG/NMHC RATIO	HCHO/NMHO RATIO	PC+LDT	NMOG+NOX FLEET STD PC+LDT (0-3750 LVW) (g/mi)			NMOG+NOX FLEET STD LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)		NMOG+NOX FLEET STE MDV (10,001-14,000 GVWR) (g/mi)		
*	*	1.10	0.01		0.065			0.074		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



Executive Order: A-019-0271-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 4

#### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c) (3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

#### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

This Executive Order hereby supersedes Executive Order A-019-0271 dated September 18, 2019.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 2157 day of January 2020.

Allen Lyons, Chief

**Emissions Certification and Compliance Division** 



Executive Order: A-019-0271-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 3 of 4

## **ATTACHMENT**

## EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

#### **FUEL TYPE**

		NMOG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE- TIER3 E10 PREM	0.038	0.070	0.4	1.7	*	*	0	4	0.000	0.003
50°F @4K	GASOLINE- TIER3 E10 PREM	0.043	0.140	0.4	1.7	*	*	0	16		

	NMOG+N	IOx (g/mi)	CO (g/mi)		
	FUEL TYPE	CERT	STD	CERT	STD
HWFET @ 50K	*	*	*		
HWFET @ UL	GASOLINE-TIER3 E10 PREM	0.019	0.070		
20°F @ 50K	GASOLINE-TIER3 E10 PREM			0.6	10.0

# SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SC03	3	COMPOSITE		
	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	*	CERT	*	*		*	*			
		STD	*	*		*	*			
		CERT	*	*	1	*	*	0.038	0.8	*
@ UL	GASOLINE- TIER3 E10 PREM	STD	*	*	6	*	*	0.083	4.2	*
		BIN						0.080		

#### WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

	FUEL TYPE		WHOLE \						
EVAPORATIVE FAMILY		3DH	S (g/test) (	@ UL	2DI	HS (g/test) (	RL (g/mi) @ UL		
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
LPRXR0130R92	GASOLINE- TIER3 E10 PREM	0.214	0.300	0.300	0.145	0.300	0.300	0.00	0.05



Executive Order: A-019-0271-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 4 of 4

ORVR / FUI	EL ONLY / CA	NISTER	BLEED	EVAPOR	RATIVE	EMISSION	STANDA	RDS AND	CERTIFICA	ATION LEV	ELS	
				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/	/R (g/gallon) @ UL			FUEL TYPE		IG TEST ) @ UL		IG TEST ) @ UL	BLEED CANISTER TEST (g/test) @ 4K		
	<b>FUEL TYPE</b>	CERT	STD			CERT	STD	CERT	STD	CERT	STD	
LPRXR0130R92	GASOLINE- TIER3 E10 PREM	0.02	0.20	GASOLI TIER3 PRE	E10	*	*	*	*	0.004	0.020	
E	FFECTIVE	LEAK D	IAMET	ER STAI	NDAR	O AND CE	RTIFICA	TION LEV	EL (INCH	ES)		
EVAPORATIVE FAMILY LEAK FAMIL				_Y	Y CERT				STD			
LPRXR0130	LPRXR0	130R92	-001	*				0.02				

\*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS; emission control system; CERT; certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; HP/LP EGR: High/Low Pressure EGR; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; FFH: fuel fired heater; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; a hyphen (-) between after treatment ECS indicates multiple functionalities of the after treatment device (ex. DPF-SCRC: SCR coated DPF); CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%' ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi -automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission; AER: all-electric range; EAER: equivalent AER; PHEV: plug-in hybrid electric vehicle; NMOG + NOx Fleet Ave. Credit for Extended Warranty: N = no credits, Y = credits, S = credits for some/select models

### 2020 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
PORSCHE	911 CARRERA	PC	3.0	AMS8	LPRXR0130R92	1	P
PORSCHE	911 CARRERA 4	PC	3.0	AMS8	LPRXR0130R92	1	P
PORSCHE	911 CARRERA 4 CABRIOLET	PC	3.0	AMS8	LPRXR0130R92	1	P
PORSCHE	911 CARRERA 4S	PC	3.0	AMS8,M7	LPRXR0130R92	1	P
PORSCHE	911 CARRERA 4S CABRIOLET	PC	3.0	AMS8,M7	LPRXR0130R92	1	P
PORSCHE	911 CARRERA CABRIOLET	PC	3.0	AMS8	LPRXR0130R92	1	P
PORSCHE	911 CARRERA S	PC	3.0	AMS8,M7	LPRXR0130R92	1	P
PORSCHE	911 CARRERA S CABRIOLET	PC	3.0	AMS8,M7	LPRXR0130R92	1	P