

Time	Engine speed	Nominal throttle plate angle	Mass air flow (MAF)	Intake-air temperature	Ambient temperature	Ambient pressure	Pressure at throttle plate		Boost pressure in PSI
							fr. sensor	in bars	
14:57:31934	96.99	303.7	49	34.5	975	1150	0.18	2.59	
14:57:31916	98.82	301.6	49	34.5	975	1150	0.18	2.59	
14:57:31904	99.86	300.5	49	34.5	975	1150	0.18	2.59	
14:57:31870.25	99.9	295.6	49	34.5	975	1150	0.18	2.59	
14:57:31849.75	99.87	291.7	49	34.5	975	1150	0.18	2.59	
14:57:31823.25	99.86	286.8	48	34.5	975	1150	0.18	2.59	
14:57:31816.5	99.94	283.7	48	34.5	975	1140	0.17	2.44	
14:57:31818.25	100	282.3	48	34.5	975	1140	0.17	2.44	
14:57:31826.25	100	282.7	48	34.5	975	1140	0.17	2.44	
14:57:31829	100	281.3	48	34.5	975	1140	0.17	2.44	
14:57:31847.25	100	277.1	48	34.5	975	1130	0.16	2.29	
14:57:31866.25	100	278.6	48	34.5	975	1130	0.16	2.29	
14:57:31886.25	100	280.6	48	34.5	975	1130	0.16	2.29	
14:57:31912	100	284.4	48	34.5	975	1130	0.16	2.29	
14:57:31946.25	100	286.5	48	34.5	975	1130	0.16	2.29	
14:57:31972.25	100	289.6	48	34.5	975	1130	0.16	2.29	
14:57:32006.5	100	292.6	48	34.5	975	1130	0.16	2.29	
14:57:32034.25	100	296.4	48	34.5	975	1130	0.16	2.29	
14:57:32056.25	100	301.8	48	34.5	975	1140	0.17	2.44	
14:57:32089.25	100	310	48	34.5	975	1140	0.17	2.44	
14:57:32121.25	100	318.2	48	34.5	975	1140	0.17	2.44	
14:57:32151.25	100	321.2	48	34.5	975	1150	0.18	2.59	
14:57:32185.75	100	327.8	48	34.5	975	1150	0.18	2.59	
14:57:32221.75	100	338.3	48	34.5	975	1150	0.18	2.59	
14:57:32252.5	100	344.4	48	34.5	975	1160	0.19	2.74	
14:57:32285.25	100	351.9	48	34.5	975	1170	0.20	2.89	
14:57:32315	100	366.8	48	34.5	975	1170	0.20	2.89	
14:57:32349.5	100	371.8	48	34.5	975	1180	0.21	3.03	
14:57:32390.5	100	382.9	48	34.5	975	1190	0.22	3.18	
14:57:32414.75	100	398.2	48	34.5	975	1190	0.22	3.18	
14:57:32438.75	100	407.9	48	34.5	975	1200	0.23	3.33	
14:57:32471.25	100	410.1	48	34.5	975	1210	0.24	3.48	
14:57:32512.75	100	415.7	48	34.5	975	1220	0.25	3.63	
14:57:32541.25	100	429.1	48	34.5	975	1220	0.25	3.63	
14:57:32583	100	440.9	48	34.5	975	1230	0.26	3.77	
14:57:32612.25	100	446	48	34.5	975	1240	0.27	3.92	
14:57:32646.75	100	455.1	48	34.5	975	1250	0.28	4.07	
14:57:32694.5	100	465	48	34.5	975	1270	0.30	4.37	
14:57:32722	100	475.6	48	34.5	975	1270	0.30	4.37	
14:57:32763.75	100	485.4	48	34.5	975	1280	0.31	4.51	
14:57:32797.5	100	504.9	48	34.5	975	1290	0.32	4.66	
14:57:32839.5	100	516.4	48	34.5	975	1300	0.33	4.81	
14:57:32883.5	100	530.3	48	34.5	975	1320	0.35	5.11	
14:57:32918	100	542.3	48	34.5	975	1330	0.36	5.25	
14:57:32953.25	100	559.8	48	34.5	975	1340	0.37	5.40	
14:57:32993.5	100	565.9	48	34.5	975	1350	0.38	5.55	

14:57:33017	100	584.3	48	34.5	975	1360	0.39	5.70
14:57:33046.75	100	598.5	48	34.5	975	1370	0.40	5.85
14:57:33071.25	100	610.8	48	34.5	975	1370	0.40	5.85
14:57:33090.75	100	624.5	48	34.5	970	1380	0.42	6.07
14:57:33140.25	100	639	48	34.5	970	1390	0.43	6.22
14:57:33166.75	100	658.4	48	34.5	970	1400	0.44	6.36
14:57:33192	100	675.2	48	34.5	970	1410	0.45	6.51
14:57:33225.75	100	692.6	48	34.5	970	1420	0.46	6.66
14:57:43265.25	100	716.5	48	34.5	970	1430	0.47	6.81
14:57:43289.25	100	726.4	48	34.5	970	1430	0.47	6.81
14:57:43313	100	743.8	48	34.5	970	1440	0.48	6.96
14:57:43352	100	762.8	48	34.5	970	1450	0.49	7.10
14:57:43382.25	100	780.1	48	34.5	970	1450	0.49	7.10
14:57:43428.25	100	805.9	48	34.5	970	1460	0.50	7.25
14:57:43466.25	100	822.7	48	34.5	970	1460	0.50	7.25
14:57:43497.25	100	836.6	48	34.5	970	1470	0.51	7.40
14:57:43535	100	853.3	48	34.5	970	1470	0.51	7.40
14:57:43583	100	862.3	48	34.5	970	1470	0.51	7.40
14:57:43623.5	100	872.1	48	34.5	970	1470	0.51	7.40
14:57:43673.75	100	884.2	48	34.5	970	1470	0.51	7.40
14:57:43699.25	100	895.1	48	34.5	970	1470	0.51	7.40
14:57:43728.5	100	904.6	48	34.5	970	1470	0.51	7.40
14:57:43773.5	100	909.8	48	34.5	970	1470	0.51	7.40
14:57:43820.25	100	914.2	48	34.5	970	1470	0.51	7.40
14:57:43863.25	100	926	48	34.5	970	1460	0.50	7.25
14:57:43896.5	100	932.3	48	34.5	970	1460	0.50	7.25
14:57:43949.25	100	938.4	48	34.5	970	1460	0.50	7.25
14:57:43989	100	940.9	48	34.5	970	1450	0.49	7.10
14:57:44024.25	100	935.1	48	34.5	970	1450	0.49	7.10
14:57:44075.5	100	935.8	48	34.5	970	1440	0.48	6.96
14:57:44121.25	100	945	48	34.5	970	1440	0.48	6.96
14:57:44153.5	100	953	48	34.5	970	1440	0.48	6.96
14:57:44204.5	100	956.8	48	34.5	970	1440	0.48	6.96
14:57:44235	100	965.7	48	34.5	970	1440	0.48	6.96
14:57:44283.75	100	974.3	48	34.5	970	1440	0.48	6.96
14:57:44317	100	982.8	48	34.5	970	1430	0.47	6.81
14:57:44365.25	100	984.9	48	34.5	970	1440	0.48	6.96
14:57:44413	100	990.8	48	34.5	970	1430	0.47	6.81
14:57:44460.25	100	996.8	48	34.5	970	1430	0.47	6.81
14:57:44498.75	100	1007.8	48	34.5	970	1430	0.47	6.81
14:57:44555.25	100	1018.7	48	34.5	970	1430	0.47	6.81
14:57:44589.5	100	1027.3	48	34.5	970	1430	0.47	6.81
14:57:44627.75	100	1053.4	48	34.5	970	1430	0.47	6.81
14:57:44663.25	100	1052.4	48	34.5	970	1430	0.47	6.81
14:57:44716.75	100	1050.7	48	34.5	970	1430	0.47	6.81
14:57:44755.5	100	1063.3	48	34.5	970	1440	0.48	6.96
14:57:44791	100	1071.7	48	34.5	970	1440	0.48	6.96
14:57:44814	100	1079.8	48	34.5	970	1440	0.48	6.96
14:57:44866.5	100	1097.7	48	34.5	970	1440	0.48	6.96
14:57:44923	100	1108	48	34.5	970	1450	0.49	7.10
14:57:44950.25	100	1126.5	48	34.5	970	1440	0.48	6.96
14:57:45000	100	1135.1	48	34.5	970	1450	0.49	7.10

14:57:45048.25	100	1136.5	48	34.5	970	1440	0.48	6.96
14:57:45082.25	100	1144	48	34.5	970	1440	0.48	6.96
14:57:45131.25	100	1154	49	34.5	970	1440	0.48	6.96