

Boxster/Cayman – model year 2005 – 2008
 Approved makes of summer tyres

As at: 04/2015

Type 987	Boxster, Cayman									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 17-inch	6.5J x 17	55	FA	205/55 ZR 17	(91 Y)	Continental SportContact 3	N2	G	A))) 72 dB
						Michelin Pilot Sport 2	N1	E	B) 69 dB
						Goodyear Eagle F1 Asymmetric	N0	E	B) 68 dB
	8J x 17	40	RA	235/50 ZR 17	(96 Y)	Continental SportContact 3	N2	G	A))) 72 dB
						Michelin Pilot Sport 2	N1	E	B) 70 dB
						Goodyear Eagle F1 Asymmetric	N0	F	C) 68 dB
Wheel size 18-inch	8J x 18	57	FA	235/40 ZR 18	(91 Y)	Bridgestone Potenza RE050A	N1	F	C))) 73.2 dB
						Continental SportContact 3	N1	G	A))) 72 dB
						Michelin Pilot Sport 2	N4	E	B) 69 dB
	9J x 18	43	RA	265/40 ZR 18	(101 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 74 dB
						Continental SportContact 3	N1	F	A))) 74 dB
						Michelin Pilot Sport 2	N4	E	A) 70 dB
Wheel size 19-inch	8J x 19	57	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B)) 71 dB
						Continental SportContact 3	N1	G	A))) 72 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 71 dB
	9.5J x 19	46	RA	265/35 ZR 19	(94 Y)	Bridgestone Potenza RE050A	N1	F	C) 72 dB
						Continental SportContact 3	N1	G	A))) 73 dB
						Michelin Pilot Sport 2	N2	E	A) 70 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 72 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B)) 71 dB
						Continental SportContact 3	N1	G	A))) 72 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 71 dB
	10J x 19	42	RA	265/35 ZR 19	(94 Y)	Bridgestone Potenza RE050A	N1	F	C) 72 dB
						Continental SportContact 3	N1	G	A))) 73 dB
						Michelin Pilot Sport 2	N2	E	A) 70 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 72 dB

Type 987

Boxster S, Cayman S

	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 18-inch	8J x 18	57	FA	235/40 ZR 18	(91 Y)	Bridgestone Potenza RE050A	N1	F	C))) 73.2 dB
						Continental SportContact 3	N1	G	A))) 72 dB
						Michelin Pilot Sport 2	N4	E	B) 69 dB
	9J x 18	43	RA	265/40 ZR 18	(101 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 74 dB
						Continental SportContact 3	N1	F	A))) 74 dB
						Michelin Pilot Sport 2	N4	E	A) 70 dB
Wheel size 19-inch	8J x 19	57	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Continental SportContact 3	N1	G	A))) 72 dB
						Michelin Pilot Sport 2	N2	F	B))) 70 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B))) 70 dB
						Pirelli P-Zero	N2	E	A))) 71 dB
						Bridgestone Potenza RE050A	N1	F	C))) 72 dB
	9.5J x 19	46	RA	265/35 ZR 19	(94 Y)	Continental SportContact 3	N1	G	A))) 73 dB
						Michelin Pilot Sport 2	N2	E	A))) 70 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B))) 70 dB
						Pirelli P-Zero	N2	E	A))) 72 dB
						Bridgestone Potenza RE050A	N1	F	B))) 71 dB
						Continental SportContact 3	N1	G	A))) 72 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Michelin Pilot Sport 2	N2	F	B))) 70 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B))) 70 dB
						Pirelli P-Zero	N2	E	A))) 71 dB
						Bridgestone Potenza RE050A	N1	F	C))) 72 dB
						Continental SportContact 3	N1	G	A))) 73 dB
						Michelin Pilot Sport 2	N2	E	A))) 70 dB
	10J x 19	42	RA	265/35 ZR 19	(94 Y)	Goodyear Eagle F1 Asymmetric	N0	F	B))) 70 dB
						Pirelli P-Zero	N2	E	A))) 72 dB
						Bridgestone Potenza RE050A	N1	F	C))) 72 dB
						Continental SportContact 3	N1	G	A))) 73 dB
						Michelin Pilot Sport 2	N2	E	A))) 70 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B))) 70 dB
Pirelli P-Zero	N2	E	A))) 72 dB						

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

1) Turbo wheel only for vehicles from MY 2007 onwards.

Boxster/Cayman – model year 2009 – 2012
 Approved makes of summer tyres

As at: 04/2015

Type 987		Boxster, Cayman									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	
Wheel size 17-inch	7J x 17	55	FA	205/55 ZR 17	(91 Y)	Michelin Pilot Sport 2	N1	E	B) 69 dB	
						Continental SportContact 3	N2	G	A) 72 dB	
						Goodyear Eagle F1 Asymmetric	N0	E	B) 68 dB	
	8.5J x 17	40	RA	235/50 ZR 17	(96 Y)	Michelin Pilot Sport 2	N1	E	B) 70 dB	
						Continental SportContact 3	N2	G	A) 72 dB	
						Goodyear Eagle F1 Asymmetric	N0	F	C) 68 dB	
Wheel size 18-inch	8J x 18	57	FA	235/40 ZR 18	(91 Y)	Bridgestone Potenza RE050A	N1	F	C) 73.2 dB	
						Continental SportContact 3	N1	G	A) 72 dB	
						Michelin Pilot Sport 2	N4	E	B) 69 dB	
	9J x 18	43	RA	265/40 ZR 18	(101 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 74 dB	
						Continental SportContact 3	N1	F	A) 74 dB	
						Michelin Pilot Sport 2	N4	E	A) 70 dB	
Wheel size 19-inch	8J x 19	57	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB	
						Michelin Pilot Sport 2	N2	F	B) 70 dB	
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB	
						Pirelli P-Zero	N2	E	A) 71 dB	
						Bridgestone Potenza RE050A	N1	F	C) 72 dB	
						Michelin Pilot Sport 2	N2	E	A) 70 dB	
	9.5J x 19	46	RA	265/35 ZR 19	(94 Y)	Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB	
						Pirelli P-Zero	N2	E	A) 72 dB	
						Bridgestone Potenza RE050A	N1	F	B) 71 dB	
						Michelin Pilot Sport 2	N2	F	B) 70 dB	
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB	
						Pirelli P-Zero	N2	E	A) 71 dB	
	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB	
						Michelin Pilot Sport 2	N2	F	B) 70 dB	
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB	
						Pirelli P-Zero	N2	E	A) 71 dB	
						Bridgestone Potenza RE050A	N1	F	C) 72 dB	
						Michelin Pilot Sport 2	N2	E	A) 70 dB	
10J x 19	42	RA	265/35 ZR 19	(94 Y)	Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB		
					Pirelli P-Zero	N2	E	A) 72 dB		
					Bridgestone Potenza RE050A	N1	F	C) 72 dB		
					Michelin Pilot Sport 2	N2	E	A) 70 dB		
					Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB		
					Pirelli P-Zero	N2	E	A) 72 dB		
Type 987		Boxster S, Cayman S, Cayman R									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	
Wheel size 18-inch	8J x 18	57	FA	235/40 ZR 18	(91 Y)	Bridgestone Potenza RE050A	N1	F	C) 73.2 dB	
						Continental SportContact 3	N1	G	A) 72 dB	
						Michelin Pilot Sport 2	N4	E	B) 69 dB	
	9J x 18	43	RA	265/40 ZR 18	(101 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 74 dB	
						Continental SportContact 3	N1	F	A) 74 dB	
						Michelin Pilot Sport 2	N4	E	A) 70 dB	
Wheel size 19-inch	8J x 19	57	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB	
						Michelin Pilot Sport 2	N2	F	B) 70 dB	
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB	
						Pirelli P-Zero	N2	E	A) 71 dB	
						Bridgestone Potenza RE050A	N1	F	C) 72 dB	
						Michelin Pilot Sport 2	N2	E	A) 70 dB	
	9.5J x 19	46	RA	265/35 ZR 19	(94 Y)	Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB	
						Pirelli P-Zero	N2	E	A) 72 dB	
						Bridgestone Potenza RE050A	N1	F	B) 71 dB	
						Michelin Pilot Sport 2	N2	F	B) 70 dB	
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB	
						Pirelli P-Zero	N2	E	A) 71 dB	
	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB	
						Michelin Pilot Sport 2	N2	F	B) 70 dB	
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB	
						Pirelli P-Zero	N2	E	A) 71 dB	
						Bridgestone Potenza RE050A	N1	F	C) 72 dB	
						Michelin Pilot Sport 2	N2	E	A) 70 dB	
10J x 19	42	RA	265/35 ZR 19	(94 Y)	Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB		
					Pirelli P-Zero	N2	E	A) 72 dB		
					Bridgestone Potenza RE050A	N1	F	C) 72 dB		
					Michelin Pilot Sport 2	N2	E	A) 70 dB		
					Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB		
					Pirelli P-Zero	N2	E	A) 72 dB		

Type 987

Boxster Spyder

	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 19-inch	8J x 19	57	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 71 dB
	9.5J x 19	46	RA	265/35 ZR 19	(94 Y)	Bridgestone Potenza RE050A	N1	F	C) 72 dB
						Michelin Pilot Sport 2	N2	E	A) 70 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 72 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB
						Pirelli P-Zero	N2	E	A) 71 dB
10J x 19	42	RA	265/35 ZR 19	(94 Y)	Bridgestone Potenza RE050A	N1	F	C) 72 dB	
					Michelin Pilot Sport 2	N2	E	A) 70 dB	
					Goodyear Eagle F1 Asymmetric	N0	F	B) 70 dB	
					Pirelli P-Zero	N2	E	A) 72 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

Boxster/Cayman – model year 2013 – 2016

As at: 12/2015

Approved makes of summer tyres

Type 981	Boxster, Boxster S, Boxster GTS/Cayman, Cayman S, Cayman GTS									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 18-inch ¹⁾	8J x 18	57	FA	235/45 ZR 18	94 Y	Dunlop SP Sport Maxx GT ⁴⁾	N0	E	C) 69 dB
						Goodyear Eagle F1 Asymmetric 2	N0	E	C) 68 dB
						Pirelli P-Zero	N1	C	A) 72 dB
	9J x 18	47	RA	265/45 ZR 18	101 Y	Dunlop SP Sport Maxx GT ⁴⁾	N0	E	C) 69 dB
						Goodyear Eagle F1 Asymmetric 2	N0	E	B) 69 dB
						Pirelli P-Zero	N1	C	A) 72 dB
Wheel size 19-inch ²⁾	8J x 19	57	FA	235/40 ZR 19	(92 Y)	Goodyear Eagle F1 Asymmetric 2	N0	E	B) 68 dB
						Pirelli P-Zero	N0	E	A) 71 dB
						Pirelli P-Zero	N1	E	A) 71 dB
						Yokohama Advan Sport V105	N0	E	A) 71 dB
	9.5J x 19	45	RA	265/40 ZR 19	(98 Y)	Goodyear Eagle F1 Asymmetric 2	N0	E	B) 70 dB
						Pirelli P-Zero	N0	E	A) 72 dB
						Pirelli P-Zero	N1	C	A) 71 dB
						Yokohama Advan Sport V105	N0	E	A) 72 dB
Wheel size 20-inch	8J x 20	57	FA	235/35 ZR 20	(88 Y)	Goodyear Eagle F1 Asymmetric 2	N0	F	A) 67 dB
						Pirelli P-Zero	N0	E	A) 71 dB
						Pirelli P-Zero	N1	C	A) 71 dB
	9.5J x 20	45	RA	265/35 ZR 20	(95 Y)	Goodyear Eagle F1 Asymmetric 2	N0	F	A) 70 dB
						Pirelli P-Zero	N0	E	A) 72 dB
						Pirelli P-Zero	N1	C	A) 72 dB
	8.5J x 20 ³⁾	57	FA	235/35 ZR 20	(88 Y)	Goodyear Eagle F1 Asymmetric 2	N0	F	A) 67 dB
						Pirelli P-Zero	N0	E	A) 71 dB
						Pirelli P-Zero	N1	C	A) 71 dB
						Goodyear Eagle F1 Asymmetric 2	N0	F	A) 70 dB
10J x 20 ³⁾	50	RA	265/35 ZR 20	(95 Y)	Pirelli P-Zero	N0	E	A) 72 dB	
					Pirelli P-Zero	N0	E	A) 72 dB	
					Pirelli P-Zero	N1	C	A) 72 dB	

Type 981	Boxster Spyder									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 20-inch	8.5J x 20	57	FA	235/35 ZR 20	(88 Y)	Pirelli P-Zero	N0	E	A) 71 dB
						Pirelli P-Zero	N1	C	A) 71 dB
	10.5J x 20	47	RA	265/35 ZR 20	(95 Y)	Pirelli P-Zero	N0	E	A) 72 dB
						Pirelli P-Zero	N1	C	A) 72 dB

Type 981	Cayman GT4									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 20-inch	8.5J x 20	61	FA	245/35 ZR 20	(91 Y)	Michelin Pilot Sport Cup 2 ⁴⁾	N0	F	C) 70 dB
						Dunlop Sport Maxx Race ⁴⁾	N0	F	A) 69 dB
	11J x 20	50	RA	295/30 ZR 20	(101 Y) XL	Michelin Pilot Sport Cup 2 ⁴⁾	N0	C	C) 73 dB
						Dunlop Sport Maxx Race ⁴⁾	N0	F	C) 73 dB

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

- 1) Not for Boxster GTS, Cayman GTS; Boxster S, Cayman S: Only for China (Dunlop tyres only).
- 2) Boxster GTS, Cayman GTS: Only for China.
- 3) Not for Japan.
- 4) Ultra High Performance tyres.

718 Boxster, 718 Cayman from model year 2017

As at: 04/2016

Approved makes of summer tyres

Type 982	718 Boxster, 718 Boxster S, 718 Cayman, 718 Cayman S									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 18-inch ¹⁾	8J x 18	57	FA	235/45 ZR18	94 Y	Pirelli P-Zero	N1	C	A) 72 dB
	9.5J x 18	49	RA	265/45 ZR 18	101 Y	Goodyear Eagle F1 Asymmetric 2	N0	E	C) 68 dB
						Pirelli P-Zero	N1	C	A) 72 dB
						Goodyear Eagle F1 Asymmetric 2	N0	E	B) 69 dB
Wheel size 19-inch	8J x 19	57	FA	235/40 ZR 19	(92 Y)	Pirelli P-Zero	N1	E	A) 71 dB
	10J x 19	45	RA	265/40 ZR 19	(98 Y)	Yokohama Advan Sport V105	N0	E	A) 71 dB
						Pirelli P-Zero	N1	C	A) 71 dB
						Yokohama Advan Sport V105	N0	E	A) 72 dB
Wheel size 20-inch	8J x 20	57	FA	235/35 ZR 20	(88 Y)	Pirelli P-Zero	N1	C	A) 71 dB
	10J x 20	45	RA	265/35 ZR 20	(95 Y)	Goodyear Eagle F1 Asymmetric 2	N0	F	A) 67 dB
						Bridgestone Potenza S001	N1	E	B) 71 dB
						Pirelli P-Zero	N1	C	A) 72 dB
	8.5J x 20	57	FA	235/35 ZR 20	(88 Y)	Goodyear Eagle F1 Asymmetric 2	N0	F	A) 70 dB
						Bridgestone Potenza S001	N1	E	A) 72 dB
						Pirelli P-Zero	N1	C	A) 71 dB
						Goodyear Eagle F1 Asymmetric 2	N0	F	A) 67 dB
						Bridgestone Potenza S001	N1	E	B) 71 dB
						Pirelli P-Zero	N1	C	A) 72 dB
	10.5J x 20	47	RA	265/35 ZR 20	(95 Y)	Goodyear Eagle F1 Asymmetric 2	N0	F	A) 70 dB
						Bridgestone Potenza S001	N1	E	A) 72 dB
Pirelli P-Zero						N1	C	A) 72 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (NO, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

1) 718 Boxster S, 718 Cayman S: Only for China.

Type 997		911 Carrera 4, 911 Targa 4								
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 18-inch	8J x 18	57	FA	235/40 ZR 18	(91 Y)	Bridgestone Potenza RE050A	N1	F	C))) 73.2 dB
						Yokohama Advan Sport V103S	N1	F	A) 71 dB
						Michelin Pilot Sport 2	N4	E	B) 69 dB
	11J x 18	51	RA	295/35 ZR 18	(99Y)	Bridgestone Potenza RE050A	N1	E	C) 74 dB
						Yokohama Advan Sport V103S	N1	E	A) 74 dB
						Michelin Pilot Sport 2	N4	E	A) 74 dB
Wheel size 19-inch	8J x 19	57	FA	235/35 ZR 19	(87Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Pirelli P-Zero Rosso	N1	E	A) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 74 dB
	11J x 19	51	RA	305/30 ZR 19	(102Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 74 dB
						Pirelli P-Zero Rosso	N1	F	A) 73 dB
						Pirelli P-Zero	N2	F	A) 74 dB
						Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Pirelli P-Zero Rosso	N1	E	A) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 74 dB
11.5J x 19	67 ¹⁾	RA	305/30 ZR 19	(102Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB	
					Michelin Pilot Sport 2	N2	E	B) 74 dB	
					Pirelli P-Zero Rosso	N1	F	A) 73 dB	
					Pirelli P-Zero	N2	F	A) 74 dB	
					Bridgestone Potenza RE050A	N1	E	C) 75 dB	
					Michelin Pilot Sport 2	N2	E	B) 74 dB	

Type 997		911 Carrera 4S, 911 Targa 4S								
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 19-inch	8J x 19	57	FA	235/35 ZR 19	(87Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Pirelli P-Zero Rosso	N1	E	A) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 74 dB
	11J x 19	51	RA	305/30 ZR 19	(102Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 74 dB
						Pirelli P-Zero Rosso	N1	F	A) 73 dB
						Pirelli P-Zero	N2	F	A) 74 dB
						Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Pirelli P-Zero Rosso	N1	E	A) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 74 dB
11.5J x 19	67 ¹⁾	RA	305/30 ZR 19	(102Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB	
					Michelin Pilot Sport 2	N2	E	B) 74 dB	
					Pirelli P-Zero Rosso	N1	F	A) 73 dB	
					Pirelli P-Zero	N2	F	A) 74 dB	
					Bridgestone Potenza RE050A	N1	E	C) 75 dB	
					Michelin Pilot Sport 2	N2	E	B) 74 dB	

Type 997		911 GT3, 911 GT3 RS													
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions					
Wheel size 19-inch	8.5J x 19	53	FA	235/35 ZR 19	(87Y)	Michelin Pilot Sport Cup 2 ¹⁾	N1	E	C))) 75 dB					
						(91Y) XL	Michelin Pilot Sport Cup 2 ²⁾	N0	E	C) 71 dB				
						(91 Y)	Pirelli P Zero Corsa ²⁾	N0	F	A) 72 dB				
						(91 Y)	Pirelli P Zero Corsa ²⁾	N1	F	A) 72 dB				
						12J x 19	68 ³⁾	RA	305/30 ZR 19	(102Y) XL	Michelin Pilot Sport Cup 2 ¹⁾	N1	C	E) 75 dB
											Michelin Pilot Sport Cup 2 ²⁾	N0	E	C) 73 dB
	Pirelli P Zero Corsa ²⁾	N0	F	A) 74 dB										
	Pirelli P Zero Corsa ²⁾	N1	F	A) 74 dB										
	12J x 19	53 ⁴⁾	RA	305/30 ZR 19	(102Y) XL						Michelin Pilot Sport Cup 2 ¹⁾	N1	C	E) 75 dB
											Michelin Pilot Sport Cup 2 ²⁾	N0	E	C) 73 dB
							Pirelli P Zero Corsa ²⁾	N0	F	A) 74 dB				
							Pirelli P Zero Corsa ²⁾	N1	F	A) 74 dB				

Only tyres of the same make and type, with the same speed index and the same specification code (NO, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

- 1) Only with 17-mm wheel spacers on the rear axle.
- 2) Ultra High Performance tyres.
- 3) Only 911 GT3. Always with 5-mm wheel spacers.
- 4) Only 911 GT3 RS. Always with 5-mm wheel spacers.

911 Carrera, Targa, GT3 – model year 2009 – 2012
 Approved makes of summer tyres

As at: 04/2016

Type 997		911 Carrera								
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
18-inch	8J x 18	57	FA	235/40 ZR 18	(91 Y)	Bridgestone Potenza RE050A	N1	F	C))) 73.2 dB
						Michelin Pilot Sport 2	N4	E	B) 69 dB
						Continental SportContact 3	N1	G	A))) 72 dB
	10.5J x 18	60	RA	265/40 ZR 18	(101 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 74 dB
						Michelin Pilot Sport 2	N4	E	A) 70 dB
						Continental SportContact 3	N1	F	A))) 74 dB
19-inch	8J x 19	57	FA	235/35 ZR 19	(87Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Pirelli P-Zero	N2	F	A) 71 dB
	11J x 19	67	RA	295/30 ZR 19	(100Y) XL	Bridgestone Potenza RE050A	N1	E	C) 73 dB
						Michelin Pilot Sport 2	N2	E	B) 74 dB
						Pirelli P-Zero	N2	E	A) 73 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Pirelli P-Zero	N2	F	A) 71 dB
	11.5J x 19	67	RA	305/30 ZR 19	(102Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 75 dB
						Pirelli P-Zero	N2	F	A) 74 dB

Type 997		911 Carrera S								
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
19-inch	8J x 19	57	FA	235/35 ZR 19	(87Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Pirelli P-Zero	N2	F	A) 71 dB
	11J x 19	67	RA	295/30 ZR 19	(100Y) XL	Bridgestone Potenza RE050A	N1	E	C) 73 dB
						Michelin Pilot Sport 2	N2	E	B) 74 dB
						Pirelli P-Zero	N2	E	A) 73 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Pirelli P-Zero	N2	F	A) 71 dB
	11.5J x 19	67	RA	305/30 ZR 19	(102Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 75 dB
						Pirelli P-Zero	N2	F	A) 74 dB

Type 997		911 Carrera 4, 911 Targa 4								
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
18-inch	8J x 18	57	FA	235/40 ZR 18	(91 Y)	Bridgestone Potenza RE050A	N1	F	C))) 73.2 dB
						Yokohama Advan Sport V103S	N1	F	A) 71 dB
						Michelin Pilot Sport 2	N4	E	B) 69 dB
	11J x 18	51	RA	295/35 ZR 18	(99Y)	Bridgestone Potenza RE050A	N1	E	C) 74 dB
						Yokohama Advan Sport V103S	N1	E	A) 74 dB
						Michelin Pilot Sport 2	N4	E	A) 74 dB
19-inch	8J x 19	57	FA	235/35 ZR 19	(87Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Pirelli P-Zero	N2	F	A) 71 dB
	11J x 19	51	RA	305/30 ZR 19	(102Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 75 dB
						Pirelli P-Zero	N2	F	A) 74 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Pirelli P-Zero	N2	F	A) 71 dB
	11.5J x 19	60	RA	305/30 ZR 19	(102Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 75 dB
						Pirelli P-Zero	N2	F	A) 74 dB

Type 997		911 Carrera 4S, 911 Targa 4S								
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
19-inch	8J x 19	57	FA	235/35 ZR 19	(87Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Pirelli P-Zero	N2	F	A) 71 dB
	11J x 19	51	RA	305/30 ZR 19	(102Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 75 dB
						Pirelli P-Zero	N2	F	A) 74 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Pirelli P-Zero	N2	F	A) 71 dB
	11.5J x 19	60	RA	305/30 ZR 19	(102Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 75 dB
						Pirelli P-Zero	N2	F	A) 74 dB

Type 997		911 Carrera GTS, 911 Carrera 4 GTS								
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
19-inch	8.5J x 19	56	FA	235/35 ZR 19	(87Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Pirelli P-Zero	N2	F	A) 71 dB
	11J x 19	51	RA	305/30 ZR 19	(102Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 75 dB
						Pirelli P-Zero	N2	F	A) 74 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Pirelli P-Zero	N2	F	A) 71 dB
	11.5J x 19	50	RA	305/30 ZR 19	(102Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 75 dB
						Pirelli P-Zero	N2	F	A) 74 dB

Type 997		911 Sport Classic								
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
19-inch	8J x 19	57	FA	235/35 ZR 19	(87Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Pirelli P-Zero	N2	F	A) 71 dB
	11J x 19	51	RA	305/30 ZR 19	(102Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 75 dB
						Pirelli P-Zero	N2	F	A) 74 dB
	8.5J x 19	55	FA	235/35 ZR 19	(87Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Pirelli P-Zero	N2	F	A) 71 dB
	11.5J x 19	60	RA	305/30 ZR 19	(102Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 75 dB
						Pirelli P-Zero	N2	F	A) 74 dB

Type 997		911 Speedster								
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
19-inch	8.5J x 19	55	FA	235/35 ZR 19	(87Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
						Pirelli P-Zero	N2	F	A) 71 dB
	11.5J x 19	60	RA	305/30 ZR 19	(102Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Michelin Pilot Sport 2	N2	E	B) 75 dB
						Pirelli P-Zero	N2	F	A) 74 dB

Type 997		911 GT3								
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
19-inch	8.5J x 19	53	FA	235/35 ZR 19	(87Y)	Michelin Pilot Sport Cup ¹⁾	N1	E	C))) 75 dB
					(91Y) XL	Michelin Pilot Sport Cup 2 ²⁾	N0	E	C)) 71 dB
					(91 Y)	Pirelli P Zero Corsa ¹⁾	N0	F	A)) 72 dB
					(91 Y)	Pirelli P Zero Corsa ¹⁾	N1	F	A)) 72 dB
	12J x 19	63	RA	305/30 ZR 19	(102Y) XL	Michelin Pilot Sport Cup ¹⁾	N1	C	E)) 75 dB
						Michelin Pilot Sport Cup 2 ²⁾	N0	E	C)) 73 dB
						Pirelli P Zero Corsa ¹⁾	N0	F	A)) 74 dB
						Pirelli P Zero Corsa ¹⁾	N1	F	A)) 74 dB

Type 997		911 GT3 RS								
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
19-inch	9J x 19	47	FA	245/35 ZR 19	(89Y)	Michelin Pilot Sport Cup ¹⁾	N1	E	C))) 75 dB
					(93Y) XL	Michelin Pilot Sport Cup 2 ¹⁾	N0	E	C)) 70 dB
	12J x 19	48	RA	325/30 ZR 19	(101 Y)	Michelin Pilot Sport Cup ¹⁾	N1	F	E))) 75 dB
					(105 Y) XL	Michelin Pilot Sport Cup 2 ¹⁾	N0	E	C)) 73 dB

Only tyres of the same make and type, with the same speed index and the same specification code (NO, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

- 1) Ultra High Performance tyres.
- 2) Only for Japan.
- 3) Not for Japan.

911 Turbo, GT2 – model year 2007 – 2009

As at: 04/2016

Approved makes of summer tyres

Type 997	911 Turbo									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 19-inch	8.5J x 19	55	FA	235/35 ZR 19	(87Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Pirelli P Zero Rosso	N1	E	A) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
	11J x 19	51	RA	305/30 ZR 19	(102Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Pirelli P Zero Rosso	N1	E	A) 73 dB
						Pirelli P-Zero	N2	F	A) 74 dB
						Michelin Pilot Sport 2	N2	E	B) 74 dB
	11.5J x 19	67 ¹⁾	RA	305/30 ZR 19	(102Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Pirelli P Zero Rosso	N1	E	A) 73 dB
						Pirelli P-Zero	N2	F	A) 74 dB
						Michelin Pilot Sport 2	N2	E	B) 74 dB

Type 997	911 GT2									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 19-inch	8.5J x 19	53	FA	235/35 ZR 19	(87Y)	Michelin Pilot Sport Cup ²⁾	N1	E	C) 75 dB
					(91Y) XL	Michelin Pilot Sport Cup 2 ²⁾	N0	E	C) 71 dB
					(91Y) XL	Pirelli P Zero Corsa ²⁾	N0	F	A) 72 dB
					(101 Y)	Michelin Pilot Sport Cup ²⁾	N2	F	E) 75 dB
	12J x 19	51	RA	325/30 ZR 19	(105 Y) XL	Michelin Pilot Sport Cup 2 ²⁾	N0	E	C) 73 dB
					(101 Y)	Pirelli P Zero Corsa ²⁾	N0	F	A) 74 dB

Only tyres of the same make and type, with the same speed index and the same specification code (NO, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

1) Only with 17-mm wheel spacers on the rear axle.
2) Ultra High Performance tyres.

911 Turbo, GT2 RS – model year 2010 – 2013

As at: 04/2015

Approved makes of summer tyres

Type 997	911 Turbo, 911 Turbo S									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 19-inch	8.5J x 19	55	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
	8.5J x 19	56	FA	235/35 ZR 19	(87 Y)	Bridgestone Potenza RE050A	N1	F	B) 71 dB
						Pirelli P-Zero	N2	F	A) 71 dB
						Michelin Pilot Sport 2	N2	F	B) 70 dB
	11J x 19	51	RA	305/30 ZR 19	(102 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Pirelli P-Zero	N2	F	A) 74 dB
						Michelin Pilot Sport 2	N2	E	B) 74 dB
	11.5J x 19	50	RA	305/30 ZR 19	(102 Y) XL	Bridgestone Potenza RE050A	N1	E	C) 75 dB
						Pirelli P-Zero	N2	F	A) 74 dB
						Michelin Pilot Sport 2	N2	E	B) 74 dB
Type 997	911 GT2 RS									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 19-inch	9J x 19	47	FA	245/35 ZR 19	(89 Y)	Michelin Pilot Sport Cup + ¹⁾	N1	E	C) 75 dB
	12J x 19	48	RA	325/30 ZR 19	(101 Y)	Michelin Pilot Sport Cup + ¹⁾	N2	F	E) 75 dB

Only tyres of the same make and type, with the same speed index and the same specification code (NO, N1, N2, ...) may be used on a vehicle (Exception: 911 GT2 RS, see above).

Speed index:
Y = 300 km/h

1) Ultra High Performance tyres.

911 – model year 2012 – 2016

As at: 12/2015

Approved makes of summer tyres

Type 991		911 Carrera, 911 Carrera S								
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 19-inch ¹⁾	8.5J x 19	54	FA	235/40 ZR 19	(92 Y)	Goodyear Eagle F1 Asymmetric 2	N0	E	B) 68 dB
	11J x 19	69	RA	285/35 ZR 19	(103 Y) XL	Goodyear Eagle F1 Asymmetric 2	N0	E	C) 70 dB
Wheel size 20-inch	8.5J x 20	51	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N0	F	A) 71 dB
	11J x 20	70	RA	295/30 ZR 20	(101 Y) XL	Pirelli P-Zero	N0	E	A) 74 dB
	9J x 20 ³⁾	51	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N0	F	A) 71 dB
						Pirelli P-Zero	N1	E	A) 71 dB
	11.5J x 20 ³⁾	68	RA	305/30 ZR 20	(103 Y) XL	Dunlop Sport Maxx Race ⁴⁾	N0	F	A) 69 dB
						Pirelli P-Zero	N0	E	A) 74 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Dunlop Sport Maxx Race ⁴⁾	N0	E	A) 72 dB
Type 991		911 Carrera 4, 911 Carrera 4S, 911 Carrera GTS, 911 Carrera 4 GTS, 911 Targa 4, 911 Targa 4S, 911 Targa 4 GTS, Jubilee model "50 years 911"								
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 19-inch ²⁾	8.5J x 19	54	FA	235/40 ZR 19	(92 Y)	Goodyear Eagle F1 Asymmetric 2	N0	E	B) 68 dB
	11J x 19	48	RA	295/35 ZR 19	(100 Y)	Goodyear Eagle F1 Asymmetric 2	N0	E	B) 71 dB
Wheel size 20-inch	8.5J x 20	51	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N0	F	A) 71 dB
						Pirelli P-Zero	N1	E	A) 71 dB
	11J x 20	52	RA	305/30 ZR 20	(103 Y) XL	Dunlop Sport Maxx Race ⁴⁾	N0	F	A) 69 dB
						Pirelli P-Zero	N0	E	A) 74 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Dunlop Sport Maxx Race ⁴⁾	N0	E	A) 72 dB
	9J x 20 ³⁾	51	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N0	F	A) 71 dB
						Pirelli P-Zero	N1	E	A) 71 dB
						Dunlop Sport Maxx Race ⁴⁾	N0	F	A) 69 dB
						Pirelli P-Zero	N0	E	A) 74 dB
11.5J x 20 ³⁾	48	RA	305/30 ZR 20	(103 Y) XL	Pirelli P-Zero	N0	E	A) 74 dB	
					Pirelli P-Zero	N1	E	A) 74 dB	
					Dunlop Sport Maxx Race ⁴⁾	N0	E	A) 72 dB	
					Dunlop Sport Maxx Race ⁴⁾	N0	E	A) 72 dB	
Type 991		911 Turbo, 911 Turbo S								
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 20-inch	8.5J x 20	51	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N0	F	A) 71 dB
						Pirelli P-Zero	N1	E	A) 71 dB
						Dunlop Sport Maxx Race ⁴⁾	N0	F	A) 69 dB
	11J x 20	56	RA	305/30 ZR 20	(103 Y) XL	Pirelli P-Zero	N0	E	A) 74 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Dunlop Sport Maxx Race ⁴⁾	N0	E	A) 72 dB
	8.5J x 20	51	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N0	F	A) 71 dB
						Pirelli P-Zero	N1	E	A) 71 dB
						Dunlop Sport Maxx Race ⁴⁾	N0	F	A) 69 dB
	11J x 20	59	RA	305/30 ZR 20	(103 Y) XL	Pirelli P-Zero	N0	E	A) 74 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Dunlop Sport Maxx Race ⁴⁾	N0	E	A) 72 dB
	9J x 20 ³⁾	51	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N0	F	A) 71 dB
						Pirelli P-Zero	N1	E	A) 71 dB
Dunlop Sport Maxx Race ⁴⁾						N0	F	A) 69 dB	
11.5J x 20 ³⁾	56	RA	305/30 ZR 20	(103 Y) XL	Pirelli P-Zero	N0	E	A) 74 dB	
					Pirelli P-Zero	N1	E	A) 74 dB	
					Dunlop Sport Maxx Race ⁴⁾	N0	E	A) 72 dB	

Type 991	911 GT3, 911 R									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 20-inch	9J x 20	55	FA	245/35 ZR 20	(91 Y)	Dunlop Sport Maxx Race ⁴⁾	N0	F	A) 69 dB
						Michelin Pilot Sport Cup 2 ⁴⁾	N0	F	C) 70 dB
	12J x 20	47	RA	305/30 ZR 20	(103 Y) XL	Dunlop Sport Maxx Race ⁴⁾	N0	E	A) 72 dB
						Michelin Pilot Sport Cup 2 ⁴⁾	N0	E	C) 73 dB

Type 991	911 GT3 RS									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 20 & 21-inch	9.5J x 20	50	FA	265/35 ZR 20	(99Y) XL	Dunlop XL Sport Maxx Race ⁴⁾	N0	E	B) 71 dB
						Michelin Pilot Sport Cup 2 ⁴⁾	N1	E	C) 71 dB
	12.5J x 21	48	RA	325/30 ZR 21	(108Y) XL	Dunlop XL Sport Maxx Race ⁴⁾	N0	E	A) 72 dB
						Michelin Pilot Sport Cup 2 ⁴⁾	N1	E	C) 73 dB

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

- 1) 911 Carrera S: Only for China.
- 2) – 911 Carrera 4S, 911 Targa 4S: only for China
– Not for 911 Carrera GTS, 911 Carrera 4 GTS, 911 Targa 4 GTS, 50 years 911
- 3) Not for Japan.
- 4) Ultra High Performance tyres.

911 as of model year 2017

As at: 12/2015

Approved makes of summer tyres

Type 991	911 Carrera									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 19-inch ¹⁾	8.5J x 19	50	FA	235/40 ZR 19	(92 Y)	Goodyear Eagle F1 Asymmetric 2	N0	E	B) 68 dB
						Yokohama Advan Sport V105	N0	E	A) 71 dB
	11.5J x 19	76	RA	295/35 ZR 19	(100 Y)	Goodyear Eagle F1 Asymmetric 2	N0	E	B) 71 dB
						Yokohama Advan Sport V105	N0	E	A) 74 dB
Wheel size 20-inch	8.5J x 20	49	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N1	E	A) 71 dB
	11.5J x 20	76	RA	305/30 ZR 20	(103 Y) XL	Pirelli P-Zero	N1	E	A) 74 dB

Type 991	911 Carrera S									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 20-inch	8.5J x 20	49	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N1	E	A) 71 dB
	11.5J x 20	76	RA	305/30 ZR 20	(103 Y) XL	Pirelli P-Zero	N1	E	A) 74 dB

Type 991	911 Carrera 4, 911 Targa 4									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 19-inch ¹⁾	8.5J x 19	50	FA	235/40 ZR 19	(92 Y)	Goodyear Eagle F1 Asymmetric 2	N0	E	B) 68 dB
						Yokohama Advan Sport V105	N0	E	A) 71 dB
	11.5J x 19	56	RA	295/35 ZR 19	(100 Y)	Goodyear Eagle F1 Asymmetric 2	N0	E	B) 71 dB
						Yokohama Advan Sport V105	N0	E	A) 74 dB
Wheel size 20-inch	8.5J x 20	49	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N1	E	A) 71 dB
	11.5J x 20	56	RA	305/30 ZR 20	(103 Y) XL	Pirelli P-Zero	N1	E	A) 74 dB

Type 991	911 Carrera 4S, 911 Targa 4S									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 20-inch	8.5J x 20	49	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N1	E	A) 71 dB
	11.5J x 20	56	RA	305/30 ZR 20	(103 Y) XL	Pirelli P-Zero	N1	E	A) 74 dB

Type 991	911 Turbo, 911 Turbo S									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 20-inch	9J x 20	51	FA	245/35 ZR 20	(91 Y)	Pirelli P-Zero	N1	E	A) 71 dB
	11.5J x 20	56	RA	305/30 ZR 20	(103 Y) XL	Pirelli P-Zero	N1	E	A) 74 dB

Only tyres of the same make and type, with the same speed index and the same specification code (NO, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB).

Carrera GT model year 2004 – 2006

As at: 12/2015

Approved makes of summer tyres

Type 980	Carrera GT									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size	9.5J x 19	6	FA	265/35 ZR 19	(98Y) XL	Michelin Pilot Super Sport ¹⁾	NO	E	A) 71 dB
19 & 20-inch	12.5J x 20	30	RA	335/30 ZR 20	(108Y) XL	Michelin Pilot Super Sport ¹⁾	NO	E	A) 74 dB

Only tyres of the same make and type, with the same speed index and the same specification code (NO, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

1) Ultra High Performance tyres.

918 Spyder model year 2015

As at: 12/2015

Approved makes of summer tyres

Type 918	918 Spyder									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size	9.5J x 20	57	FA	265/35 ZR 20	(95 Y)	Michelin Pilot Sport Cup 2 ¹⁾	NO	E	C) 71 dB
20 & 21-inch	12.5J x 21	57	RA	325/30 ZR 21	(104Y)	Michelin Pilot Sport Cup 2 ¹⁾	NO	C	C) 73 dB

Only tyres of the same make and type, with the same speed index and the same specification code (NO, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

1) Ultra High Performance tyres.

Cayenne – model year 2003 – 2006

As at: 01/2014

Approved makes of summer tyres

Type 9PA		Cayenne									
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	
Wheel size 17-inch	7.5J x 17H2	53	FA/RA	235/65 R 17	108 V	Bridgestone Turanza ER30	N0	F	C) 71 dB	
						Dunlop Grandtrek PT 4000 E ¹¹	N0	E	B) 70 dB	
						Michelin 4x4 Diamaris	N0	C	B) 71 dB	
						Bridgestone Dueler H/P Sport	N1	F	F) 80 dB	
						Continental Cross C. UHP	N0	G	B) 73 dB	
Wheel size 18-inch	8J x 18H2	57	FA/RA	255/55 R 18	109 Y	Bridgestone Turanza ER30	N0	E	B) 73 dB	
						Pirelli P Zero Rosso	N0	E	B) 73 dB	
						Bridgestone Dueler H/P Sport	N1	E	C) 72 dB	
						Continental Cross C. UHP	N1	G	B) 74 dB	
						Continental Sport Contact 3	N0	E	B) 74 dB	
						Michelin Latitude Sport	N1	C	B) 72 dB	
Wheel size 19-inch	9J x 19H2	60	FA/RA	275/45 R 19 ²⁾	108 Y	Continental 4x4 Sport Contact	N0	G	B) 72 dB	
						Michelin 4x4 Diamaris	N0	E	B) 72 dB	
						Bridgestone Dueler H/P Sport	N0	F	F) 80 dB	
						Michelin Latitude Sport	N0	E	B) 72 dB	
						Pirelli P Zero Rosso	N1	C	B) 72 dB	
						Yokohama Advan Sport	N0	F	A) 73 dB	
Wheel size 20-inch	9J x 20H2	60	FA/RA	275/40 R 20	106 Y	Continental 4x4 Sport Contact	N0	G	B) 72 dB	
						Bridgestone Dueler H/P Sport	N0	E	C) 73 dB	
						Michelin 4x4 Diamaris	N1	C	B) 71 dB	
						Pirelli P Zero Rosso	N1	F	F) 80 dB	
						Yokohama Advan Sport	N0	F	A) 73 dB	
Wheel size 20-inch	10J x 20H2	55 ³⁾	RA	275/40 R 20	106 Y	Continental 4x4 Sport Contact	N0	G	B) 72 dB	
						Bridgestone Dueler H/P Sport	N0	E	C) 73 dB	
						Michelin 4x4 Diamaris	N1	C	B) 71 dB	
						Pirelli P Zero Rosso	N1	F	F) 80 dB	
						Yokohama Advan Sport	N0	F	A) 73 dB	
Type 9PA		Cayenne S									
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	
Wheel size 18-inch	8J x 18H2	57	FA/RA	255/55 R 18	109 Y	Bridgestone Turanza ER30	N0	E	B) 73 dB	
						Pirelli P Zero Rosso	N0	E	B) 73 dB	
						Bridgestone Dueler H/P Sport	N1	E	C) 72 dB	
						Continental Cross C. UHP	N1	G	B) 74 dB	
						Continental Sport Contact 3	N0	E	B) 74 dB	
						Michelin Latitude Sport	N1	C	B) 72 dB	
Wheel size 19-inch	9J x 19H2	60	FA/RA	275/45 R 19 ²⁾	108 Y	Continental 4x4 Sport Contact	N0	G	B) 72 dB	
						Michelin 4x4 Diamaris	N0	E	B) 72 dB	
						Bridgestone Dueler H/P Sport	N0	F	F) 80 dB	
						Michelin Latitude Sport	N0	E	B) 72 dB	
						Pirelli P Zero Rosso	N1	C	B) 72 dB	
Yokohama Advan Sport	N0	F	A) 73 dB							
Wheel size 20-inch	9J x 20H2	60	FA/RA	275/40 R 20	106 Y	Continental 4x4 Sport Contact	N0	G	B) 72 dB	
						Bridgestone Dueler H/P Sport	N0	E	C) 73 dB	
						Michelin 4x4 Diamaris	N1	C	B) 71 dB	
						Pirelli P Zero Rosso	N1	F	F) 80 dB	
						Yokohama Advan Sport	N0	F	A) 73 dB	
Wheel size 20-inch	10J x 20H2	55 ³⁾	RA	275/40 R 20	106 Y	Continental 4x4 Sport Contact	N0	G	B) 72 dB	
						Bridgestone Dueler H/P Sport	N0	E	C) 73 dB	
						Michelin 4x4 Diamaris	N1	C	B) 71 dB	
						Pirelli P Zero Rosso	N1	F	F) 80 dB	
						Yokohama Advan Sport	N0	F	A) 73 dB	

Type 9PA		Cayenne Turbo, Cayenne Turbo S								
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 18-inch	8J x 18H2	57	FA/RA	255/55 R 18 ⁴⁾	109 Y	Bridgestone Turanza ER30	N0	E	B) 73 dB
						Pirelli P Zero Rosso	N0	E	B) 73 dB
						Bridgestone Dueler H/P Sport	N1	E	C) 72 dB
						Continental Cross C. UHP	N1	G	B) 74 dB
						Continental Sport Contact 3	N0	E	B) 74 dB
						Michelin Latitude Sport	N1	C	B) 72 dB
Wheel size 19-inch	9J x 19H2	60	FA/RA	275/45 R 19 ²⁾	108 Y	Continental 4x4 Sport Contact	N0	G	B) 72 dB
						Michelin 4x4 Diamaris	N0	E	B) 72 dB
						Bridgestone Dueler H/P Sport	N0	F	F) 80 dB
						Michelin Latitude Sport	N0	E	B) 72 dB
						Pirelli P Zero Rosso	N1	C	B) 72 dB
						Yokohama Advan Sport	N0	F	A) 73 dB
Wheel size 20-inch	9J x 20H2	60	FA/RA	275/40 R 20	106 Y	Continental 4x4 Sport Contact	N0	G	B) 72 dB
						Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
						Michelin 4x4 Diamaris	N1	C	B) 71 dB
						Pirelli P Zero Rosso	N1	F	F) 80 dB
						Yokohama Advan Sport	N0	F	A) 73 dB
Wheel size 20-inch	10J x 20H2	55 ³⁾	RA	275/40 R 20	106 Y	Continental 4x4 Sport Contact	N0	G	B) 72 dB
						Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
						Michelin 4x4 Diamaris	N1	C	B) 71 dB
						Pirelli P Zero Rosso	N1	F	F) 80 dB
						Yokohama Advan Sport	N0	F	A) 73 dB

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h
(150 mph)
Y = 300 km/h

- 1) Not for Taiwan, Japan or Korea.
- 2) 17-mm wheel spacer per wheel permitted on the RA (18-inch Cayenne S wheel only). Must be removed when fitting the spare wheel or snow chains.
- 3) Only permitted on the RA. Not for Israel, Saudi Arabia and the Virgin Islands.
- 4) Not for Cayenne Turbo with engine power kit "E81", Cayenne Turbo S.

Cayenne – model year 2008 – 2010

As at: 01/2014

Approved makes of summer tyres

Type 9PA	Cayenne, Cayenne Diesel									
Wheel size	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 17-inch	7.5J x 17H2	53	FA/RA	235/65 R 17	108 V	Bridgestone Dueler H/P Sport	N1	E	B) 72 dB
						Continental Cross C UHP	N0	G	B) 73 dB
						Michelin 4x4 Diamaris	N0	C	B) 71 dB
Wheel size 18-inch	8J x 18H2	57	FA/RA	255/55 R 18	109 Y	Bridgestone Dueler H/P Sport	N1	E	C) 72 dB
						Continental Cross C UHP	N1	G	B) 74 dB
						Continental Sport Contact 3	N0	E	B) 74 dB
						Michelin Latitude Sport	N1	C	B) 72 dB
Wheel size 19-inch	9J x 19H2	60	FA/RA	275/45 R 19 ²⁾	108 Y	Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
						Michelin Latitude Sport	N0	E	B) 72 dB
						Pirelli P-Zero Rosso	N1	C	B) 72 dB
						Yokohama Advan Sport	N0	F	A) 73 dB
Wheel size 20-inch	9J x 20H2	60	FA/RA	275/40 R 20 ²⁾	106 Y	Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
						Michelin 4x4 Diamaris	N1	C	B) 71 dB
						Pirelli P Zero Rosso	N1	F	F) 80 dB
						Yokohama Advan Sport	N0	F	A) 73 dB
Wheel size 20-inch	9J x 20H2	55	RA	275/40 R 20 ²⁾	106 Y	Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
						Michelin 4x4 Diamaris	N1	C	B) 71 dB
						Pirelli P Zero Rosso	N1	F	F) 80 dB
						Yokohama Advan Sport	N0	F	A) 73 dB
Wheel size 21-inch ⁵⁾	10J x 21H2	50	FA/RA	295/35 R 21	107 Y	Continental Cross C UHP	N0	G	A) 76 dB
						Michelin Latitude Sport	N0	C	B) 72 dB
						Michelin Latitude Sport	N1	C	B) 72 dB
						Pirelli P-Zero Rosso	N0	C	B) 73 dB
						Pirelli P-Zero	N1	C	B) 74 dB
						Yokohama Advan Sport	N0	F	A) 74 dB
						Yokohama Advan Sport	N1	F	A) 74 dB
Wheel size 21-inch ⁵⁾	10J x 21H2	45 ³⁾	RA	295/35 R 21	107 Y	Continental Cross C UHP	N0	G	A) 76 dB
						Michelin Latitude Sport	N0	C	B) 72 dB
						Michelin Latitude Sport	N1	C	B) 72 dB
						Pirelli P-Zero Rosso	N0	C	B) 73 dB
						Pirelli P-Zero	N1	C	B) 74 dB
						Yokohama Advan Sport	N0	F	A) 74 dB
						Yokohama Advan Sport	N1	F	A) 74 dB

Type 9PA	Cayenne S, Cayenne GTS									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 18-inch	8J x 18H2	57	FA/RA	255/55 R 18	109 Y	Bridgestone Dueler H/P Sport	N1	E	C) 72 dB
						Continental Cross C UHP	N1	G	B) 74 dB
						Continental Sport Contact 3	N0	E	B) 74 dB
						Michelin Latitude Sport	N1	C	B) 72 dB
Wheel size 19-inch	9J x 19H2	60	FA/RA	275/45 R 19 ²⁾	108 Y	Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
						Michelin Latitude Sport	N0	E	B) 72 dB
						Pirelli P-Zero Rosso	N1	C	B) 72 dB
						Yokohama Advan Sport	N0	F	A) 73 dB
Wheel size 20-inch	9J x 20H2	60	FA/RA	275/40 R 20 ²⁾	106 Y	Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
						Michelin 4x4 Diamaris	N1	C	B) 71 dB
						Pirelli P Zero Rosso	N1	F	F) 80 dB
						Yokohama Advan Sport	N0	F	A) 73 dB
Wheel size 20-inch	9J x 20H2	55	RA	275/40 R 20 ²⁾	106 Y	Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
						Michelin 4x4 Diamaris	N1	C	B) 71 dB
						Pirelli P Zero Rosso	N1	F	F) 80 dB
						Yokohama Advan Sport	N0	F	A) 73 dB
Wheel size 21-inch⁵⁾	10J x 21H2	50	FA/RA	295/35 R 21	107 Y	Continental Cross C UHP	N0	G	A) 76 dB
						Michelin Latitude Sport	N0	C	B) 72 dB
						Michelin Latitude Sport	N1	C	B) 72 dB
						Pirelli P-Zero Rosso	N0	C	B) 73 dB
						Pirelli P-Zero	N1	C	B) 74 dB
						Yokohama Advan Sport	N0	F	A) 74 dB
Wheel size 21-inch⁵⁾	10J x 21H2	45 ³⁾	RA	295/35 R 21	107 Y	Continental Cross C UHP	N0	G	A) 76 dB
						Michelin Latitude Sport	N0	C	B) 72 dB
						Michelin Latitude Sport	N1	C	B) 72 dB
						Pirelli P-Zero Rosso	N0	C	B) 73 dB
						Pirelli P-Zero	N1	C	B) 74 dB
						Yokohama Advan Sport	N0	F	A) 74 dB
Yokohama Advan Sport	N1	F	A) 74 dB						

Type 9PA	Cayenne Turbo									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 18-inch ⁴⁾	8J x 18H2	57	FA/RA	255/55 R 18 ⁴⁾	109 Y	Bridgestone Dueler H/P Sport	N1	E	C) 72 dB
						Continental Cross C UHP	N1	G	B) 74 dB
						Continental Sport Contact 3	N0	E	B) 74 dB
						Michelin Latitude Sport	N1	C	B) 72 dB
Wheel size 19-inch	9J x 19H2	60	FA/RA	275/45 R 19 ²⁾ 4)	108 Y	Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
						Michelin Latitude Sport	N0	E	B) 72 dB
						Pirelli P-Zero Rosso	N1	C	B) 72 dB
						Yokohama Advan Sport	N0	F	A) 73 dB
Wheel size 20-inch	9J x 20H2	60	FA/RA	275/40 R 20 ²⁾ 4)	106 Y	Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
						Michelin 4x4 Diamaris	N1	C	B) 71 dB
						Pirelli P Zero Rosso	N1	F	F) 80 dB
						Yokohama Advan Sport	N0	F	A) 73 dB
Wheel size 20-inch	9J x 20H2	55	RA	275/40 R 20 ²⁾ 4)	106 Y	Bridgestone Dueler H/P Sport	N0	E	C) 73 dB
						Michelin 4x4 Diamaris	N1	C	B) 71 dB
						Pirelli P Zero Rosso	N1	F	F) 80 dB
						Yokohama Advan Sport	N0	F	A) 73 dB
Wheel size 21-inch ⁵⁾	10J x 21H2	50	FA/RA	295/35 R 21	107 Y	Continental Cross C UHP	N0	G	A) 76 dB
						Michelin Latitude Sport	N0	C	B) 72 dB
						Michelin Latitude Sport	N1	C	B) 72 dB
						Pirelli P-Zero Rosso	N0	C	B) 73 dB
						Pirelli P-Zero	N1	C	B) 74 dB
						Yokohama Advan Sport	N0	F	A) 74 dB
Wheel size 21-inch ⁵⁾	10J x 21H2	45 ³⁾	RA	295/35 R 21	107 Y	Continental Cross C UHP	N0	G	A) 76 dB
						Michelin Latitude Sport	N0	C	B) 72 dB
						Michelin Latitude Sport	N1	C	B) 72 dB
						Pirelli P-Zero Rosso	N0	C	B) 73 dB
						Pirelli P-Zero	N1	C	B) 74 dB
						Yokohama Advan Sport	N0	F	A) 74 dB
Yokohama Advan Sport	N1	F	A) 74 dB						

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h
(150 mph)
Y = 300 km/h

- 1) Not for Taiwan, Japan or Korea.
- 2) 17-mm wheel spacer per wheel permitted on the RA. Must be removed when fitting the spare wheel or snow chains.
- 3) Only permitted on the RA. Not for Israel, Saudi Arabia and the Virgin Islands.
- 4) Not for Cayenne Turbo with engine power kit "E81".
- 5) 21-inch wheels only in combination with wheel arch extensions.

The tyre makes and types shown in **bold** in the table are the latest approved makes and types. We recommend that you use only these tyres when fitting new tyres on vehicles.

Cayenne – model year 2011 – 2014

As at: 01/2014

Approved makes of summer tyres

Type 92A	Cayenne, Cayenne Diesel, Cayenne S, Cayenne S Hybrid, Cayenne S Diesel, Cayenne GTS									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 18-inch ¹⁾	8J x 18H2 ¹⁾	53	FA/RA	255/55 R 18 ¹⁾	109Y XL	Continental Sport Contact 3	N0	E	B)) 74 dB
						Michelin Latitude Sport	N1	C	B)) 72 dB
Wheel size 19-inch ²⁾	8.5J x 19H2 ²⁾	59	FA/RA	265/50 R 19	110Y XL	Goodyear Eagle F1 Asymmetric	N0	B	B) 69 dB
						Pirelli P-Zero	N0	C	A) 73 dB
Wheel size 20-inch	9J x 20H2	57	FA/RA	275/45 R 20	110Y XL	Michelin Latitude Sport	N0	E	B)) 72 dB
						Yokohama Advan Sport	N1	E	A)) 73 dB
	9.5J x 20H2	47	FA/RA	275/45 R 20	110Y XL	Michelin Latitude Sport	N0	E	B)) 72 dB
						Yokohama Advan Sport	N1	E	A)) 73 dB
Wheel size 21-inch	10J x 21H2	50	FA/RA	295/35 R 21	107Y XL	Michelin Latitude Sport	N1	C	B) 72 dB
						Pirelli P-Zero	N1	C	B)) 74 dB
						Yokohama Advan Sport	N1	E	A)) 74 dB
Type 92A	Cayenne Turbo, Cayenne Turbo S									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 19-inch ¹⁾	8.5J x 19H2 ¹⁾	59	FA/RA	265/50 R 19 ¹⁾	110Y XL	Goodyear Eagle F1 Asymmetric	N0	B	B) 69 dB
						Pirelli P-Zero	N0	C	A) 73 dB
Wheel size 20-inch	9J x 20H2	57	FA/RA	275/45 R 20	110Y XL	Michelin Latitude Sport	N0	E	B)) 72 dB
						Yokohama Advan Sport	N1	E	A)) 73 dB
	9.5J x 20H2	47	FA/RA	275/45 R 20	110Y XL	Michelin Latitude Sport	N0	E	B)) 72 dB
						Yokohama Advan Sport	N1	E	A)) 73 dB
Wheel size 21-inch	10J x 21H2	50	FA/RA	295/35 R 21	107Y XL	Michelin Latitude Sport	N1	C	B) 72 dB
						Pirelli P-Zero	N1	C	B)) 74 dB
						Yokohama Advan Sport	N1	E	A)) 74 dB

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB), l-no. PB1.
2) Not for Cayenne GTS vehicles with Porsche Ceramic Composite Brake (PCCB), l-no. PB1.

Cayenne from model year 2015

Approved makes of summer tyres

As at: 04/2016

Type 92A		Cayenne, Cayenne Diesel, Cayenne S, Cayenne S Diesel, Cayenne S E-Hybrid									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	
Wheel size 18-inch ¹⁾	8J x 18H2	53	FA/RA	255/55 R 18	109Y XL	Continental Sport Contact 3	N0	E	B)) 74 dB	
						Michelin Latitude Sport	N1	C	B)) 72 dB	
Wheel size 19-inch ⁴⁾	8.5J x 19H2	59	FA/RA	265/50 R 19	110Y XL	Goodyear Eagle F1 Asymmetric 2 SUV	N1	C	A)) 71 dB	
						Pirelli P-Zero	N0	C	A)) 73 dB	
						Michelin Latitude Sport 3	N0	B	A)) 71 dB	
Wheel size 20-inch	9J x 20H2	57	FA/RA	275/45 R 20	110Y XL	Michelin Latitude Sport	N0	E	B)) 72 dB	
						Yokohama Advan Sport V-103H	N0	E	B)) 73 dB	
	9.5J x 20H2 ²⁾	47	FA/RA	275/45 R 20	110Y XL	Michelin Latitude Sport	N0	E	B)) 72 dB	
						Yokohama Advan Sport V-103H	N0	E	B)) 73 dB	
Wheel size 21-inch ²⁾	10J x 21H2	50	FA/RA	295/35 R 21	107Y XL	Michelin Latitude Sport 3	N1	C	A) 72 dB	
						Yokohama Advan Sport V-105T	N2	E	A)) 74 dB	

Type 92A		Cayenne GTS, Cayenne Turbo									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	
Wheel size 19-inch ¹⁾	8.5J x 19H2	59	FA/RA	265/50 R 19 ¹⁾	110Y XL	Goodyear Eagle F1 Asymmetric 2 SUV	N1	C	A)) 71 dB	
						Pirelli P-Zero	N0	C	A)) 73 dB	
						Michelin Latitude Sport 3	N0	B	A)) 71 dB	
Wheel size 20-inch	9J x 20H2 ³⁾	57	FA/RA	275/45 R 20	110Y XL	Michelin Latitude Sport	N0	E	B)) 72 dB	
						Yokohama Advan Sport V-103H	N0	E	B)) 73 dB	
	9.5J x 20H2 ²⁾	47	FA/RA	275/45 R 20	110Y XL	Michelin Latitude Sport	N0	E	B)) 72 dB	
						Yokohama Advan Sport V-103H	N0	E	B)) 73 dB	
Wheel size 21-inch ²⁾	10J x 21H2	50	FA/RA	295/35 R 21	107Y XL	Michelin Latitude Sport 3	N1	C	A) 72 dB	
						Yokohama Advan Sport V-105T	N2	E	A)) 74 dB	

Type 92A		Cayenne Turbo S									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions	
Wheel size 20-inch	9J x 20H2 ³⁾	57	FA/RA	275/45 R 20	110Y XL	Michelin Latitude Sport	N0	E	B)) 72 dB	
						Yokohama Advan Sport V-103H	N0	E	B)) 73 dB	
	9.5J x 20H2 ²⁾	47	FA/RA	275/45 R 20	110Y XL	Michelin Latitude Sport	N0	E	B)) 72 dB	
						Yokohama Advan Sport V-103H	N0	E	B)) 73 dB	
Wheel size 21-inch ²⁾	10J x 21H2	50	FA/RA	295/35 R 21	107Y XL	Michelin Latitude Sport 3	N1	C	A) 72 dB	
						Yokohama Advan Sport V-105T	N2	E	A)) 74 dB	

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

- 1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB).
- 2) Only with wheel arch extensions or SportDesign package.
- 3) Permitted for vehicles with Porsche Ceramic Composite Brake (PCCB) depending on wheel type.
- 4) Not for vehicles with 20-inch Porsche Ceramic Composite Brake (PCCB).

Before changing wheels and tyres, check the EU Certificate of Conformity to determine whether the desired wheel/tyre combination is permitted for your vehicle.

Panamera – model year 2010 – 2013

As at: 12/2015

Approved makes of summer tyres

Type 970	Panamera, Panamera 4, Panamera Diesel, Panamera S, Panamera 4S, Panamera S Hybrid									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 18-inch¹⁾	8J x 18	59	FA	245/50 ZR 18	(100 Y)	Continental SportContact 5	N0	C	A) 73 dB
						Pirelli P-Zero	N1	F	A) 71 dB
						Pirelli P-Zero	N0	F	A) 71 dB
						Goodyear Eagle F1 Asymmetric 2	N0	C	B) 70 dB
						Continental SportContact 5	N0	C	A) 75 dB
	9J x 18	53	RA	275/45 ZR 18	(103 Y)	Pirelli P-Zero	N1	E	A) 72 dB
						Pirelli P-Zero	N0	E	A) 72 dB
						Pirelli P-Zero	N0	E	A) 72 dB
						Goodyear Eagle F1 Asymmetric 2	N0	C	B) 69 dB
						Continental SportContact 5	N0	C	A) 75 dB
Wheel size 19-inch	9J x 19	60	FA	255/45 ZR 19	(100 Y)	Goodyear Eagle F1 Asymmetric	N0	E	C) 70 dB
						Michelin Pilot Sport 2	N0	C	A) 70 dB
						Michelin Pilot Super Sport	N0	E	A) 71 dB
						Pirelli P-Zero	N0	E	A) 72 dB
						Pirelli P-Zero	N1	E	A) 71 dB
	10J x 19	61	RA	285/40 ZR 19	(103 Y)	Goodyear Eagle F1 Asymmetric	N0	E	C) 73 dB
						Michelin Pilot Super Sport	N0	C	A) 73 dB
						Michelin Pilot Sport 2	N0	C	B) 74 dB
						Pirelli P-Zero	N0	E	A) 73 dB
						Pirelli P-Zero	N1	E	A) 72 dB
Wheel size 20-inch	9.5J x 20	65	FA	255/40 ZR 20	(101 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Sport 2	N0	E	A) 70 dB
						Michelin Pilot Super Sport	N0	E	B) 71 dB
						Pirelli P-Zero	N0	E	A) 73 dB
						Pirelli P-Zero	N1	E	A) 73 dB
						Yokohama Advan Sport	N0	F	B) 75 dB
	11J x 20	68	RA	295/35 ZR 20	(105 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Sport 2	N0	C	B) 74 dB
						Michelin Pilot Super Sport	N0	C	B) 73 dB
						Pirelli P-Zero	N0	E	A) 74 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	F	B) 75 dB
	11.5J x 20	63	RA	295/35 ZR 20	(105 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Sport 2	N0	C	B) 74 dB
						Michelin Pilot Super Sport	N0	C	B) 73 dB
						Pirelli P-Zero	N0	E	A) 74 dB
						Pirelli P-Zero	N0	E	A) 74 dB
						Yokohama Advan Sport	N0	F	B) 75 dB

Type 970	Panamera GTS, Panamera Turbo, Panamera Turbo S									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 19-inch ¹⁾	9J x 19	60	FA	255/45 ZR 19	(100 Y)	Goodyear Eagle F1 Asymmetric	N0	E	C) 70 dB
						Michelin Pilot Super Sport	N0	E	A) 71 dB
						Michelin Pilot Sport 2	N0	C	A) 70 dB
						Pirelli P-Zero	N0	E	A) 72 dB
						Pirelli P-Zero	N1	E	A) 71 dB
	10J x 19	61	RA	285/40 ZR 19	(103 Y)	Goodyear Eagle F1 Asymmetric	N0	E	C) 73 dB
						Michelin Pilot Super Sport	N0	E	B) 71 dB
						Michelin Pilot Sport 2	N0	C	B) 74 dB
						Pirelli P-Zero	N0	E	A) 73 dB
						Pirelli P-Zero	N1	E	A) 72 dB
Wheel size 20-inch	9.5J x 20	65	FA	255/40 ZR 20	(101 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Sport 2	N0	E	A) 70 dB
						Michelin Pilot Super Sport	N0	E	B) 71 dB
						Pirelli P-Zero	N0	E	A) 73 dB
						Pirelli P-Zero	N1	E	A) 73 dB
						Yokohama Advan Sport	N0	E	A) 73 dB
	11J x 20	68	RA	295/35 ZR 20	(105 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Sport 2	N0	C	B) 74 dB
						Michelin Pilot Super Sport	N0	C	B) 73 dB
						Pirelli P-Zero	N0	E	A) 74 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	E	A) 74 dB
	11.5J x 20	63	RA	295/35 ZR 20	(105 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Sport 2	N0	C	B) 74 dB
						Michelin Pilot Super Sport	N0	C	B) 73 dB
						Pirelli P-Zero	N0	E	A) 74 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	E	A) 74 dB

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

1) Not for vehicles with PCCB.

For information on the possible fitting of 5-mm wheel spacers, please contact your Porsche partner.

Panamera as of model year 2014

As at: 12/2015

Approved makes of summer tyres

Type 970 Panamera, Panamera 4, Panamera Diesel, Panamera S, Panamera 4S, Panamera S E-Hybrid										
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 18-inch ¹⁾	8J x 18	59	FA	245/50 ZR 18	(100 Y)	Continental SportContact 5	N0	C	A) 73 dB
						Goodyear Eagle F1 Asymmetric 2	N0	C	B) 70 dB
						Pirelli P-Zero	N1	F	A) 71 dB
	9J x 18	53	RA	275/45 ZR 18	(103 Y)	Continental SportContact 5	N0	C	A) 75 dB
						Goodyear Eagle F1 Asymmetric 2	N0	C	B) 69 dB
						Pirelli P-Zero	N1	E	A) 72 dB
Wheel size 19-inch	9J x 19	60	FA	255/45 ZR 19	(100 Y)	Michelin Pilot Super Sport	N0	E	A) 71 dB
						Pirelli P-Zero	N1	E	A) 71 dB
	10J x 19	61	RA	285/40 ZR 19	(103 Y)	Michelin Pilot Super Sport	N0	C	A) 73 dB
						Pirelli P-Zero	N1	E	A) 72 dB
Wheel size 20-inch	9.5J x 20	65	FA	255/40 ZR 20	(101 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	E	B) 71 dB
						Pirelli P-Zero	N1	E	A) 73 dB
						Yokohama Advan Sport	N0	F	B) 75 dB
						Continental SportContact 5	N0	C	A) 73 dB
	11J x 20	68	RA	295/35 ZR 20	(105 Y) XL	Michelin Pilot Super Sport	N0	C	B) 73 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	E	A) 74 dB
						Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	C	B) 73 dB
	11.5J x 20	63	RA	295/35 ZR 20	(105 Y) XL	Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	E	A) 74 dB
						Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	C	B) 73 dB
						Pirelli P-Zero	N1	E	A) 74 dB
					Yokohama Advan Sport	N0	E	A) 74 dB	
Type 970 Panamera S Executive, Panamera 4S Executive										
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 19-inch	9J x 19	60	FA	255/45 ZR 19	(100 Y)	Michelin Pilot Super Sport	N0	E	A) 71 dB
						Pirelli P-Zero	N1	E	A) 71 dB
	10J x 19	61	RA	285/40 ZR 19	(103 Y)	Michelin Pilot Super Sport	N0	C	A) 73 dB
						Pirelli P-Zero	N1	E	A) 72 dB
Wheel size 20-inch	9.5J x 20	65	FA	255/40 ZR 20	(101 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	E	B) 71 dB
						Pirelli P-Zero	N1	E	A) 73 dB
						Yokohama Advan Sport	N0	E	A) 73 dB
	11J x 20	68	RA	295/35 ZR 20	(105 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	C	B) 73 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	E	A) 74 dB
	11.5J x 20	63	RA	295/35 ZR 20	(105 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	C	B) 73 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	E	A) 74 dB

Type 970		Panamera GTS, Panamera Turbo, Panamera Turbo Executive								
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 19-inch ¹⁾	9J x 19	60	FA	255/45 ZR 19	(100 Y)	Michelin Pilot Super Sport	N0	E	A) 71 dB
						Pirelli P-Zero	N1	E	A) 71 dB
	10J x 19	61	RA	285/40 ZR 19	(103 Y)	Michelin Pilot Super Sport	N0	C	A) 73 dB
						Pirelli P-Zero	N1	E	A) 72 dB
Wheel size 20-inch	9.5J x 20	65	FA	255/40 ZR 20	(101 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	E	B) 71 dB
						Pirelli P-Zero	N1	E	A) 73 dB
						Yokohama Advan Sport	N0	E	A) 73 dB
	11J x 20	68	RA	295/35 ZR 20	(105 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	C	B) 73 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	E	A) 74 dB
	11.5J x 20	63	RA	295/35 ZR 20	(105 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	C	B) 73 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	E	A) 74 dB

Type 970		Panamera Turbo S, Panamera Turbo S Executive								
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 20-inch	9.5J x 20	65	FA	255/40 ZR 20	(101 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	E	B) 71 dB
						Pirelli P-Zero	N1	E	A) 73 dB
						Yokohama Advan Sport	N0	E	A) 73 dB
	11J x 20	68	RA	295/35 ZR 20	(105 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	C	B) 73 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	E	A) 74 dB
	11.5J x 20	63	RA	295/35 ZR 20	(105 Y) XL	Continental SportContact 5	N0	C	A) 73 dB
						Michelin Pilot Super Sport	N0	C	B) 73 dB
						Pirelli P-Zero	N1	E	A) 74 dB
						Yokohama Advan Sport	N0	E	A) 74 dB

Only tyres of the same make and type, with the same speed index and the same specification code (NO, N1, N2, ...) may be used on a vehicle.

Speed index:
Y = 300 km/h

1) Not for vehicles with PCCB.

For information on the possible fitting of 5-mm wheel spacers, please contact your Porsche partner.

Before changing wheels and tyres, check the EU Certificate of Conformity to determine whether the desired wheel/tyre combination is permitted for your vehicle.

Macan as of model year 2014
Approved makes of summer tyres

As at: 12/2015

Type 95B	Macan, Macan S, Macan GTS, Macan Turbo, Macan S Diesel									
	Size	RO	Axles	Tyre size	Load&Speed index	Tread designation	Spec.	Rolling resistance	Wet grip	Noise emissions
Wheel size 18-inch ¹⁾	8J x 18	21	FA	235/60 R18	103 W	Continental SportContact 5	NO	C	A) 71 dB
						Michelin Latitude Sport 3	NO	C	A) 71 dB
						Pirelli Scorpion Verde	NO	C	B) 71 dB
						Hankook Ventus Solus S1 evo ²⁾	NO	C	B) 70 dB
						Continental SportContact 5	NO	C	A) 72 dB
	9J x 18	21	RA	255/55 R18	105 W	Michelin Latitude Sport 3	NO	C	A) 71 dB
						Pirelli Scorpion Verde	NO	C	B) 71 dB
						Hankook Ventus Solus S1 evo ²⁾	NO	C	B) 71 dB
						Continental SportContact 5	NO	C	A) 72 dB
						Continental SportContact 5	NO	C	A) 72 dB
Wheel size 19-inch	8J x 19	21	FA	235/55 R19	101 Y	Continental SportContact 5	NO	C	A) 71 dB
						Pirelli Scorpion Verde	NO	B	B) 71 dB
						Goodyear Eagle F1 Asym. 2	NO	C	A) 69 dB
						Hankook Ventus Solus S1 evo ²⁾	NO	C	A) 70 dB
						Michelin Latitude Sport 3	NO	C	A) 71 dB
	9J x 19	21	RA	255/50 R19	103 Y	Continental SportContact 5	NO	C	A) 72 dB
						Pirelli Scorpion Verde	NO	B	B) 71 dB
						Goodyear Eagle F1 Asym. 2	NO	C	A) 71 dB
						Hankook Ventus Solus S1 evo ²⁾	NO	C	A) 70 dB
						Michelin Latitude Sport 3	NO	C	A) 71 dB
Wheel size 20-inch ²⁾	9J x 20	26	FA	265/45 R20	104 Y	Michelin Latitude Sport 3	NO	C	A) 71 dB
						Pirelli P-Zero	NO	B	A) 71 dB
	10J x 20	19	RA	295/40 R20	106 Y	Michelin Latitude Sport 3	NO	C	A) 71 dB
						Pirelli P-Zero	NO	B	A) 71 dB
Wheel size 21-inch ²⁾	9J x 21	26	FA	265/40 R21	101 Y	Continental SportContact 5P	NO	C	A) 72 dB
						Michelin Latitude Sport 3	NO	C	A) 71 dB
						Pirelli P-Zero	NO	B	A) 71 dB
	10J x 21	19	RA	295/35 R21	103 Y	Continental SportContact 5P	NO	C	A) 74 dB
						Michelin Latitude Sport 3	NO	C	A) 71 dB
						Pirelli P-Zero	NO	B	A) 71 dB

Only tyres of the same make and type, with the same speed index and the same specification code (NO, N1, N2, ...) may be used on a vehicle.

Speed index:
W = 270 km/h
(170 mph)
Y = 300 km/h

1) Only for Macan, Macan S, Macan S Diesel, not for vehicles with PCCB.
2) Only with wheel arch extensions on the RA.

Before changing wheels and tyres, check the EU Certificate of Conformity to determine whether the desired wheel/tyre combination is permitted for your vehicle.