

Boxster, Cayman - model year 2005 – 2012

As at: 01/2014

Approved makes of winter tyres

| Type 987 Boxster, Cayman (model year 2005 – 2008) | | | | | | | | | | | | | |
|---|-----------|----|-------|---------------------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size 17-inch | 6.5J x 17 | 55 | FA | 205/55 R 17 ¹⁾ | 91 V | Continental | Winter Contact TS 810 Sport | N2 | E | C |) 72 dB | B | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N0 | C | C |) 72 dB | B | Yes |
| | 8J x 17 | 40 | RA | 235/50 R 17 ¹⁾ | 96 V | Continental | Winter Contact TS 810 Sport | N2 | F | C |) 72 dB | B | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N0 | C | C |) 72 dB | B | Yes |
| Wheel size 18-inch | 8J x 18 | 57 | FA | 235/40 R18 | 91 V | Michelin | Pilot Alpin P2 | N2 | E | E |) 74 dB | A | Yes |
| | | | | | | Continental | Winter Contact TS 810 Sport | N1 | E | C |) 72 dB | A | Yes |
| | 9J x 18 | 43 | RA | 255/40 R18 | 95 V | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 72 dB | B | Yes |
| | | | | | | Michelin | Pilot Alpin P2 | N2 | E | E |) 74 dB | A | Yes |
| | | | | | | Continental | Winter Contact TS 810 Sport | N1 | F | C |) 73 dB | A | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 73 dB | B | Yes |

| Type 987 Boxster, Cayman (model year 2009 – 2012) | | | | | | | | | | | | | |
|---|-----------|----|-------|---------------------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size 17-inch | 6.5J x 17 | 55 | FA | 205/55 R 17 ¹⁾ | 91 V | Continental | Winter Contact TS 810 Sport | N2 | E | C |) 72 dB | B | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N0 | C | C |) 72 dB | A | Yes |
| | 8J x 17 | 40 | RA | 235/50 R 17 ¹⁾ | 96 V | Continental | Winter Contact TS 810 Sport | N2 | F | C |) 72 dB | B | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N0 | C | C |) 72 dB | A | Yes |
| Wheel size 18-inch | 8J x 18 | 57 | FA | 235/40 R18 | 91 V | Michelin | Pilot Alpin 2 | N2 | E | E |) 74 dB | A | Yes |
| | | | | | | Continental | Winter Contact TS 810 Sport | N1 | E | C |) 72 dB | A | Yes |
| | 9J x 18 | 43 | RA | 255/40 R18 | 95 V | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 72 dB | B | Yes |
| | | | | | | Michelin | Pilot Alpin 2 | N2 | E | E |) 74 dB | A | Yes |
| | | | | | | Continental | Winter Contact TS 810 Sport | N1 | F | C |) 73 dB | A | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 73 dB | B | Yes |

| Type 987 Boxster S, Cayman S (model year 2005 – 2008) | | | | | | | | | | | | | |
|---|---------|----|-------|------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size 18-inch | 8J x 18 | 57 | FA | 235/40 R18 | 91 V | Michelin | Pilot Alpin 2 | N2 | E | E |) 74 dB | A | Yes |
| | | | | | | Continental | Winter Contact TS 810 Sport | N1 | E | C |) 72 dB | A | Yes |
| | 9J x 18 | 43 | RA | 255/40 R18 | 95 V | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 72 dB | B | Yes |
| | | | | | | Michelin | Pilot Alpin 2 | N2 | E | E |) 74 dB | A | Yes |
| | | | | | | Continental | Winter Contact TS 810 Sport | N1 | F | C |) 73 dB | A | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 73 dB | B | Yes |

| Type 987 Boxster S, Boxster Spyder, Cayman S, Cayman R (model year 2009 – 2012) | | | | | | | | | | | | | |
|---|---------|----|-------|------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size 18-inch | 8J x 18 | 57 | FA | 235/40 R18 | 91 V | Michelin | Pilot Alpin 2 | N2 | E | E |) 74 dB | A | Yes |
| | | | | | | Continental | Winter Contact TS 810 Sport | N1 | E | C |) 72 dB | A | Yes |
| | 9J x 18 | 43 | RA | 255/40 R18 | 95 V | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 72 dB | B | Yes |
| | | | | | | Michelin | Pilot Alpin 2 | N2 | E | E |) 74 dB | A | Yes |
| | | | | | | Continental | Winter Contact TS 810 Sport | N1 | F | C |) 73 dB | A | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 73 dB | B | Yes |

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h

Use:

A: For all areas

B: For frequent motorway journeys

1) Not for Cayman S/Boxster S.

Snow chains should not be fitted in conjunction with spacers.

"Pirelli Winter 240 Sottozero" tyres - with identical N specification codes "N..." - are also approved. These tyres can be mixed with "Pirelli Winter 240 Sottozero Serie II" tyres provided the N specification codes of the two tyre types are identical. The Porsche versions of the "Pirelli Winter 240 Sottozero" and "Pirelli Winter 240 Sottozero Serie II" tyres with identical N specification codes are identical, even down to the inscription on the side wall.

Boxster, Cayman as of model year 2013

As at: 04/2015

Approved makes of winter tyres

| Type 981 Boxster, Boxster S, Boxster GTS, Boxster Spyder/Cayman, Cayman S, Cayman GTS | | | | | | | | | | | | | |
|---|-----------|----|-------|-------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size | 8 x 18 | 57 | FA | 235/45 R 18 | 94 V | Dunlop | SP Winter Sport 3D | N0 | E | C |) 69 dB | A | No |
| 18-inch | | | | | | Pirelli | Winter 240 Sottozero Serie II | N0 | E | C |) 72 dB | A | No |
| | 9J x 18 | 47 | RA | 265/45 R 18 | 101 V | Dunlop | SP Winter Sport 3D | N0 | F | C |) 71 dB | A | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N0 | E | C |) 73 dB | A | Yes |
| Wheel size | 8J x 19 | 57 | FA | 235/40 R 19 | 92 V | Continental | WinterContact TS 830 P | N0 | F | C |) 71 dB | A | No |
| 19-inch | | | | | | Michelin | Pilot Alpin 4 | N0 | E | C |) 70 dB | A | No |
| | 9.5J x 19 | 45 | RA | 265/40 R 19 | 98 V | Continental | WinterContact TS 830 P | N0 | E | C |) 71 dB | A | No |
| | | | | | | Michelin | Pilot Alpin 4 | N0 | E | C |) 71 dB | A | No |

| Type 981 Cayman GT4 | | | | | | | | | | | | | |
|---------------------|-----------|----|-------|-------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size | 8.5J x 20 | 57 | FA | 235/35 R 20 | 92 V | Michelin | Pilot Alpin 4 | N0 | E | C |) 70 dB | A | No |
| 20-inch | 10J x 20 | 50 | RA | 275/30 R 20 | 97 V | Michelin | Pilot Alpin 4 | N0 | E | C |) 71 dB | A | Yes |
| | 8.5J x 20 | 61 | FA | 245/35 R 20 | 91 V | Pirelli | Winter 240 Sottozero Serie II | N0 | E | C |) 72 dB | A | No |
| | | | | | | Michelin | Pilot Alpin 4 | N0 | E | C |) 70 dB | A | No |
| | 11J x 20 | 50 | RA | 295/30 R 20 | 97 V | Pirelli | Winter 240 Sottozero Serie II | N0 | C | C |) 73 dB | A | No |
| | | | | | | Michelin | Pilot Alpin 4 | N0 | C | C |) 74 dB | A | No |

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h

Use:
A: For all conditions

Snow chains should not be fitted in conjunction with spacers.

911 - model year 2005 – 2012

As at: 01/2014

Approved makes of winter tyres

| Type 997 911 Carrera, 911 Carrera S (model year 2005 – 2008) | | | | | | | | | | | | | |
|--|----------|----|-------|------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size | 8J x 18 | 57 | FA | 235/40 R18 | 91 V | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 72 dB | A | Yes |
| 18-inch | 10J x 18 | 58 | RA | 265/40 R18 | 97 V | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 73 dB | A | Yes |
| Wheel size | 8J x 19 | 57 | FA | 235/35 R19 | 87 V | Nokian | WR | N0 | E | E |) 73 dB | A | No |
| 19-inch | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 72 dB | A | No |
| | 11J x 19 | 67 | RA | 295/30 R19 | 100 V XL | Nokian | WR | N0 | E | E |) 76 dB | A | No |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 73 dB | A | No |

| Type 997 911 Carrera, 911 Carrera S (model year 2009 – 2012) | | | | | | | | | | | | | |
|--|------------|----|-------|------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size | 8J x 18 | 57 | FA | 235/40 R18 | 91 V | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 72 dB | B | Yes |
| 18-inch | | | | | | Continental | Winter Contact TS 810 Sport | N1 | E | C |) 72 dB | A | Yes |
| | | | | | | Michelin | Pilot Alpin PA 2 | N2 | E | E |) 74 dB | A | Yes |
| | 10J x 18 | 60 | RA | 265/40 R18 | 97 V | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 73 dB | B | Yes |
| | | | | | | Continental | Winter Contact TS 810 Sport | N1 | F | C |) 73 dB | A | Yes |
| | | | | | | Michelin | Pilot Alpin PA 2 | N2 | C | E |) 74 dB | A | Yes |
| | 8J x 18 | 57 | FA | 235/40 R18 | 91 V | Pirelli | Winter 240 Sottozero Serie II | N2 | C | C |) 72 dB | C | No |
| | 10.5J x 18 | 60 | RA | 295/35 R18 | 97 V | Pirelli | Winter 240 Sottozero Serie II | N2 | E | C |) 73 dB | C | No |
| Wheel size | 8J x 19 | 57 | FA | 235/35 R19 | 87 V | Nokian | WR | N0 | E | E |) 73 dB | A | No |
| 19-inch | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 72 dB | B | No |
| | 11J x 19 | 67 | RA | 295/30 R19 | 100 V XL | Nokian | WR | N0 | E | E |) 76 dB | A | No |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 73 dB | B | No |

| Type 997 911 Carrera 4, Carrera 4S, 911 Targa 4, Targa 4S (model year 2005 – 2008) | | | | | | | | | | | | | |
|--|----------|----|-------|-------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size | 8J x 18 | 57 | FA | 235/40 R18 | 91 V | Nokian | WR | N0 | E | E |) 73 dB | A | Yes |
| 18-inch | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 72 dB | A | Yes |
| | 11J x 18 | 51 | RA | 295/35 R18 | 99 V | Nokian | WR | N0 | E | E |) 76 dB | A | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | E | C |) 73 dB | A | Yes |
| Wheel size | 8J x 19 | 57 | FA | 235/35 R 19 | 87 V | Nokian | WR | N0 | E | E |) 73 dB | A | Yes |
| 19-inch | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 72 dB | A | Yes |
| | 11J x 19 | 51 | RA | 295/30 R19 | 100 V XL | Nokian | WR | N0 | E | E |) 76 dB | A | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 73 dB | A | Yes |

| Type 997 911 Carrera 4, Carrera 4S, 911 Targa 4, Targa 4S (model year 2009 – 2012) | | | | | | | | | | | | | |
|--|----------|----|-------|-------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size | 8J x 18 | 57 | FA | 235/40 R18 | 91 V | Nokian | WR | N0 | E | E |) 73 dB | A | Yes |
| 18-inch | | | | | | Pirelli | Winter 240 Sottozero Serie II | N2 | C | C |) 72 dB | C | Yes |
| | 11J x 18 | 51 | RA | 295/35 R18 | 99 V | Nokian | WR | N0 | E | E |) 76 dB | A | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N2 | E | C |) 73 dB | C | Yes |
| Wheel size | 8J x 19 | 57 | FA | 235/35 R 19 | 87 V | Nokian | WR | N0 | E | E |) 73 dB | A | Yes |
| 19-inch | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 72 dB | B | Yes |
| | 11J x 19 | 51 | RA | 295/30 R19 | 100 V XL | Nokian | WR | N0 | E | E |) 76 dB | A | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 73 dB | B | Yes |

| Type 997 911 Sport Classic | | | | | | | | | | | | | |
|----------------------------|----------|----|-------|-------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size | 8J x 19 | 57 | FA | 235/35 R 19 | 87 V | Nokian | WR | N0 | E | E |) 73 dB | A | Yes |
| 19-inch | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 72 dB | B | Yes |
| | 11J x 19 | 51 | RA | 295/30 R19 | 100 V XL | Nokian | WR | N0 | E | E |) 76 dB | A | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 73 dB | B | Yes |

| Type 997 911 Carrera GTS, 911 Carrera 4 GTS, 911 Turbo, 911 Turbo S | | | | | | | | | | | | | |
|---|-----------|----|-------|--------------------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size | 8J x 18 | 57 | FA | 235/40 R18 ¹⁾ | 91 V | Nokian | WR | N0 | E | E |) 73 dB | A | Yes |
| 18-inch ¹⁾ | | | | | | Pirelli | Winter 240 Sottozero Serie II | N2 | C | C |) 72 dB | C | Yes |
| | 11J x 18 | 51 | RA | 295/35 R18 ¹⁾ | 99 V | Nokian | WR | N0 | E | E |) 76 dB | A | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N2 | E | C |) 73 dB | C | Yes |
| Wheel size | 8.5J x 19 | 56 | FA | 235/35 R 19 | 87 V | Nokian | WR | N0 | E | E |) 73 dB | A | Yes |
| 19-inch | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 72 dB | B | Yes |
| | 11J x 19 | 51 | RA | 295/30 R19 | 100 V XL | Nokian | WR | N0 | E | E |) 76 dB | A | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 73 dB | B | Yes |

| Type 997 | | 911 GT2 | | | | | | | | | | | |
|------------|----------|---------|-------|-------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size | 8J x 19 | 57 | FA | 235/35 R 19 | 87 V | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 72 dB | A | Yes |
| 19-inch | 11J x 19 | 51 | RA | 295/30 R19 | 100 V XL | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 73 dB | A | Yes |

| Type 997 | | 911 GT2 RS | | | | | | | | | | | |
|------------|-----------|------------|-------|-------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size | 8.5J x 19 | 56 | FA | 235/35 R 19 | 87 V | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 72 dB | A | Yes |
| 19-inch | 11J x 19 | 51 | RA | 295/30 R19 | 100 V XL | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 73 dB | A | Yes |

| Type 997 | | 911 GT3 (model year 2007 – 2008) | | | | | | | | | | | |
|------------|----------|----------------------------------|-------|-------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size | 8J x 19 | 57 | FA | 235/35 R 19 | 87 V | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 72 dB | A | Yes |
| 19-inch | 11J x 19 | 67 | RA | 295/30 R19 | 100 V XL | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 73 dB | A | Yes |

| Type 997 | | 911 GT3 RS (model year 2007 – 2008) | | | | | | | | | | | |
|------------|----------|-------------------------------------|-------|-------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size | 8J x 19 | 57 | FA | 235/35 R 19 | 87 V | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 72 dB | A | Yes |
| 19-inch | 11J x 19 | 51 | RA | 295/30 R19 | 100 V XL | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 73 dB | A | Yes |

| Type 997 | | 911 GT3 (model year 2010 – 2011) | | | | | | | | | | | |
|------------|----------|----------------------------------|-------|-------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size | 8J x 19 | 53 | FA | 235/35 R 19 | 87 V | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 72 dB | A | Yes |
| 19-inch | 11J x 19 | 67 | RA | 295/30 R19 | 100 V XL | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 73 dB | A | Yes |

| Type 997 | | 911 GT3 (model year 2010 – 2011) | | | | | | | | | | | |
|------------|----------|----------------------------------|-------|-------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size | 8J x 19 | 56 | FA | 235/35 R 19 | 87 V | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 72 dB | A | Yes |
| 19-inch | 11J x 19 | 51 | RA | 295/30 R19 | 100 V XL | Pirelli | Winter 240 Sottozero Serie II | N1 | C | C |) 73 dB | A | Yes |

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h

Use:

A: For all conditions

B: For frequent motorway journeys

"Pirelli Winter 240 Sottozero" tyres - with identical N specification codes "N..." - are also approved. These tyres can be mixed with "Pirelli Winter 240 Sottozero Serie II" tyres provided the N specification codes of the two tyre types are identical. The Porsche versions of the "Pirelli Winter 240 Sottozero" and "Pirelli Winter 240 Sottozero Serie II" tyres with identical N specification codes are identical, even down to the inscription on the side wall.

Snow chains should not be fitted in conjunction with spacers.

1) Not for vehicles with Porsche Carbon Composite Brake (PCCB).

911 as of model year 2012

As at: 04/2015

Approved makes of winter tyres

| Type 991 | 911 Carrera, 911 Carrera S | | | | | | | | | | | | |
|-----------------------|----------------------------|----|-------|-------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size 19-inch | 8.5J x 19 | 54 | FA | 235/40 R 19 | 92 V | Continental | WinterContact TS 830 P | NO | F | C |) 71 dB | A | No |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | E | C |) 72 dB | A | No |
| | 11J x 19 | 69 | RA | 285/35 R 19 | 99 V | Continental | WinterContact TS 830 P | NO | E | C |) 71 dB | A | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | C | C |) 73 dB | A | Yes |
| Wheel size 20-inch | 8.5J x 20 | 51 | FA | 245/35 R 20 | 91 V | Michelin | Pilot Alpin 4 | NO | E | C |) 70 dB | A | No |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | E | C |) 72 dB | A | No |
| | 11J x 20 | 70 | RA | 295/30 R 20 | 97 V | Michelin | Pilot Alpin 4 | NO | C | C |) 74 dB | A | No |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | C | C |) 73 dB | A | No |

| Type 991 | 911 Carrera 4, 911 Carrera 4S, 911 Carrera GTS, 911 Carrera 4 GTS, 911 Targa 4, 911 Targa 4S, 911 Targa 4 GTS | | | | | | | | | | | | |
|-----------------------|---|----|-------|-------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size 19-inch | 8.5J x 19 | 54 | FA | 235/40 R 19 | 92 V | Continental | WinterContact TS 830 P | NO | F | C |) 71 dB | A | No |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | E | C |) 72 dB | A | No |
| | 11J x 19 | 48 | RA | 295/35 R 19 | 100 V | Continental | WinterContact TS 830 P | NO | E | C |) 71 dB | A | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | C | C |) 73 dB | A | Yes |
| Wheel size 20-inch | 8.5J x 20 | 51 | FA | 245/35 R 20 | 91 V | Michelin | Pilot Alpin 4 | NO | E | C |) 70 dB | A | No |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | E | C |) 72 dB | A | No |
| | 11J x 20 | 52 | RA | 295/30 R 20 | 97 V | Michelin | Pilot Alpin 4 | NO | C | C |) 74 dB | A | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | C | C |) 73 dB | A | Yes |

| Type 991 | 911 Turbo, 911 Turbo S | | | | | | | | | | | | |
|-----------------------|------------------------|-------|-------|-------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size 20-inch | 8.5J x 20 | 51 | FA | 245/35 R 20 | 91 V | Michelin | Pilot Alpin 4 | NO | E | C |) 70 dB | A | No |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | E | C |) 72 dB | A | No |
| | 11J x 20 | 52 *) | RA | 295/30 R 20 | 97 V | Michelin | Pilot Alpin 4 | NO | C | C |) 74 dB | A | No |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | C | C |) 73 dB | A | No |
| | 11J x 20 | 56 | RA | 295/30 R 20 | 97 V | Michelin | Pilot Alpin 4 | NO | C | C |) 74 dB | A | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | C | C |) 73 dB | A | Yes |
| | 11J x 20 | 59 | RA | 295/30 R 20 | 97 V | Michelin | Pilot Alpin 4 | NO | C | C |) 74 dB | A | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | C | C |) 73 dB | A | Yes |

| Type 991 | 911 GT3 | | | | | | | | | | | | |
|-----------------------|----------|----|-------|-------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size 20-inch | 9J x 20 | 51 | FA | 245/35 R 20 | 91 V | Michelin | Pilot Alpin 4 | NO | E | C |) 70 dB | A | No |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | E | C |) 72 dB | A | No |
| | 11J x 20 | 59 | RA | 295/30 R 20 | 97 V | Michelin | Pilot Alpin 4 | NO | C | C |) 74 dB | A | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | C | C |) 73 dB | A | Yes |

| Type 991 | 911 GT3 RS | | | | | | | | | | | | |
|-----------------------|------------|----|-------|-------------|------------------|--------------|-------------------|-------|--------------------|----------|-----------------|-----|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Use | Snow chains |
| Wheel size 20-inch | 9J x 20 | 55 | FA | 245/35 R 20 | 91 V | Michelin | Pilot Alpin 4 | NO | E | C |) 70 dB | A | No |
| | 12J x 20 | 47 | RA | 315/35 R 20 | 110 V | Michelin | Pilot Alpin 4 | NO | E | C |) 71 dB | A | Yes |

Only tyres of the same make and type, with the same speed index and the same specification code (NO, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h

Use:
A: For all conditions

*) Depending on equipment; please consult your Porsche partner.

Snow chains should not be fitted in conjunction with spacers.

Cayenne - model year 2003 – 2006

As at: 01/2014

Approved makes of winter tyres

| Type 9PA | 1. generation | | | | | | | | | | | | | | |
|-------------------------------------|---------------|----|-------|------------------------------|------------------|---|--|-----------|--------------------|--|------------------|-------------|----------|-----------------|-----|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains | | | |
| Wheel size 17-inch | 7.5J x 17 | 53 | FA/RA | 235/65 R 17 ^{1) 2)} | 108 H | Dunlop | SP Winter Sport 3D ²⁾ | NO | F | F |))) 80 dB | Yes | | | |
| | | | | | | Pirelli | Scorpion Ice&Snow ²⁾ | NO | C | B |) 71 dB | Yes | | | |
| Wheel size 18-inch | 8J x 18 | 57 | FA/RA | 235/60 R 18 ³⁾ | 107 H | Dunlop | Grandtrek WT M2 ²⁾ | NO | - | - | - | Yes | | | |
| | | | | | | Pirelli | Scorpion Ice&Snow ²⁾ | NO | C | B |) 71 dB | Yes | | | |
| | | | | | | | 255/55 R 18 ³⁾ | 109 V | Michelin | Latitude Alpin HP ³⁾ | N1 | C | C |)) 72 dB | Yes |
| | | | | | | | | | Pirelli | Scorpion Ice&Snow ²⁾ | NO | C | B |) 72 dB | Yes |
| | | | | | | | | | Pirelli | Scorpion Ice&Snow ²⁾ | N1 | C | B |)) 72 dB | Yes |
| | | | | | Dunlop | SP Winter Sport 3D ²⁾ | NO | E | C |)) 72 dB | Yes | | | | |
| Wheel size 19-inch | 9J x 19 | 60 | FA/RA | 255/50 R 19 | 107 V | Dunlop | Grandtrek WT M3 ²⁾ | NO | E | E |) 70 dB | RA only | | | |
| | | | | | | Pirelli | Scorpion Ice&Snow ²⁾ | NO | C | B |)) 72 dB | RA only | | | |
| Wheel size 20-inch | 9J x 20 | 60 | FA/RA | 275/40 R 20 ⁴⁾ | 106 V | Pirelli | Scorpion Ice&Snow ²⁾ | NO | C | B |)) 72 dB | RA only | | | |
| | 10J x 20 | 55 | RA | 275/40 R 20 ⁴⁾ | 106 V | Pirelli | Scorpion Ice&Snow ²⁾ | NO | C | B |)) 72 dB | No | | | |

Only tyres of the same make and type, with the same speed index and the same specification code (NO, N1, N2, ...) may be used on a vehicle.

Speed index:
H = 210 km/h
V = 240 km/h

1) Not for Cayenne S, Cayenne Turbo, Cayenne Turbo S.

2) Not for Australia.

3) Not for Cayenne Turbo with engine power kit "E81", Cayenne Turbo S.

4) For Cayenne with TPM: For all Cayenne models, the tyre size 275/40 R20 and the related pressures for Part load 2.6/2.9 and Full load 2.7/3.4 must be coded in the menu "Tyre pressure" — "Settings" — "Tyre (type)" — "Winter tyres" in the user-programmable field for the tyre size (using the PIWS Tester).

Snow chains should not be fitted in conjunction with spacers.

The tyre makes and types shown in **bold** in the table are the latest approved makes and types. We recommend that you use only these tyres when fitting new tyres on vehicles.

Cayenne - model year 2003 – 2006

As at: 01/2014

Approved makes of all-season tyres

| Type 9PA | 1. generation | | | | | | | | | | | |
|---|---------------|----|-------|---------------------------|------------------|--------------------|--------------------------------|-----------|--------------------|----------|------------------|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains |
| Wheel size 17-inch ¹⁾ | 7.5J x 17 | 53 | FA/RA | 235/65 R 17 ¹⁾ | 108 H | Continental | 4x4 Contact | N1 | E | C |))) 73 dB | Yes |
| Wheel size 18-inch ²⁾ | 8J x 18 | 57 | FA/RA | 255/55 R 18 ²⁾ | 109 V | Continental | 4x4 Contact | N1 | E | C |) 74 dB | Yes |
| | | | | | | Goodyear | Eagle LS2 | N1 | B | C |) 69 dB | Yes |
| | | | | | | Michelin | Latitude Tour HP | NO | C | C |) 71 dB | Yes |
| | | | | | | Michelin | Latitude Tour HP GreenX | N1 | C | C |) 71 dB | Yes |
| | | | | | | Pirelli | Scorpion Zero | NO | E | B |) 72 dB | Yes |
| Wheel size 19-inch | 9J x 19 | 60 | FA/RA | 275/45 R 19 | 108 V | Continental | 4x4 Contact | NO | E | C |) 74 dB | RA only |
| | | | | | | Goodyear | Eagle LS2 | NO | C | E |) 70 dB | RA only |
| | | | | | | Michelin | Latitude Tour HP | NO | C | C |) 71 dB | RA only |

Only tyres of the same make and type, with the same speed index and the same specification code (NO, N1, N2, ...) may be used on a vehicle.

Speed index:
H = 210 km/h
V = 240 km/h

1) Not for Cayenne S, Cayenne Turbo, Cayenne Turbo S.

2) Not for Cayenne Turbo with engine power kit "E81", Cayenne Turbo S.

The tyre makes and types shown in **bold** in the table are the latest approved makes and types. We recommend that you use only these tyres when fitting new tyres on vehicles.

Snow chains should not be fitted in conjunction with spacers.

Cayenne - model year 2008 – 2010

As at: 01/2014

Approved makes of winter tyres

| Type 9PA | | 2. generation | | | | | | | | | | |
|-------------------------------------|-----------|---------------|-------|------------------------------|------------------|--------------|----------------------------------|-------|--------------------|----------|-----------------|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains |
| Wheel size 17-inch ¹⁾ | 7.5J x 17 | 53 | FA/RA | 235/65 R 17 ^{1) 4)} | 108 H | Dunlop | SP Winter Sport 3D ²⁾ | NO | F | F |))) 80 dB | Yes |
| | | | | | | Pirelli | Scorpion Ice&Snow ²⁾ | NO | C | B |) 71 dB | Yes |
| Wheel size 18-inch ³⁾ | 8J x 18 | 57 | FA/RA | 255/55 R 18 ^{3) 4)} | 109 V | Michelin | Latitude Alpin HP ²⁾ | N1 | C | C |) 72 dB | Yes |
| | | | | | | Pirelli | Scorpion Ice&Snow ²⁾ | NO | C | B |) 72 dB | Yes |
| | | | | | | Pirelli | Scorpion Ice&Snow ²⁾ | N1 | C | B |) 72 dB | Yes |
| | | | | | | Dunlop | SP Winter Sport 3D ²⁾ | NO | E | C |) 72 dB | Yes |
| Wheel size 19-inch | 9J x 19 | 60 | FA/RA | 255/50 R 19 ⁴⁾ | 107 V | Dunlop | Grandtrek WT M3 ²⁾ | NO | E | E |) 70 dB | RA only |
| | | | | | | Pirelli | Scorpion Ice&Snow ²⁾ | NO | C | B |) 72 dB | RA only |
| Wheel size 20-inch | 9J x 20 | 60 | FA/RA | 275/40 R 20 | 106 V | Pirelli | Scorpion Ice&Snow ²⁾ | NO | C | B |) 72 dB | RA only |
| | 10J x 20 | 55 | RA | 275/40 R 20 | 106 V | Pirelli | Scorpion Ice&Snow ²⁾ | NO | C | B |) 72 dB | No |

Only tyres of the same make and type, with the same speed index and the same specification code (NO, N1, N2, ...) may be used on a vehicle.

Speed index:
H = 210 km/h
V = 240 km/h

1) Only for Cayenne (V6).

2) Not for Australia.

3) Not for Cayenne Turbo with engine power kit "E81", Cayenne Turbo S or Cayenne Turbo as of model year 2009.

4) Not for vehicles with Porsche Ceramic Composite Brake (PCCB), Ino. PB1.

Snow chains should not be fitted in conjunction with spacers.

Cayenne - model year 2008 – 2010

As at: 01/2014

Approved makes of all-season tyres

| Type 9PA | 2. generation | | | | | | | | | | | |
|-------------------------------------|---------------|-----|-------|------------------------------|------------------|--------------|-------------------------|-------|--------------------|----------|-----------------|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains |
| Wheel size 17-inch ¹⁾ | 7.5J x 17 | 53 | FA/RA | 235/65 R 17 ^{1) 3)} | 108 V | Continental | 4x4 Contact | N1 | E | C |))) 73 dB | Yes |
| | | | | | | | | | | | | |
| | | sec | | | | | | | | | | |
| Wheel size 18-inch ²⁾ | 8J x 18 | 57 | FA/RA | 255/55 R 18 ^{2) 3)} | 109 V | Continental | 4x4 Contact | N1 | E | C |) 74 dB | Yes |
| | | | | | | Goodyear | Eagle LS2 | N1 | B | C |) 69 dB | Yes |
| | | | | | | Michelin | Latitude Tour HP | N0 | C | C |) 71 dB | Yes |
| | | | | | | Michelin | Latitude Tour HP GreenX | N1 | C | C |) 71 dB | Yes |
| Wheel size 19-inch | 9J x 19 | 60 | FA/RA | 275/45 R 19 | 108 V | Continental | 4x4 Contact | N0 | E | C |) 74 dB | RA only |
| | | | | | | Goodyear | Eagle LS2 | N0 | C | E |) 70 dB | RA only |
| | | | | | | Michelin | Latitude Tour HP | N0 | C | C |) 71 dB | RA only |

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h

1) Only for Cayenne (V6).

2) Not for Cayenne Turbo with engine power kit "E81", Cayenne Turbo S or Cayenne Turbo as of model year 2009.

3) Not for vehicles with Porsche Ceramic Composite Brake (PCCB), l.no. PB1.

Snow chains should not be fitted in conjunction with spacers.

Cayenne - model year 2011 – 2014

As at: 01/2014

Approved makes of winter tyres

| Type 92A Cayenne, Cayenne Diesel, Cayenne S, Cayenne S Hybrid, Cayenne S Diesel, Cayenne GTS | | | | | | | | | | | | |
|--|-------------------------|----|-------|---------------------------|------------------|--------------|---------------------|-------|--------------------|----------|-----------------|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains |
| Wheel size 18-inch ¹⁾ | 8J x 18 ¹⁾ | 53 | FA/RA | 255/55 R 18 ¹⁾ | 109V XL | Michelin | Latitude Alpin HP | N1 | C | C |) 72 dB | Yes |
| | | | | | | Dunlop | SP Winter Sport 3D | NO | E | C |) 72 dB | Yes |
| | | | | | | Pirelli | Scorpion Ice + Snow | NO | C | B |) 72 dB | Yes |
| Wheel size 19-inch ²⁾ | 8.5J x 19 ²⁾ | 59 | FA/RA | 265/50 R 19 | 109V XL | Dunlop | SP Winter Sport 3D | NO | C | E |) 73 dB | RA only |
| | | | | | | Pirelli | Scorpion Ice + Snow | NO | C | B |) 72 dB | RA only |
| Wheel size 20-inch | 9J x 20 | 57 | FA/RA | 275/45 R 20 | 110V XL | Dunlop | SP Winter Sport 3D | NO | E | C |) 70 dB | RA only |
| | | | | | | Pirelli | Scorpion Ice + Snow | NO | C | B |) 72 dB | RA only |
| | 9.5J x 20 | 47 | FA/RA | 275/45 R 20 | 110V XL | Dunlop | SP Winter Sport 3D | NO | E | C |) 70 dB | No |
| | | | | | | Pirelli | Scorpion Ice + Snow | NO | C | B |) 72 dB | No |

| Type 92A Cayenne Turbo, Cayenne Turbo S | | | | | | | | | | | | |
|---|-------------------------|----|-------|---------------------------|------------------|--------------|---------------------|-------|--------------------|----------|-----------------|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains |
| Wheel size 19-inch ¹⁾ | 8.5J x 19 ¹⁾ | 59 | FA/RA | 265/50 R 19 ¹⁾ | 109V XL | Dunlop | SP Winter Sport 3D | NO | C | E |) 73 dB | RA only |
| | | | | | | Pirelli | Scorpion Ice + Snow | NO | C | B |) 72 dB | RA only |
| Wheel size 20-inch | 9J x 20 | 57 | FA/RA | 275/45 R 20 | 110V XL | Dunlop | SP Winter Sport 3D | NO | E | C |) 70 dB | RA only |
| | | | | | | Pirelli | Scorpion Ice + Snow | NO | C | B |) 72 dB | RA only |
| | 9.5J x 20 | 47 | FA/RA | 275/45 R 20 | 110V XL | Dunlop | SP Winter Sport 3D | NO | E | C |) 70 dB | No |
| | | | | | | Pirelli | Scorpion Ice + Snow | NO | C | B |) 72 dB | No |

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h

1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB), I-no. PB1.

2) Not for Cayenne GTS vehicles with Porsche Ceramic Composite Brake (PCCB), I-no. PB1.

Snow chains should not be fitted in conjunction with spacers.

Cayenne - model year 2011 – 2014

As at: 01/2014

Approved makes of all-season tyres

| Type 92A Cayenne, Cayenne Diesel, Cayenne S, Cayenne S Hybrid, Cayenne S Diesel, Cayenne GTS | | | | | | | | | | | | |
|--|-------------------------|----|-------|---------------------------|------------------|--------------|---------------------------|-------|--------------------|----------|-----------------|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains |
| Wheel size 18-inch ¹⁾ | 8J x 18 ¹⁾ | 53 | FA/RA | 255/55 R 18 ¹⁾ | 109V XL | Goodyear | Eagle LS2 | N1 | B | C |) 69 dB | Yes |
| | | | | | | Michelin | Latitude Tour HP GreenX | N1 | B | C |) 71 dB | Yes |
| Wheel size 19-inch ²⁾ | 8.5J x 19 ²⁾ | 59 | FA/RA | 265/50 R 19 | 109V XL | Goodyear | Eagle LS2 | NO | B | C |) 70 dB | RA only |
| | | | | | | Michelin | Latitude Tour HP GreenX | NO | B | C |) 71 dB | RA only |
| | | | | | | Pirelli | Scorpion Verde All Season | NO | C | C |) 70 dB | RA only |
| Wheel size 20-inch | 9J x 20 | 57 | FA/RA | 275/45 R 20 | 110V XL | Continental | CrossContact LX Sport | NO | C | C |))) 76 dB | RA only |
| | | | | | | Goodyear | Eagle LS2 | NO | B | C |) 69 dB | RA only |
| | | | | | | Pirelli | Scorpion Verde All Season | NO | B | C |) 70 dB | RA only |
| | 9.5J x 20 | 47 | FA/RA | 275/45 R 20 | 110V XL | Continental | CrossContact LX Sport | NO | C | C |))) 76 dB | No |
| | | | | | | Goodyear | Eagle LS2 | NO | B | C |) 69 dB | No |
| | | | | | | Pirelli | Scorpion Verde All Season | NO | B | C |) 70 dB | No |

| Type 92A Cayenne Turbo, Cayenne Turbo S | | | | | | | | | | | | |
|---|-------------------------|----|-------|-------------|------------------|--------------|---------------------------|-------|--------------------|----------|-----------------|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains |
| Wheel size 19-inch ¹⁾ | 8.5J x 19 ¹⁾ | 59 | FA/RA | 265/50 R 19 | 109V XL | Goodyear | Eagle LS2 | NO | B | C |) 70 dB | RA only |
| | | | | | | Michelin | Latitude Tour HP GreenX | NO | B | C |) 71 dB | RA only |
| | | | | | | Pirelli | Scorpion Verde All Season | NO | C | C |) 70 dB | RA only |
| Wheel size 20-inch | 9J x 20 | 57 | FA/RA | 275/45 R 20 | 110V XL | Continental | CrossContact LX Sport | NO | C | C |))) 76 dB | RA only |
| | | | | | | Goodyear | Eagle LS2 | NO | B | C |) 69 dB | RA only |
| | | | | | | Pirelli | Scorpion Verde All Season | NO | B | C |) 70 dB | RA only |
| | 9.5J x 20 | 47 | FA/RA | 275/45 R 20 | 110V XL | Continental | CrossContact LX Sport | NO | C | C |))) 76 dB | No |
| | | | | | | Pirelli | Scorpion Verde All Season | NO | B | C |) 70 dB | No |

Only tyres of the same make and type, with the same speed index and the same specification code (NO, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h

1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB), Ino. PB1.

2) Not for Cayenne GTS vehicles with Porsche Ceramic Composite Brake (PCCB), Ino. PB1.

Cayenne from model year 2015

As at: 04/2015

Approved makes of winter tyres

| Type 92A Cayenne, Cayenne Diesel, Cayenne S, Cayenne S Diesel, Cayenne S E-Hybrid | | | | | | | | | | | | |
|---|-------------------------|----|-------|-------------|------------------|------------------------|----------------------------------|-------|--------------------|----------|-----------------|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains |
| Wheel size 18-inch ¹⁾ | 8J x 18 ¹⁾ | 53 | FA/RA | 255/55 R 18 | 109V XL | Michelin | Latitude Alpin HP | N1 | C | C |) 72 dB | Yes |
| | | | | | | Dunlop | SP Winter Sport 3D | NO | E | C |) 72 dB | Yes |
| | | | | | | Pirelli | Scorpion Ice & Snow | N1 | C | B |) 72 dB | Yes |
| Wheel size 19-inch | 8.5J x 19 | 59 | FA/RA | 265/50 R 19 | 110V XL | Dunlop ⁴⁾ | SP Winter Sport 3D ⁴⁾ | NO | C | E |) 73 dB | RA only |
| | | | | | | Pirelli ⁵⁾ | Scorpion Winter ⁵⁾ | NO | C | C |) 73 dB | RA only |
| Wheel size 20-inch | 9J x 20 | 57 | FA/RA | 275/45 R 20 | 110V XL | Dunlop ⁴⁾ | SP Winter Sport 3D ⁴⁾ | NO | E | C |) 70 dB | RA only |
| | | | | | | Michelin ⁵⁾ | Latitude Alpin 2 ⁵⁾ | NO | C | C |) 72 dB | RA only |
| | 9,5J x 20 ²⁾ | 47 | FA/RA | 275/45 R 20 | 110V XL | Dunlop ⁴⁾ | SP Winter Sport 3D ⁴⁾ | NO | E | C |) 70 dB | No |
| | | | | | | Michelin ⁵⁾ | Latitude Alpin 2 ⁵⁾ | NO | C | C |) 72 dB | No |

| Type 92A Cayenne GTS, Cayenne Turbo | | | | | | | | | | | | |
|-------------------------------------|-------------------------|----|-------|-------------|------------------|------------------------|----------------------------------|-------|--------------------|----------|-----------------|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains |
| Wheel size 19-inch ¹⁾ | 8.5J x 19 ¹⁾ | 59 | FA/RA | 265/50 R 19 | 110V XL | Dunlop ⁴⁾ | SP Winter Sport 3D ⁴⁾ | NO | C | E |) 73 dB | RA only |
| | | | | | | Pirelli ⁵⁾ | Scorpion Winter ⁵⁾ | NO | C | C |) 73 dB | RA only |
| Wheel size 20-inch | 9J x 20 ³⁾ | 57 | FA/RA | 275/45 R 20 | 110V XL | Dunlop ⁴⁾ | SP Winter Sport 3D ⁴⁾ | NO | E | C |) 70 dB | RA only |
| | | | | | | Michelin ⁵⁾ | Latitude Alpin 2 ⁵⁾ | NO | C | C |) 72 dB | RA only |
| | 9,5J x 20 ²⁾ | 47 | FA/RA | 275/45 R 20 | 110V XL | Dunlop ⁴⁾ | SP Winter Sport 3D ⁴⁾ | NO | E | C |) 70 dB | No |
| | | | | | | Michelin ⁵⁾ | Latitude Alpin 2 ⁵⁾ | NO | C | C |) 72 dB | No |

| Type 92A Cayenne Turbo S | | | | | | | | | | | | |
|--------------------------|-------------------------|----|-------|-------------|------------------|--------------|--------------------|-------|--------------------|----------|-----------------|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains |
| Wheel size 20-inch | 9J x 20 ³⁾ | 57 | FA/RA | 275/45 R 20 | 110V XL | Dunlop | SP Winter Sport 3D | NO | E | C |) 70 dB | RA only |
| | 9,5J x 20 ²⁾ | 47 | FA/RA | 275/45 R 20 | 110V XL | Dunlop | SP Winter Sport 3D | NO | E | C |) 70 dB | No |

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h

- 1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB).
- 2) Only with wheel arch extensions or SportDesign package.
- 3) Permitted for vehicles with Porsche Ceramic Composite Brake (PCCB) depending on wheel type.
- 4) Only for vehicles with air suspension.
- 5) Only for vehicles with steel springs.

Snow chains should not be fitted in conjunction with spacers.

Cayenne from model year 2015

As at: 04/2015

Approved makes of all-season tyres

| Type 92A Cayenne, Cayenne Diesel, Cayenne S, Cayenne S Diesel, Cayenne S E-Hybrid | | | | | | | | | | | | |
|---|-------------------------|-------|-------------|-------------|------------------|---------------------------|---------------------------|-------|--------------------|----------|-----------------|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains |
| Wheel size 18-inch ¹⁾ | 8J x 18 ¹⁾ | 53 | FA/RA | 255/55 R 18 | 109V XL | Goodyear | Eagle LS2 | N1 | B | C |) 69 dB | Yes |
| | | | | | | Michelin | Latitude Tour HP GreenX | N1 | B | C |) 71 dB | Yes |
| | | | | | | Continental | CrossContact LX Sport | NO | E | C |)) 76 dB | Yes |
| Wheel size 19-inch | 8.5J x 19 | 59 | FA/RA | 265/50 R 19 | 110V XL | Goodyear | Eagle LS2 | N1 | B | B |) 70 dB | RA only |
| | | | | | | Michelin | Latitude Tour HP GreenX | NO | B | C |) 71 dB | RA only |
| Wheel size 20-inch | 9J x 20 | 57 | FA/RA | 275/45 R 20 | 110V XL | Continental | CrossContact LX Sport | NO | C | C |)) 76 dB | RA only |
| | | | | | | Goodyear | Eagle LS2 | N1 | B | B |) 71 dB | RA only |
| | | | | | | Pirelli | Scorpion Verde All Season | NO | B | C |) 70 dB | RA only |
| | 9,5J x 20 ²⁾ | 47 | FA/RA | 275/45 R 20 | 110V XL | Continental | CrossContact LX Sport | NO | C | C |)) 76 dB | No |
| | | | | | | Goodyear | Eagle LS2 | N1 | B | B |) 71 dB | No |
| | | | | | | Pirelli | Scorpion Verde All Season | NO | B | C |) 70 dB | No |
| Type 92A Cayenne GTS, Cayenne Turbo | | | | | | | | | | | | |
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains |
| Wheel size 19-inch ¹⁾ | 8.5J x 19 ¹⁾ | 59 | FA/RA | 265/50 R 19 | 110V XL | Goodyear | Eagle LS2 | N1 | B | B |) 70 dB | RA only |
| | | | | | | Michelin | Latitude Tour HP GreenX | NO | B | C |) 71 dB | RA only |
| Wheel size 20-inch | 9J x 20 ³⁾ | 57 | FA/RA | 275/45 R 20 | 110V XL | Continental | CrossContact LX Sport | NO | C | C |)) 76 dB | RA only |
| | | | | | | Goodyear | Eagle LS2 | N1 | B | B |) 71 dB | RA only |
| | | | | | | Pirelli | Scorpion Verde All Season | NO | B | C |) 70 dB | RA only |
| 9,5J x 20 ²⁾ | 47 | FA/RA | 275/45 R 20 | 110V XL | Continental | CrossContact LX Sport | NO | C | C |)) 76 dB | No | |
| | | | | | Goodyear | Eagle LS2 | N1 | B | B |) 71 dB | No | |
| | | | | | Pirelli | Scorpion Verde All Season | NO | B | C |) 70 dB | No | |
| Type 92A Cayenne Turbo S | | | | | | | | | | | | |
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains |
| Wheel size 20-inch | 9J x 20 ³⁾ | 57 | FA/RA | 275/45 R 20 | 110V XL | Continental | CrossContact LX Sport | NO | C | C |)) 76 dB | RA only |
| | | | | | | Goodyear | Eagle LS2 | N1 | B | B |) 71 dB | RA only |
| | | | | | | Pirelli | Scorpion Verde All Season | NO | B | C |) 70 dB | RA only |
| | 9,5J x 20 ²⁾ | 47 | FA/RA | 275/45 R 20 | 110V XL | Continental | CrossContact LX Sport | NO | C | C |)) 76 dB | No |
| | | | | | | Goodyear | Eagle LS2 | N1 | B | B |) 71 dB | No |
| | | | | | | Pirelli | Scorpion Verde All Season | NO | B | C |) 70 dB | No |

Only tyres of the same make and type, with the same speed index and the same specification code (NO, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h

- 1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB).
- 2) Only with wheel arch extensions or SportDesign package.
- 3) Permitted for vehicles with Porsche Ceramic Composite Brake (PCCB) depending on wheel type.

Snow chains should not be fitted in conjunction with spacers.

Panamera - model year 2010 – 2013

As at: 04/2014

Approved makes of winter tyres

| Type 970 | Panamera, Panamera 4, Panamera S/4S, Panamera GTS, Panamera Turbo/Turbo S, Panamera Diesel, Panamera S Hybrid (model year 2010 – 2013) | | | | | | | | | | | | |
|---|--|-------------|-------------------------------|---------------------|------------------|--------------|-------------------------------|---------------------|--------------------|----------|-----------------|-----------------------|----|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains | |
| Wheel size 18-inch ¹⁾ | 8J x 18 | 59 | FA | 245/50 R 18 | 100 V | Pirelli | Winter 240 Sottozero Serie II | NO | C | B |) 73 dB | No | |
| | | | | | 104 V XL | Nokian | WR G2 | NO | E | E |) 73 dB | No | |
| | 9J x 18 | 53 | RA | 275/45 R 18 | 103 V | Pirelli | Winter 240 Sottozero Serie II | NO | E | C |) 73 dB | Yes | |
| | | | | | 107 V XL | Nokian | WR G2 | NO | E | E |) 74 dB | Yes | |
| Wheel size 19-inch ²⁾ | 9J x 19 | 60 | FA | 255/45 R 19 | 100 V | Continental | WinterContact TS830 P | NO | E | C |) 73 dB | No | |
| | | | | | | Michelin | Pilot Alpin PA3 | NO | C | C |) 72 dB | No | |
| | | | | | | Michelin | Pilot Alpin PA4 | N1 | C | C |) 72 dB | No | |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | E | C |) 72 dB | No | |
| | | | | | | 104 V XL | Continental | WinterContact TS810 | NO | E | C |) 71 dB | No |
| | | | | | | 10J x 19 | 61 | RA | 285/40 R 19 | 103 V | Continental | WinterContact TS830 P | NO |
| | | Michelin | Pilot Alpin PA3 | NO | B | C | | | |) 72 dB | Yes | | |
| | | Michelin | Pilot Alpin PA4 | N1 | B | C | | | |) 72 dB | Yes | | |
| | | Pirelli | Winter 240 Sottozero Serie II | NO | E | C | | | |) 72 dB | Yes | | |
| | | 107 V XL | Continental | WinterContact TS810 | NO | E | | | | C |) 71 dB | Yes | |
| | | | | | | | | | | | | | |
| | Wheel size 20-inch | 9.5J x 20 | 65 | FA | 255/40 R 20 | 101 V | Continental | WinterContact TS810 | NO | E | C |) 71 dB | No |
| | | | | | | Continental | WinterContact TS830 P | NO | F | C |) 73 dB | No | |
| | | | | | | Michelin | Pilot Alpin PA4 | NO | C | C |) 73 dB | No | |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | E | C |) 73 dB | No | |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | E | C |) 72 dB | No | |
| | | | | | | 10.5J x 20 | 65 | RA | 285/35 R 20 | 104 V | Continental | WinterContact TS810 | NO |
| | | Continental | WinterContact TS830 P | NO | F | C | | | |) 73 dB | Yes | | |
| | | Michelin | Pilot Alpin PA4 | NO | E | C | | | |) 73 dB | Yes | | |
| | | Pirelli | Winter 240 Sottozero Serie II | NO | E | C | | | |) 73 dB | Yes | | |
| | | Pirelli | Winter 240 Sottozero Serie II | N1 | E | C | | | |) 72 dB | Yes | | |
| | | | | | | | | | | | | | |

Only tyres of the same make and type, with the same speed index and the same specification code (NO, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h

1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB) and not for Panamera GTS/Turbo/Turbo S.

2) For all vehicle types except Panamera GTS/Turbo/Turbo S with Porsche Ceramic Composite Brake (PCCB).

Panamera - model year 2010 – 2013

As at: 04/2014

Approved makes of all-season tyres

| Type 970 Panamera, Panamera 4, Panamera S/4S, Panamera GTS, Panamera Turbo/Turbo S, Panamera Diesel, Panamera S Hybrid (model year 2010 – 2013) | | | | | | | | | | | | |
|---|------------|----|-------|-------------|------------------|--------------|-------------------------|-------|--------------------|----------|-----------------|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains |
| Wheel size 19-inch | 9J x 19 | 60 | FA | 255/45 R 19 | 100 V | Continental | Pro Contact | NO | F | B |) 73 dB | No |
| | | | | | | Continental | Pro Contact | N1 | E | C |) 73 dB | No |
| | | | | | | Goodyear | Eagle LS2 | NO | C | C |) 70 dB | No |
| | | | | | | | Pilot Sport A/S Plus | NO | C | B |) 72 dB | No |
| | | | | | | Michelin | Pilot Sport A/S Plus | N1 | B | B |) 72 dB | No |
| | | | | | | | Pro Contact | NO | F | B |) 74 dB | Yes |
| | 10J x 19 | 61 | RA | 285/40 R 19 | 103 V | Continental | Pro Contact | NO | F | B |) 74 dB | Yes |
| | | | | | | Continental | Pro Contact | N1 | E | C |) 73 dB | Yes |
| | | | | | | Goodyear | Eagle LS2 | NO | C | C |) 70 dB | Yes |
| | | | | | | Michelin | Pilot Sport A/S Plus | NO | C | B |) 72 dB | Yes |
| | | | | | | Michelin | Pilot Sport A/S Plus | N1 | B | B |) 72 dB | Yes |
| | | | | | | | Pro Contact | NO | F | B |) 74 dB | Yes |
| Wheel size 20-inch | 9.5J x 20 | 65 | FA | 255/40 R 20 | 101V XL | Michelin | Pilot Sport A/S Plus | NO | B | B |) 72 dB | No |
| | | | | | | Pirelli | Cinturato P7 All Season | NO | C | C |) 72 dB | No |
| | 11J x 20 | 68 | RA | 295/35 R 20 | 105V XL | Michelin | Pilot Sport A/S Plus | NO | B | B |) 71 dB | No |
| | | | | | | Pirelli | Cinturato P7 All Season | NO | C | C |) 74 dB | No |
| | 11.5J x 20 | 63 | RA | 295/35 R 20 | 105V XL | Michelin | Pilot Sport A/S Plus | NO | B | B |) 71 dB | No |
| | | | | | | Pirelli | Cinturato P7 All Season | NO | C | C |) 74 dB | No |

Only tyres of the same make and type, with the same speed index and the same specification code (NO, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h

For all vehicle types except Panamera GTS/Turbo/Turbo S with Porsche Ceramic Composite Brake (PCCB).

Panamera as of model year 2014

As at: 01/2014

Approved makes of winter tyres

| Type 970 Panamera, Panamera 4, Panamera Diesel, Panamera S E-Hybrid, Panamera S, Panamera 4S (as of model year 2014) | | | | | | | | | | | | |
|---|------------|----|-------|-------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains |
| Wheel size 18-inch ¹⁾ | 8J x 18 | 59 | FA | 245/50 R 18 | 100 V | Pirelli | Winter 240 Sottozero Serie II | NO | C | B |) 73 dB | No |
| | | | | | | Nokian | WR G2 | NO | E | E |) 73 dB | No |
| | 9J x 18 | 53 | RA | 275/45 R 18 | 103 V | Pirelli | Winter 240 Sottozero Serie II | NO | E | C |) 73 dB | Yes |
| | | | | | | Nokian | WR G2 | NO | E | E |) 74 dB | Yes |
| Wheel size 19-inch | 9J x 19 | 60 | FA | 255/45 R 19 | 100 V | Continental | WinterContact TS830 P | NO | E | C |) 73 dB | No |
| | | | | | | Michelin | Pilot Alpin 4 | N1 | C | C |) 72 dB | No |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | E | C |) 72 dB | No |
| | 10J x 19 | 61 | RA | 285/40 R 19 | 103 V | Continental | WinterContact TS830 P | NO | F | C |) 73 dB | Yes |
| | | | | | | Michelin | Pilot Alpin 4 | N1 | B | C |) 72 dB | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | E | C |) 72 dB | Yes |
| Wheel size 20-inch | 9.5J x 20 | 65 | FA | 255/40 R 20 | 101 V | Continental | WinterContact TS830 P | NO | F | C |) 73 dB | No |
| | | | | | | Michelin | Pilot Alpin 4 | NO | C | C |) 73 dB | No |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | E | C |) 72 dB | No |
| | 10.5J x 20 | 65 | RA | 285/35 R 20 | 104 V XL | Continental | WinterContact TS830 P | NO | F | C |) 73 dB | Yes |
| | | | | | | Michelin | Pilot Alpin 4 | NO | C | C |) 74 dB | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | E | C |) 72 dB | Yes |

| Type 970 Panamera S Executive, Panamera 4S Executive (as of model year 2014) | | | | | | | | | | | | |
|---|------------|----|-------|-------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains |
| Wheel size 19-inch | 9J x 19 | 60 | FA | 255/45 R 19 | 100 V | Continental | WinterContact TS830 P | NO | E | C |) 73 dB | No |
| | | | | | | Michelin | Pilot Alpin 4 | N1 | C | C |) 72 dB | No |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | E | C |) 72 dB | No |
| | 10J x 19 | 61 | RA | 285/40 R 19 | 103 V | Continental | WinterContact TS830 P | NO | F | C |) 73 dB | Yes |
| | | | | | | Michelin | Pilot Alpin 4 | N1 | B | C |) 72 dB | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | E | C |) 72 dB | Yes |
| Wheel size 20-inch | 9.5J x 20 | 65 | FA | 255/40 R 20 | 101 V | Continental | WinterContact TS830 P | NO | F | C |) 73 dB | No |
| | | | | | | Michelin | Pilot Alpin 4 | NO | C | C |) 73 dB | No |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | E | C |) 72 dB | No |
| | 10.5J x 20 | 65 | RA | 285/35 R 20 | 104 V XL | Continental | WinterContact TS830 P | NO | F | C |) 73 dB | Yes |
| | | | | | | Michelin | Pilot Alpin 4 | NO | C | C |) 74 dB | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | E | C |) 72 dB | Yes |

| Type 970 Panamera GTS, Panamera Turbo, Panamera Turbo Executive (as of model year 2014) | | | | | | | | | | | | |
|--|------------|----|-------|-------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains |
| Wheel size 19-inch ¹⁾ | 9J x 19 | 60 | FA | 255/45 R 19 | 100 V | Continental | WinterContact TS830 P | NO | E | C |) 73 dB | No |
| | | | | | | Michelin | Pilot Alpin 4 | N1 | C | C |) 72 dB | No |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | E | C |) 72 dB | No |
| | 10J x 19 | 61 | RA | 285/40 R 19 | 103 V | Continental | WinterContact TS830 P | NO | F | C |) 73 dB | Yes |
| | | | | | | Michelin | Pilot Alpin 4 | N1 | B | C |) 72 dB | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | NO | E | C |) 72 dB | Yes |
| Wheel size 20-inch | 9.5J x 20 | 65 | FA | 255/40 R 20 | 101 V | Continental | WinterContact TS830 P | NO | F | C |) 73 dB | No |
| | | | | | | Michelin | Pilot Alpin 4 | NO | C | C |) 73 dB | No |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | E | C |) 72 dB | No |
| | 10.5J x 20 | 65 | RA | 285/35 R 20 | 104 V XL | Continental | WinterContact TS830 P | NO | F | C |) 73 dB | Yes |
| | | | | | | Michelin | Pilot Alpin 4 | NO | C | C |) 74 dB | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | E | C |) 72 dB | Yes |

| Type 970 Panamera Turbo S, Panamera Turbo S Executive (as of model year 2014) | | | | | | | | | | | | |
|--|------------|----|-------|-------------|------------------|--------------|-------------------------------|-------|--------------------|----------|-----------------|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains |
| Wheel size 20-inch | 9.5J x 20 | 65 | FA | 255/40 R 20 | 101 V | Continental | WinterContact TS830 P | NO | F | C |) 73 dB | No |
| | | | | | | Michelin | Pilot Alpin 4 | NO | C | C |) 73 dB | No |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | E | C |) 72 dB | No |
| | 10.5J x 20 | 65 | RA | 285/35 R 20 | 104 V XL | Continental | WinterContact TS830 P | NO | F | C |) 73 dB | Yes |
| | | | | | | Michelin | Pilot Alpin 4 | NO | C | C |) 74 dB | Yes |
| | | | | | | Pirelli | Winter 240 Sottozero Serie II | N1 | E | C |) 72 dB | Yes |

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h

1) Not for vehicles with Porsche Ceramic Composite Brake (PCCB).

Panamera as of model year 2014

As at: 01/2014

Approved makes of all-season tyres

| Type 970 Panamera, Panamera 4, Panamera Diesel, Panamera S E-Hybrid, Panamera S, Panamera 4S, Panamera S Executive, Panamera 4S Executive, Panamera GTS, Panamera Turbo, Panamera Turbo Executive (as of model year 2014) | | | | | | | | | | | | | |
|---|------------|----|-------|-------------|------------------|--------------|-------------------------|-------------------------|--------------------|----------|-----------------|-------------|-----|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains | |
| Wheel size 19-inch ¹⁾ | 9J x 19 | 60 | FA | 255/45 R 19 | 100 V | Continental | Pro Contact | N1 | E | C |) 73 dB | No | |
| | 10J x 19 | 61 | RA | 285/40 R 19 | 103 V | Michelin | Pilot Sport A/S Plus | N1 | B | B |) 72 dB | No | |
| | | | | | | Continental | Pro Contact | N1 | E | C |) 73 dB | Yes | |
| | | | | | | | Michelin | Pilot Sport A/S Plus | N1 | B | B |) 72 dB | Yes |
| Wheel size 20-inch | 9.5J x 20 | 65 | FA | 255/40 R 20 | 101V XL | Michelin | Pilot Sport A/S Plus | NO | B | B |) 72 dB | No | |
| | 11J x 20 | 68 | RA | 295/35 R 20 | 105V XL | Pirelli | Cinturato P7 All Season | NO | C | C |) 72 dB | No | |
| | | | | | | Michelin | Pilot Sport A/S Plus | NO | B | B |) 72 dB | No | |
| | | | | | | | Pirelli | Cinturato P7 All Season | NO | C | C |) 72 dB | No |
| | | | | | | | Michelin | Pilot Sport A/S Plus | NO | B | B |) 72 dB | No |
| | | | | | | | Pirelli | Cinturato P7 All Season | NO | C | C |) 72 dB | No |
| | 11.5J x 20 | 63 | RA | 295/35 R 20 | 105V XL | Michelin | Pilot Sport A/S Plus | NO | B | B |) 72 dB | No | |
| | | | | | | Pirelli | Cinturato P7 All Season | NO | C | C |) 72 dB | No | |
| Type 970 Panamera Turbo S, Panamera Turbo S Executive (as of model year 2014) | | | | | | | | | | | | | |
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains | |
| Wheel size 20-inch | 9.5J x 20 | 65 | FA | 255/40 R 20 | 101V XL | Michelin | Pilot Sport A/S Plus | NO | B | B |) 72 dB | No | |
| | 11J x 20 | 68 | RA | 295/35 R 20 | 105V XL | Pirelli | Cinturato P7 All Season | NO | C | C |) 72 dB | No | |
| | | | | | | Michelin | Pilot Sport A/S Plus | NO | B | B |) 72 dB | No | |
| | | | | | | | Pirelli | Cinturato P7 All Season | NO | C | C |) 72 dB | No |
| | | | | | | Michelin | Pilot Sport A/S Plus | NO | B | B |) 72 dB | No | |
| | 11.5J x 20 | 63 | RA | 295/35 R 20 | 105V XL | Michelin | Pilot Sport A/S Plus | NO | B | B |) 72 dB | No | |
| | | | | | | Pirelli | Cinturato P7 All Season | NO | C | C |) 72 dB | No | |

Only tyres of the same make and type, with the same speed index and the same specification code (NO, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h

1) For all vehicle types except Panamera GTS/Turbo/Turbo Executive with Porsche Ceramic Composite Brake (PCCB).

Macan as of model year 2014

Approved makes of winter tyres

As at: 04/2015

| Type 95B | Macan, Macan S, Macan S Diesel, Macan Turbo | | | | | | | | | | | |
|---|---|----|-------|------------|------------------|--------------|---------------------|-------|--------------------|----------|-----------------|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains |
| Wheel size 18-inch ¹⁾ | 8J x 18 | 21 | FA | 235/60 R18 | 103 V | Continental | WinterContact 830 P | NO | F | C |) 72 dB | No |
| | | | | | | Pirelli | Scorpion Winter | NO | C | C |) 72 dB | No |
| | 9J x 18 | 21 | RA | 255/55 R18 | 105 V | Continental | WinterContact 830 P | NO | F | C |) 72 dB | Yes |
| | | | | | | Pirelli | Scorpion Winter | NO | C | C |) 72 dB | Yes |
| Wheel size 19-inch | 8J x 19 | 21 | FA | 235/55 R19 | 101 V | Dunlop | SP Winter Sport 4D | NO | E | C |) 70 dB | No |
| | | | | | | Pirelli | Scorpion Winter | NO | C | C |) 72 dB | No |
| | 9J x 19 | 21 | RA | 255/50 R19 | 103 V | Dunlop | SP Winter Sport 4D | NO | E | C |) 73 dB | Yes |
| | | | | | | Pirelli | Scorpion Winter | NO | C | C |) 72 dB | Yes |
| Wheel size 20-inch ²⁾ | 9J x 20 | 26 | FA | 265/45 R20 | 104 V | Michelin | Latitude Alpin 2 | NO | E | C |) 74 dB | No |
| | | | | | | Dunlop | Winter Sport 4D | NO | E | C |) 72 dB | No |
| | | | | | | Pirelli | Scorpion Winter | NO | E | C |) 72 dB | No |
| | 10J x 20 | 19 | RA | 295/40 R20 | 106 V | Michelin | Latitude Alpin 2 | NO | E | C |) 74 dB | No |
| | | | | | | Dunlop | Winter Sport 4D | NO | E | C |) 73 dB | No |
| | | | | | | Pirelli | Scorpion Winter | NO | E | C |) 73 dB | No |

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h

1) Only for Macan, Macan S, Macan S Diesel, not for vehicles with PCCB.
2) Only with wheel arch extensions on the RA.

Macan as of model year 2014

Approved makes of all-season tyres

As at: 04/2015

| Type 95B | Macan, Macan S, Macan S Diesel, Macan Turbo | | | | | | | | | | | |
|---|---|----|-------|------------|------------------|--------------|-------------------|-------|--------------------|----------|-----------------|-------------|
| | Size | RO | Axles | Tyre size | Load&Speed index | Manufacturer | Tread designation | Spec. | Rolling resistance | Wet grip | Noise emissions | Snow chains |
| Wheel size 18-inch ¹⁾ | 8J x 18 | 21 | FA | 235/60 R18 | 103 V | Michelin | Latitude Tour HP | NO | B | B |) 72 dB | No |
| | | | | | | Continental | ContiProContactTX | NO | C | C |) 71 dB | No |
| | | | | | | Pirelli | Scorpion Verde AS | NO | C | C |) 71 dB | No |
| | 9J x 18 | 21 | RA | 255/55 R18 | 105 V | Michelin | Latitude Tour HP | NO | B | B |) 72 dB | Yes |
| | | | | | | Continental | ContiProContactTX | NO | C | C |) 72 dB | Yes |
| | | | | | | Pirelli | Scorpion Verde AS | NO | B | C |) 71 dB | Yes |
| Wheel size 19-inch | 8J x 19 | 21 | FA | 235/55 R19 | 101 V | Michelin | Latitude Tour HP | NO | B | B |) 72 dB | No |
| | | | | | | Continental | ContiProContactTX | NO | C | C |) 71 dB | No |
| | | | | | | Pirelli | Scorpion Verde AS | NO | B | C |) 71 dB | No |
| | 9J x 19 | 21 | RA | 255/50 R19 | 103 V | Goodyear | Eagle LS 2 | NO | B | C |) 69 dB | No |
| | | | | | | Michelin | Latitude Tour HP | NO | B | B |) 72 dB | Yes |
| | | | | | | Continental | ContiProContactTX | NO | C | C |) 72 dB | Yes |
| | | | | | | Pirelli | Scorpion Verde AS | NO | B | C |) 71 dB | Yes |
| | | | | | | Goodyear | Eagle LS 2 | NO | B | C |) 70 dB | Yes |
| | | | | | | | | | | | | |
| Wheel size 20-inch ²⁾ | 9J x 20 | 26 | FA | 265/45 R20 | 104 V | Michelin | Latitude Tour HP | NO | B | B |) 72 dB | No |
| | | | | | | Pirelli | Scorpion Verde AS | NO | B | B |) 73 dB | No |
| | 10J x 20 | 19 | RA | 295/40 R20 | 106 V | Michelin | Latitude Tour HP | NO | B | B |) 72 dB | No |
| | | | | | | Pirelli | Scorpion Verde AS | NO | B | B |) 72 dB | No |

Only tyres of the same make and type, with the same speed index and the same specification code (N0, N1, N2, ...) may be used on a vehicle.

Speed index:
V = 240 km/h

1) Only for Macan, Macan S, Macan S Diesel, not for vehicles with PCCB.
2) Only with wheel arch extensions on the RA.