

Vehicle identification



Vehicle data

Attribute	Vehicle data
Vehicle Identification No.	WP1AG2A50PLB35234
Model	Macan S 95B-2
Date of production	12.08.2022
Year	2023
Sales type	95BBV1
Engine Code	DGRB
Transmission Code	A5B01
Axle drive	7A
Equipment	PY
Roof color	FO FO
Carpet color code	OS5
Exterior color / Paint Code	F0 / M7P
Seat combination no.	DYO
Number of Z-Orders	0

PR Number

Attribute		Description
Special editions	E0A	No special edition
Exterior ambient lighting	UD0	Without exterior ambient lighting
attachment parts with special surface	6H0	"Basic"
Lockable wheel bolts	1PA	Standard wheel bolts
Vehicle class differentiation powertrains/platform parts	7ZK	Vehicle class differentiation -95B-
Tailpipes	0P0	Rear exhaust tailpipe (standard)
Emission standard	7CE	Emission standard LEV 3/Tier 3 70
Trailer hitch	1D8	Trailer hitch preparation
Airbag	4UQ	Airbag for driver and front passenger
Activated carbon canister/gasoline particulate filter	1E1	Activated carbon canister
Storage compartment package	QE1	Storage compartment package 1
Add-on kits	6GF	Add-on kit wider wheel arch cover
Antennas	8L6	"diversity" window antenna
Exterior mirror adjustment	6XT	Exterior mirrors with memory feature, auto-dimming, power-folding/adjustable, separately heated



Attribute		Description
Left exterior mirror	5SG	Left exterior mirror, flat
Right exterior mirror	5RR	Right exterior mirror, convex (US)
Alternative drive system	0K0	Without alternative drive system
Multimedia/video/DVD/notebook connection	9WT	MirrorLink
Equipment lines	A8F	Sports equipment
Stopping distance reduction system	6K8	pre sense city without pre care
Rear brakes	1KY	Disc brakes in rear
Batteries	JOB	Battery 520 A (92 Ah)
Front brakes	1LG	Disc brakes in front
Components with special surfaces	6FB	Body-colored exterior mirror housings
Beverage holders	4M3	Beverage holders
Dashboard illumination	7V5	Standard dashboard illumination
Special color trim	0UA	Without special color trim
Part set for country-specific prescriptive standards	BOD	Part set, complying with vehicle type for USA (without California), various parts
Floor coverings	ЗМЕ	Tufted velour floor covering
Brake systems	1AT	Electronic stability control (ESC)
Owner's manuals	0VA	Without information kit
Heated washer nozzles	9T0	Without heated washer nozzles
Chrome package	QJ2	Aluminum package
General operating license additions	C00	Operating permit, initial registration
Cd-enhancing underbody panel	2D0	Without Aerokit
Shock absorption/suspension system	1BK	4-corner air suspension with electronic shock absorption contro
Roof rails/roof rack	3S0	Without roof rails/roof load rack
Roof insert/convertible top	3FU	Big roof system
Decorative films/emblems	6F0	Without decorative films/emblems
Differential lock	1Y0	Without differential lock
Tank filler neck for unleaded fuel/fuel type	2G4	Insert for the filling up of unleaded fuel
Theft protection system	7AH	Electronic immobilizer, with anti-theft alarm system, interior monitoring and backup horn
Inserts	5MP	Decorative inserts in burr walnut
Scuff plates	7M9	Scuff plates in door apertures
Park distance control	7X2	Park distance control in front and rear
Electric interface for external use	UQ7	External, USB type A, 2 x USB socket and charging socket(s)
Adhesive film	51A	with no inscription
Fire extinguisher	6A0	without fire extinguisher
Color of dashboard/door trim panel and side trim panel	6RC	Without deviating seams/leather
Headlight control	8K5	Automatic headlight control with Coming Home feature NAR -
Fresh air intake for vehicle interior (with particle filter)	2V5	Fresh air intake system with combination filter
Hood	FJ1	Hood, type 1
Vehicle tracking system	7G9	Interface for locating assistant
Vehicle specifications	F0A	No special purpose vehicle, standard equipment
Sound insulation measures for interior noises	3W8	Acoustics package for diesel
Alternators	8GV	Alternator 180 A



Attribute		Description
Weight category for rear axle	OYZ	Without determination of weight category for rear axle
Noise cancellation	EP0	No noise cancellation
Weight category for front axle	OJZ	Without determination of weight category for front axle
Base engine	TV8	6-cylinder SI engine 2.9 l unit 06M.A
cruise control system	8T3	Adaptive cruise control
Sound insulation measures for outside noises	2B1	Additional exterior noise insulation
Garage door opener	VC2	Garage door opener
Transmission specification	G1D	7-speed automatic gearbox for four-wheel drive
Speed alert system/speed limiter	6Y7	Speed limiter
Rear spoiler	5J9	Rear spoiler
Molded headliner	6NQ	Standard molded headliner
Rear seats	5KH	Three sports seats
Heating system/air conditioning system	KH7	Climatronic (3-zone) with air conditioning control panel in rear
Main headlamps	8IU	LED headlamps with variable light distribution
Interior lighting	9MB	Interior lighting dim-capable
Customized installation	FC0	Without customized installation
Dashboard inserts	U5C	Instrument cluster, mph speedometer - USA -
Dashboard	4N2	Standard dashboard
Breakaway interior rearview mirror	4L6	Breakaway interior rearview mirror, auto-dimming
Labels (customer specific or campaigns)	0KA	Without decals and emblems
Body forms	К4Н	Box
Camera/distance sensor	QK1	With multifunction camera
Fuel tank volume	0M2	Fuel tank
Climate zones	0Y2	Tropical zones
Compass/road sign display	QR8	without road sign recognition
Seat ventilation/massage seat	4D3	Seat ventilation in front
Antenna amplifier	GB0	Without antenna amplifier
Head restraints	3J4	Head restraints for front seats
Fuel filling volume	1Z5	Increase in initial standard fuel filling
Fuel systems	1A2	Fuel system for SI engine with direct injection (FSI)
Body measures	5C1	Body measures for increased safety requirements
Camera systems/surround sensors	KA2	With rear view camera system (type 2)
Radiator grille	6KA	Radiator grille
Refrigerant	KK3	Refrigerant R1234yf
Rear license plate carrier	6P2	Rear license plate carrier (NAR)
License plate carrier in front	6W3	Front license plate carrier (small, NAR)
Paint preservation/transport protection	5K0	Without surface protection, with additional transport protection measures
Luggage/load compartment floor in rear	3GA	Without luggage/load compartment floor
Steering system setup	LOL	Left-hand drive
Steering system	1N3	Speed-related variable steering assist (Servotronic)
Light assist systems	8G1	High-beam assistant
Loading edge protector	2P2	Stainless steel loading edge protection
	2ZH	Leather-wrapped multi-function steering wheel
Steering wheels	2211	Leather-Wiapped multi-function steering wheel



Attribute Description Sound package "2" Steering column systems 2C5 Axial and vertical adjustable steering column Air filter (engine) 1L0 Standard air filter Headlight range control 8Q3 Dynamic headlight range control (self-adjusting while driving Center console 3D2 Center console Model year period IY1 Model year period from week 22 to week 45 Engine cooling 8Z6 Hot country Engine specification D1C G-cylinder SI engine 2.9 I/280 kW biturbo, FSI, homogeneous base engine is TV8 Navigation system 7UG Navigation system + High Front fog lamps/additional headlamps 8WB Front fog lamps N.N.N. FZ0 N.N.N. Standard Online services EL3 Online service, without OCU, with head unit coding, without engine immobilizer interconnection Model upgrade measures GP2 Vehicles with special upgrade measures Wheel trims 1NE Hub cap Wheels 55T Alloy wheels 9J x 20 in front, with 10J x 20 in rear Impact protection measures VR0 Without impact protection measures Radios 18L Premium radio (Gen2) Tire inflation UX7 Type-2 valve (tire inflation) Regional codes for radio ER3 Regional code "NAR" for radio Tire pressure monitoring system 7K3 Tire pressure monitoring system 433 MHz High Tires 215/45 R16 86V H6N All-season tires 295 R20 106V in rear Tire suppliers V1G Tire suppliers for USA Spare wheel/breakdown kit 1G1 Space-saving spare wheel Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature NZ0 Without call feature
Steering column systems 2C5 Axial and vertical adjustable steering column Air filter (engine) 1L0 Standard air filter Headlight range control 8Q3 Dynamic headlight range control (self-adjusting while driving Center console 3D2 Center console Model year period IY1 Model year period from week 22 to week 45 Engine cooling 8Z6 Hot country Engine specification DIC G-cylinder SI engine 2.9 I/280 kW biturbo, FSI, homogeneous base engine is TV8 Navigation system 7UG Navigation system - High Front fog lamps/additional headlamps 8WB Front fog lamps N.N.N. FZ0 N.N.N. Standard Online services EL3 Online service, without OCU, with head unit coding, without engine immobilizer interconnection Model upgrade measures GP2 Vehicles with special upgrade measures Wheel trims 1NE Hub cap Wheels 55T Alloy wheels 9J x 20 in front, with 10J x 20 in rear Impact protection measures VR0 Without impact protection measures Radios I8L Premium radio (Gen2) Smoker's/non-smoker's version 9JA Non-smoker version Tire inflation UX7 Type-2 valve (tire inflation) Regional codes for radio ER3 Regional code* "NAR" for radio Tire pressure monitoring system 7K3 Tire pressure monitoring system 433 MHz High Tires 215/45 R16 86V H6N All-season tires 265/45 R20 104V in front, all-season tires 295 R20 106V in rear Tire suppliers V1G Tire suppliers for USA Space-saving spare wheel Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature NZ0 Without call feature
Air filter (engine) 1L0 Standard air filter Headlight range control 8Q3 Dynamic headlight range control (self-adjusting while driving center console 3D2 Center console 3D2 Center console Model year period IY1 Model year period from week 22 to week 45 Engine cooling 8Z6 Hot country Engine specification D1C 6-cylinder S1 engine 2.9 I/280 kW biturbo, FSI, homogeneous base engine is TV8 Navigation system 7UG Navigation system - High Front fog lamps N.N.N. FZ0 N.N.N. Standard Online services EL3 Online service, without OCU, with head unit coding, without engine immobilizer interconnection Model upgrade measures GP2 Vehicles with special upgrade measures Wheel trims 1NE Hub cap Wheels 55T Alloy wheels 9J x 20 in front, with 10J x 20 in rear Impact protection measures VR0 Without impact protection measures Radios 18L Premium radio (Gen2) Smoker's/non-smoker's version Jire inflation UX7 Type-2 valve (tire inflation) Regional code for radio ER3 Regional code "NAR" for radio Tire pressure monitoring system 7K3 Tire pressure monitoring system 433 MHz High Tires 215/45 R16 86V H6N All-season tires 265/45 R20 104V in front, all-season tires 295 R20 106V in rear Tire suppliers V1G Tire suppliers for USA Space-saving spare wheel Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height alignstment, US label Call feature NZ0 Without call feature
Headlight range control 8Q3 Dynamic headlight range control (self-adjusting while driving Center console 3D2 Center console Model year period IY1 Model year period from week 22 to week 45 Engine cooling 8Z6 Hot country Engine specification D1C 6-cylinder SI engine 2.9 I/280 kW biturbo, FSI, homogeneous base engine is TV8 Navigation system 7UG Navigation system - High Front fog lamps/additional headlamps 8WB Front fog lamps N.N.N. FZ0 N.N.N. Standard Online services EL3 Online service, without OCU, with head unit coding, without engine immobilizer interconnection Model upgrade measures GP2 Vehicles with special upgrade measures Wheels 1NE Hub cap Wheels 55T Alloy wheels 9J x 20 in front, with 10J x 20 in rear Impact protection measures VR0 Without impact protection measures Radios IBL Premium radio (Gen2) Smoker's/non-smoker's version 9JA Non-smoker version Tire inflation UX7 Type-2 valve (tire inflation) Regional codes for radio ER3 Regional code "NAR" for radio Tire pressure monitoring system 7K3 Tire pressure monitoring system 433 MHz High Tires 215/45 R16 86V H6N All-season tires 265/45 R20 104V in front, all-season tires 295 Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature NZ0 Without call feature EA0 PU2
Center console Model year period IY1 Model year period from week 22 to week 45 Engine cooling 8Z6 Hot country Engine specification D1C G-cylinder SI engine 2.9 I/280 kW biturbo, FSI, homogeneous base engine is TV8 Navigation system 7UG Navigation system - High Front fog lamps/additional headlamps 8WB Front fog lamps N.N.N. FZ0 N.N.N. Standard Online service, without OCU, with head unit coding, without engine immobilizer interconnection Model upgrade measures GP2 Vehicles with special upgrade measures Wheel trims 1NE Hub cap Wheels 55T Alloy wheels 9J x 20 in front, with 10J x 20 in rear Impact protection measures VR0 Without impact protection measures Radios I8L Premium radio (Gen2) Smoker's/non-smoker's version 9JA Non-smoker version Tire inflation UX7 Type-2 valve (tire inflation) Regional codes for radio ER3 Regional codes "NAR" for radio Tire pressure monitoring system 7K3 Tire pressure monitoring system 7K3 Tire pressure monitoring system 7K3 Tire pressure monitoring system 433 MHz High All-season tires 265/45 R20 104V in front, all-season tires 295 R20 106V in rear Tire suppliers V1G Tire suppliers for USA Spare wheel/breakdown kit IG1 Space-saving spare wheel Call feature NZ0 Without call feature EA0 PU2
Model year period IY1 Model year period from week 22 to week 45 Engine cooling 826 Hot country Engine specification D1C 6-cylinder SI engine 2.9 I/280 kW biturbo, FSI, homogeneous base engine is TW8 Navigation system 7UG Navigation system - High Front fog lamps/additional headlamps 8WB Front fog lamps N.N.N. FZ0 N.N.N. Standard Online services EL3 Online service, without OCU, with head unit coding, without engine immobilizer interconnection Model upgrade measures GP2 Vehicles with special upgrade measures Wheel trims 1NE Hub cap Wheels 55T Alloy wheels 9J x 20 in front, with 10J x 20 in rear Impact protection measures VR0 Without impact protection measures Radios 18L Premium radio (Gen2) Smoker's/non-smoker's version 9JA Non-smoker version Tire inflation UX7 Type-2 valve (tire inflation) Regional codes for radio ER3 Regional code "NAR" for radio Tire pressure monitoring system 7K3 Tire pressure monitoring system 433 MHz High Tires 215/45 R16 86V H6N All-season tires 265/45 R20 104V in front, all-season tires 295 R20 106V in rear Tire suppliers V1G Tire suppliers for USA Spare wheel/breakdown kit 1G1 Space-saving spare wheel Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature NZ0 Without call feature EA0 PU2
Engine cooling 826 Hot country Engine specification D1C 6-cylinder SI engine 2.9 I/280 kW biturbo, FSI, homogeneous base engine is TV8 Navigation system 7UG Navigation system - High Front fog lamps/additional headlamps 8WB Front fog lamps N.N.N. FZ0 N.N.N. Standard Online services EL3 Online service, without OCU, with head unit coding, without engine immobilizer interconnection Model upgrade measures GP2 Vehicles with special upgrade measures Wheels 1NE Hub cap Wheels 55T Alloy wheels 9J x 20 in front, with 10J x 20 in rear Impact protection measures VR0 Without impact protection measures Radios I8L Premium radio (Gen2) Smoker's/non-smoker's version JIT ire inflation UX7 Type-2 valve (tire inflation) Regional codes for radio ER3 Regional code "NAR" for radio Tire pressure monitoring system 7K3 Tire pressure monitoring system 433 MHz High Tires 215/45 R16 86V H6N All-season tires 265/45 R20 104V in front, all-season tires 295 R20 106V in rear Tire suppliers V1G Tire suppliers for USA Spare wheel/breakdown kit GAI Space-saving spare wheel AQR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature NZ0 Without call feature EA0 PU2
Engine specification D1C 6-cylinder SI engine 2.9 I/280 kW biturbo, FSI, homogeneous base engine is TV8 Navigation system 7UG Navigation system - High Front fog lamps N.N.N. FZ0 N.N.N. ST0 N.N.N. Standard Online services EL3 Online service, without OCU, with head unit coding, without engine immobilizer interconnection Model upgrade measures GP2 Vehicles with special upgrade measures Wheel trims 1NE Hub cap Wheels 55T Alloy wheels 9J x 20 in front, with 10J x 20 in rear Impact protection measures VR0 Without impact protection measures Radios I8L Premium radio (Gen2) Smoker's/non-smoker's version 9JA Non-smoker version Tire inflation UX7 Type-2 valve (tire inflation) Regional codes for radio ER3 Regional code "NAR" for radio Tire pressure monitoring system 7K3 Tire pressure monitoring system 433 MHz High Tires 215/45 R16 86V H6N All-season tires 265/45 R20 104V in front, all-season tires 295 R20 106V in rear Tire suppliers V1G Tire suppliers for USA Spare wheel/breakdown kit 1G1 Space-saving spare wheel Call feature NZ0 Without call feature EA0 PU2
Navigation system 7UG Navigation system - High Front fog lamps/additional headlamps 8WB Front fog lamps N.N.N. FZO N.N.N. Standard Online services EL3 Online service, without OCU, with head unit coding, without engine immobilizer interconnection Model upgrade measures GP2 Vehicles with special upgrade measures Wheel trims 1NE Hub cap Wheels 55T Alloy wheels 9J x 20 in front, with 10J x 20 in rear Impact protection measures VRO Without impact protection measures Radios IBL Premium radio (Gen2) Smoker's/non-smoker's version 9JA Non-smoker version Tire inflation UX7 Type-2 valve (tire inflation) Regional codes for radio ER3 Regional code "NAR " for radio Tire pressure monitoring system 7K3 Tire pressure monitoring system 433 MHz High Tires 215/45 R16 86V H6N All-season tires 265/45 R20 104V in front, all-season tires 295 R20 106V in rear Tire suppliers V1G Tire suppliers for USA Spare wheel/breakdown kit 1G1 Space-saving spare wheel Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature NZO Without call feature EAO PU2
Front fog lamps/additional headlamps N.N.N. FZO N.N.N. Standard Online services EL3 Online service, without OCU, with head unit coding, without engine immobilizer interconnection Model upgrade measures GP2 Vehicles with special upgrade measures Wheel trims 1NE Hub cap Wheels 55T Alloy wheels 9J x 20 in front, with 10J x 20 in rear Impact protection measures VRO Without impact protection measures Radios IBL Premium radio (Gen2) Smoker's/non-smoker's version Jire inflation UX7 Type-2 valve (tire inflation) Regional codes for radio ER3 Regional code" NAR " for radio Tire pressure monitoring system 7K3 Tire pressure monitoring system 7K3 Tire pressure monitoring system 7K3 Tire season tires 265/45 R20 104V in front, all-season tires 295 R20 106V in rear Tire suppliers V1G Tire suppliers for USA Spare wheel/breakdown kit 1G1 Space-saving spare wheel Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature EA0 PU2
N.N.N. FZO N.N.N. Standard Online services EL3 Online service, without OCU, with head unit coding, without engine immobilizer interconnection Model upgrade measures GP2 Vehicles with special upgrade measures Wheel trims 1NE Hub cap Wheels 55T Alloy wheels 9J x 20 in front, with 10J x 20 in rear Impact protection measures VRO Without impact protection measures Radios 18L Premium radio (Gen2) Smoker's/non-smoker's version 9JA Non-smoker version Tire inflation UX7 Type-2 valve (tire inflation) Regional codes for radio ER3 Regional code "NAR" for radio Tire pressure monitoring system 7K3 Tire pressure monitoring system 433 MHz High Tires 215/45 R16 86V H6N All-season tires 265/45 R20 104V in front, all-season tires 295 R20 106V in rear Tire suppliers V1G Tire suppliers for USA Spare wheel/breakdown kit 1G1 Space-saving spare wheel Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature NZO Without call feature EA0 PU2
Online services EL3 Online service, without OCU, with head unit coding, without engine immobilizer interconnection Model upgrade measures GP2 Vehicles with special upgrade measures Wheel trims 1NE Hub cap Wheels 55T Alloy wheels 9J x 20 in front, with 10J x 20 in rear Impact protection measures VR0 Without impact protection measures Radios 18L Premium radio (Gen2) Smoker's/non-smoker's version 9JA Non-smoker version Tire inflation UX7 Type-2 valve (tire inflation) Regional codes for radio ER3 Regional code "NAR " for radio Tire pressure monitoring system 7K3 Tire pressure monitoring system 433 MHz High Tires 215/45 R16 86V H6N All-season tires 265/45 R20 104V in front, all-season tires 295 R20 106V in rear Tire suppliers V1G Tire suppliers for USA Spare wheel/breakdown kit 1G1 Space-saving spare wheel Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature NZ0 Without call feature EA0 PU2
engine immobilizer interconnection Model upgrade measures GP2 Vehicles with special upgrade measures Wheel trims 1NE Hub cap Wheels 55T Alloy wheels 9J x 20 in front, with 10J x 20 in rear Impact protection measures VR0 Without impact protection measures Radios I8L Premium radio (Gen2) Smoker's/non-smoker's version 9JA Non-smoker version Tire inflation UX7 Type-2 valve (tire inflation) Regional codes for radio ER3 Regional code "NAR " for radio Tire pressure monitoring system 7K3 Tire pressure monitoring system 433 MHz High Tires 215/45 R16 86V H6N All-season tires 265/45 R20 104V in front, all-season tires 295 R20 106V in rear Tire suppliers V1G Tire suppliers or USA Spare wheel/breakdown kit 1G1 Space-saving spare wheel Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature NZ0 Without call feature EA0 PU2
Wheels 1NE Hub cap Wheels 55T Alloy wheels 9J x 20 in front, with 10J x 20 in rear Impact protection measures VR0 Without impact protection measures Radios I8L Premium radio (Gen2) Smoker's/non-smoker's version 9JA Non-smoker version Tire inflation UX7 Type-2 valve (tire inflation) Regional codes for radio ER3 Regional code "NAR " for radio Tire pressure monitoring system 7K3 Tire pressure monitoring system 433 MHz High Tires 215/45 R16 86V H6N All-season tires 265/45 R20 104V in front, all-season tires 295 R20 106V in rear Tire suppliers V1G Tire suppliers for USA Spare wheel/breakdown kit 1G1 Space-saving spare wheel Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature NZ0 Without call feature EA0 PU2
Wheels 55T Alloy wheels 9J x 20 in front, with 10J x 20 in rear Impact protection measures VR0 Without impact protection measures Radios I8L Premium radio (Gen2) Smoker's/non-smoker's version 9JA Non-smoker version Tire inflation UX7 Type-2 valve (tire inflation) Regional codes for radio ER3 Regional code "NAR " for radio Tire pressure monitoring system 7K3 Tire pressure monitoring system 433 MHz High Tires 215/45 R16 86V H6N All-season tires 265/45 R20 104V in front, all-season tires 295 R20 106V in rear Tire suppliers V1G Tire suppliers for USA Spare wheel/breakdown kit 1G1 Space-saving spare wheel Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature NZ0 Without call feature EA0 PU2
Impact protection measures Radios IBL Premium radio (Gen2) Smoker's/non-smoker's version Jire inflation UX7 Type-2 valve (tire inflation) Regional codes for radio ER3 Regional code " NAR " for radio Tire pressure monitoring system Tire pressure monitoring system Tire suppliers V1G Tire suppliers V1G Tire suppliers for USA Spare wheel/breakdown kit IG1 Space-saving spare wheel Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature NZ0 Without call feature
Radios I8L Premium radio (Gen2) Smoker's/non-smoker's version 9JA Non-smoker version Tire inflation UX7 Type-2 valve (tire inflation) Regional codes for radio ER3 Regional code "NAR " for radio Tire pressure monitoring system 7K3 Tire pressure monitoring system 433 MHz High Tires 215/45 R16 86V H6N All-season tires 265/45 R20 104V in front, all-season tires 295 R20 106V in rear Tire suppliers V1G Tire suppliers for USA Spare wheel/breakdown kit 1G1 Space-saving spare wheel Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature NZ0 Without call feature EA0 PU2
Smoker's/non-smoker's version Fire inflation WX7 Type-2 valve (tire inflation) Regional codes for radio ER3 Regional code "NAR " for radio Tire pressure monitoring system Tire pressure monitoring system Tires 215/45 R16 86V H6N All-season tires 265/45 R20 104V in front, all-season tires 295 R20 106V in rear Tire suppliers V1G Tire suppliers for USA Spare wheel/breakdown kit 1G1 Space-saving spare wheel Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature NZ0 Without call feature
Tire inflation UX7 Type-2 valve (tire inflation) Regional codes for radio ER3 Regional code "NAR " for radio Tire pressure monitoring system 7K3 Tire pressure monitoring system 433 MHz High Tires 215/45 R16 86V H6N All-season tires 265/45 R20 104V in front, all-season tires 295 R20 106V in rear Tire suppliers V1G Tire suppliers for USA Spare wheel/breakdown kit 1G1 Space-saving spare wheel Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature NZ0 Without call feature EA0 PU2
Regional codes for radio ER3 Regional code " NAR " for radio Tire pressure monitoring system 7K3 Tire pressure monitoring system 433 MHz High Tires 215/45 R16 86V H6N All-season tires 265/45 R20 104V in front, all-season tires 295 R20 106V in rear Tire suppliers V1G Tire suppliers for USA Spare wheel/breakdown kit 1G1 Space-saving spare wheel Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature NZ0 Without call feature EA0 PU2
Tire pressure monitoring system 7K3 Tire pressure monitoring system 433 MHz High All-season tires 265/45 R20 104V in front, all-season tires 295 R20 106V in rear Tire suppliers V1G Tire suppliers for USA Spare wheel/breakdown kit 1G1 Space-saving spare wheel Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature NZO Without call feature EAO PU2
Tires 215/45 R16 86V H6N All-season tires 265/45 R20 104V in front, all-season tires 295 R20 106V in rear Tire suppliers V1G Tire suppliers for USA Spare wheel/breakdown kit 1G1 Space-saving spare wheel Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature EA0 PU2
Tire suppliers V1G Tire suppliers for USA Spare wheel/breakdown kit 1G1 Space-saving spare wheel Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature NZO Without call feature EAO PU2
Spare wheel/breakdown kit Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature NZO Without call feature EAO PU2
Restraint systems in front 4QR 3-point seat belts in front, with pretensioner and height adjustment, US label Call feature EA0 PU2
Call feature NZ0 Without call feature EA0 PU2
EA0 PU2
PU2
C3E
335
Side airbag 4X4 Side airbag in front and rear with curtain airbag
Muffler 2HB Muffler
Gearshift knob/gearshift handle 6Q2 Gearshift knob/handle in leather
Special labels 0SC Labels in English
Rear combination lamps 8SJ Rear combination lamp, standard design (NAR)
Closing/opening mechanism 4E7 Tailgate/trunk lid power closing tailgate/trunk lid/rear gate
Seat belt reminder 9P7 Visual and acoustic seat belt reminder, electric contact in but
Outer seat belts in rear 3ZD 3-point seat belts, outer rear with US label
Seat trim covers N0Q Seat trim covers in leather
Fuse box (for industrial engine only) KE0 Without fuse box
Seat adjustment 3PN Power seat adjustment for both front seats with memory feature
seat heater 4A4 Seat heater for front and rear seats separately controlled
Safety certificates 0LA Without special labels safety certificates
Tiptronic control, steering column/ 2X2 Tiptronic control on steering wheel



Attribute		Description
Side lamps	8F5	Side-marker lamps and turn signals
Key for locking system	8QD	Key for locking system
Tuned mass damper	FW2	Tuned mass damper
Start-stop system/regenerative braking	7L4	Start-stop system
Horns	8Y1	Two-tone horn
Control code (no PR family)	SM5	Fuel market B
sun visors	5XX	Sun visors with mirror, illuminated (NAR)
Voice control system/voice control	QH1	Voice control
Lane change system/lane keeping system	7Y1	Lane change assist
Lane keeping system/traffic jam assist	618	Lane departure warning plus prep. for semi-auto. vehicle assist. in a medical emergency/without lane keeping system
Side and rear windows	VW1	Side windows tinted green, from B-pillar to rear window gray tinted safety glass
Special specifications	05A	Special specifications
Sun blind for rear/side windows	3Y0	without roll-up sun screen
Outlet	7B3	12-volt outlet(s)
Bumper	2JU	Standard bumpers
Driver assistance systems	GJ0	Without traffic jam assist/co-pilot in heavy traffic/highway pilot
Front stabilizer bar	0AB	Front stabilizer bar
Intermittent windshield wiper control/ light/rain sensor	8N7	Windshield wiper intermittent control with light/rain sensor
Special approval measures	3M0	Without special measures
Nameplate set	0NB	Nameplate set in basic style
Fuel cap/fuel filler door closing mechanism	2W0	Fuel filler cap
Door handles/inserts	6JD	Body-colored door handles
Door and tailgate/trunk lid locking mechanism	4F6	Central locking system Keyless Entry w/o SAFELOCK (NAR/two-stage unlocking)
Telepay device/toll system	9B0	Without integrated toll system
Type-approval testing countries/ countries with specific requirements	B34	Legal requirements for USA
Carrier frequency for remote control	5D2	Carrier frequency 315 MHz
Partition	3CU	Partition preparation
Door and side trim panels	3LE	door and side trim panels
TV reception/digital radio reception	QU8	Satellite radio reception USA
Front-end underbody cladding	1SA	Without additional front underbody guard
Identification labels	1EB	Ohne Typschild
First aid kit/warning triangle	1T0	Without first aid kit and warning triangle
Front seats	Q1J	Sports front seats
Telephone/telematics	9ZK	Telephony (SIM access profile)
Additional warning lamps	9TF	Entry and exit comfort lighting
LongLife Service Regime	QG0	Without LongLife Service Regime
Thermal energy storage system/auxiliary heater	7E0	W/o heat accumulator/auxiliary heating
Windshield	4GR	Heated insulating glass windshield
Additional tires (snow tires)	2WA	without spare tyre
foot mats	0TD	Floor mats in front and rear
Additional instruments	8LH	Sport Chrono Plus package



	Description
6EA	Without additional side body covers (stone guard)
3B4	Child seat anchors for child seat system ISOFIX
ORZ	Without ignition/starter switch locking system, without steering lock
9M0	Without auxiliary heater/parking heater
UP1	Digital clock
GY1	Power latching for tailgate
	3B4 0RZ 9M0 UP1